

GEOMORPHOLOGY, SEDIMENT AND CHANNEL MONITORING LIBRARY

(Under Construction)

(These publications are available from Authors, and/or the Upper Colorado River Endangered fish Recovery Program Library, a small copying cost may apply. Contact Ellen Szczesny at (303)-236-2985 ex 224 or ellen_szczesne@fws.gov)

Allred, T.M., and J.C. Schmidt, 1996. Channel change of the Green River near Green River, Utah; analysis of geomorphic form and process. 1995 Annual Progress Report and 1996 Field Progress Report. Contract 93-1070m-a3-a6. Utah Div. Wild. Res.

Allred, T.M., and J.C. Schmidt, in review. Channel narrowing by vertical accretion along the Green River near Green River, Utah. Submitted to GSA Geology, 1998.

Andrews, E. D. (1978). Present and Potential Sediment Yields in the Yampa River Basin, Colorado and Wyoming, U.S.G.S., Water Resources Investigations: 33.

Andrews, E. D. (1980). "Effective and Bankfull Discharges of Streams in the Yampa River Basin, Colorado and Wyoming." Journal of Hydrology 46: 311-330.

Andrews, E. D. (1986). "Downstream Effects of Flaming Gorge Reservoir on the Green River, Colorado and Utah." Geological Society of America Bulletin 97: 1012-1023.

Andrews, E. D. and J. M. Nelson (1989). "Topographic Response of a Bar in the Green River, Utah to Variation in Discharge." American Geophysical Union: 463-485.

Andrews, E. D., M. B. Bain, et al. (1995). Highlights Of A Peer Review And Roundtable Discussion On The Relationship Of Streamflow, Geomorphology, And Food Web Studies In Recovery Of The Endangered Fishes In The Upper Colorado River Basin, Colorado River Recovery Program: 15.

Butler, M. (1988). Minimum Streamflow Hydrographs and Sediment Transport in the Yampa River Canyon Reaches: Draft: 60.

Butler, D. L., et al. (1994). Detailed Study of Selenium and Other Constituents in Water, Bottom Sediment, Soil, Alfalfa, and Biota Associated with Irrigation Drainage in the Uncompahgre Project Area and in the Grand Valley, West-Central Colorado, 1991-93, U.S. Geological Survey, Water-Resources Investigations: 136.

Carpenter, M. C., Crosswhite, J. A., and Marie, J. R., 1995, A load-cell scour sensor to measure erosion and deposition in the regulated Colorado River in the Grand Canyon, Arizona [abs.]: American Geophysical Union Transactions, v. 76, no. 46, p. F271.

Carpenter, M. C., 1996, Monitoring erosion and deposition using an array of load-cell scour sensors during the Spring 1996 controlled flood experiment on the Colorado River in the Grand Canyon, Arizona [abs.]: American Geophysical Union Transactions, v. 77, no., 46, p. F271.

Cooper, D. J. and C. Severn (1994). Final Baseline Reports on Five Upper Basin Bottomland Sites: 403.

Cope, E. D. and H. C. Yarrow (1875). Report upon Geographical and Geological Explorations and Surveys West of the One Hundredth Meridian, Washington: Government Printing Office.

FLO Engineering, I. (1993). Green River Jensen Spawning Bar & Escalante Wetlands Hydrologic Study, Colorado River Recovery Program: 41.

FLO Engineering, I. (1996). Concept Development Report, Grand Valley Irrigation Company, Diversion Dam Fish Passage Structure, Palisade, CO, FLO Engineering, Inc. for the U.S. Bureau of Reclamation,: 59.

FLO Engineering, Inc. 1996. Green River Flooded Bottomlands Investigation, Ouray Wildlife Refuge and Canyonlands National Park Utah. FLO Engineering, Inc., Breckenridge, Colorado. 105p.

FLO Engineering, Inc. 1998. Green River FLO-2D Discharge Routing Model, Flaming Gorge Dam to Colorado River Confluence.

FLO Engineering, I. (1996). Green River Flooded Bottomlands Investigation Ouray Wildlife Refuge and Canyonlands National Park, Utah-Final Report. Breckenridge, CO, U.S. Fish and Wildlife Service, Recovery Program for the Endangered Fishes of the Upper Colorado River: 105.

FLO Engineering, I. (1997). 1996 Green River Discharge Monitoring, Colorado River Recovery Program: 18.

Graf, W.L. 1978. Fluvial adjustments to the spread of tamarisk in the Colorado Plateau region. Geological Society of America Bulletin. 89:1491-1501.

Graf, W.L., Hereford, R., Laity, J., and R.A. Young, 1987. Colorado Plateau: *in* Graf, W.L. (ed) Geomorphic Systems of North America, Geol. Soc. America, Centennial Spec. 2, pp. 259-302.

Grams, P.E., and J.C. Schmidt. 1996. Geomorphology of the Green River in the eastern Uinta Mountains, Colorado and Utah. In: Varieties of Fluvial Form, A.J. Miller (ed.). John Wiley and Sons, New York. (In press).

Guensch, G.R., and J.C. Schmidt, 1996. Channel response to high discharge in 1996, Green River at Ouray and Mineral Bottom. 1996 Annual Progress Report, Utah State

University. Contract 93-1070-a6, Utah Div. Wild. Res.

Harvey, M. D. and R. A. Mussetter (1992). Mineral Bottom Geomorphic Investigation Trip Report. Ft. Collins, CO, Resource Consultants & Engineers: 8.

Harvey, M. D., R. A. Mussetter, et al. (1993). A Physical Process-biological Response Model for Spawning Habitat Formation for the Endangered Colorado Squawfish: 17.

Iorns, W.V, C.H. Hembree, and G.L. Oakland. 1965. Water Resources of the Upper Colorado River Basin - Technical Report. U.S. Geological Survey Professional Paper 441, U.S. Government Printing Office, Washington D.C. 370p.

Lyons, J. (1989). Green River Channel Characteristics Below Flaming Gorge. Denver, Co, Earth Sciences Division, Sedimentation Section, Bureau of Reclamation: 57.

Lyons, J.K., M.J. Pucherelli, and R.C. Clark. 1992. Sediment transport and channel characteristics of a sand-bed portion of the Green River below Flaming Gorge Dam, Utah, USA. Regulated rivers: Research & Management 7:219-232.

Mayers, J.L. and J.C. Schmidt. 1994. Geomorphic analysis and mapping of recent alluvial sediments on the Green River, Uinta basin, Utah (abst.). American Geophysical Union 1994 Fall Meeting Program and Abstracts. EOS 75:273.

McAda, C. W. and L. R. Kaeding (1991). Physical Changes in the Gunnison and Colorado Rivers Resulting from Construction of the Aspinall Unit and Related Projects, with Hypotheses to Assess the Effects on the Endangered Fishes: Final Report, USFWS: 59.

Milhous, R. T. (1998) Modeling of instream flow needs: the link between sediment and aquatic habitat. Regulated rivers: Research and Management 14:79-94.

Mussetter, R.A., and M.D. Harvey. 1994. Yampa River Endangered Fish Species Habitat Investigations, Report to Colorado River Water Conservation District, Glenwood Springs, Colorado. Resource Consultants and Engineers Inc., Fort Collins, Colorado.

Mussetter, R.A., M.D. Harvey, and P.F. Lagasse. 1992. Fine Sediment Deposition and Erosion at a Squawfish Spawning Bar, Yampa River, Colorado. Advances in Hydro-Science and Engineering, ICHE, v. I, 265-272.

O'Brien, J. S. (1984). Hydraulic and Sediment Transport Investigation Yampa River Dinosaur National Monument 1983 Final Report. Fort Collins, Colorado, Colorado State University (submitted to NPS Water Resources Lab WRFSL #83-8): 86.

O'Brien, J. S. (1984). 1983 Yampa River Cobble Reach Morphology Investigation Final Report. Fort Collins, Colorado, Colorado State University: 79.

- O'Brien, J. S. and W. J. Miller (1984). Yampa and Green Rivers Water Temperature Simulation, Dinosaur National Monument. Fort Collins, Co, Colorado State University (submitted to NPS and Fish and Wildlife Service): 28.
- O'Brien, J. S. (1987). Analysis of Minimum Streamflow and Sediment Transport in the Yampa River, Dinosaur National Monument. Fort Collins, Colorado, Colorado State University (submitted to Nature Conservancy, Boulder, CO): 21.
- Pucherelli, M. J., R. C. Clark, et al. (1990). 1989 Upper Basin Interagency Standardized Monitoring Program - Green and Colorado Rivers Habitat Mapping Using Airborne Video. Denver, Colorado, Bureau of Reclamation: 82.
- Pucherelli, M. J., R. C. Clark, et al. (1990). Mapping Backwater Habitat on the Green River as Related to the Operation of Flaming Gorge Dam Using Remote Sensing and GIS. Denver, Colorado, Bureau of Reclamation: 12.
- Rakowski, C. L., J. C. Schmidt, et al. (1994). Geomorphic Response of a Sand-Bed River to High Discharge; Effects on Colorado Squawfish Nursery Habitat Availability, (poster presented at 1993 Fall Meeting of American Geophysical Union), Utah State University: 24.
- Rakowski, C.L. and J.C. Schmidt. 1996. The geomorphic basis of Colorado Squawfish nursery habitat in the Green River near Ouray, Utah. Draft Final Completion Report and Executive Summary, Department of Geography and Earth Resource, Utah State University, Logan, Utah. 73p.
- Rose, K. L. and D. R. Hann (1989). Final Consolidated Instream Flow Report, Habitat Modeling on the Green River Using the Physical Habitat Simulation System. Grand Junction, Colorado, Upper Colorado River Basin Instream Flow Team: 41.
- Rose, K. L. and D. R. Hann (1989). Summary of Historic Habitat Modeling on the Yampa River Using the Physical Habitat Simulation System: Final Report. Grand Junction Colorado.
- Schmidt, B., et al. (1978). Flaming Gorge Reservoir and Green River Post-impoundment Investigations Annual Performance Report 1977. Salt Lake City, Utah, Division of Wildlife Resources: 55.
- Schmidt J.C., K.L. Orchard, and S.P Holman, 1996. Spatial and temporal patterns of habitat availability in Desolation and Gray Canyons. 1995 Annual Report and 1996 Field Progress Report, Department of Geography and Earth Resources, Utah State University, Logan, Utah. 12p.
- Schmidt, J.C. 1994. Annual Report: Compilation of historic hydrologic and geomorphic data for the upper Colorado River basin. Flaming Gorge Research Program, Study #37, Department of Geography and Earth Resources, Utah State

University, Logan, Utah. 5p.

Stanford, J. A. (1993). Instream Flows to Assist the Recovery of Endangered Fishes of the Upper Colorado River Basin: Review and Synthesis of Ecological Information, Issues, Methods and Rationale. Denver, Colorado, Report for Instream Flow Subcommittee of the Recovery Implementation Program: 89+.

Stanford, J. A. and P. C. Nelson (1994). Instream Flows to Assist the Recovery of Endangered Fishes of the Upper Colorado River Basin. Denver, Colorado, U.S. Dept of the Interior, National Biological Survey: 47.

Van Steeter, M. M., J. Pitlick, et al. (1995). Aerial Photograph/GIS Analysis and Field Studies of the Grand Valley and Ruby-Horsethief Canyon of the Colorado River, University of Colorado, Department of Geography: 93.

Van Steeter, M. M., J. Pitlick, et al. (1998) Geomorphology and endangered fish habitats of the upper Colorado River 1: historic changes in streamflow, sediment load and channel morphology. *Water Resources Research* 34:287-302.

Van Steeter, M. M. (1996) Historic and current processes affecting channel change and endangered fish habitats of the Colorado River near Grand Junction, Colorado Doctoral dissertation. University of Colorado, Boulder.

Wick, E. J. and J. A. Hawkins (1989). Colorado Squawfish Winter Habitat Study, Yampa River, Colorado 1986-1988. Fort Collins, Colorado, Colorado State University Larval Fish Laboratory: 96.

Wick, E. J., 1997. Physical processes and habitat critical to the endangered razorback sucker on the Green River, Utah. Doctoral Dissertation. Colorado State University, Fort Collins.

Yin S.C.L., J.J. McCoy, S.C. Palmer, and H.E. Cho. 1995. Effects of Flaming Gorge Dam Hydropower Operations on flow and Stage in the Green River, Utah and Colorado. Environmental Assessment Division, Argonne National Laboratory, Argonne, Illinois. Report ANL/EAD/TM-4. 43 p.