

Glen Canyon Dam

Long-Term Experimental and Management Plan
Environmental Impact Statement



PUBLIC DRAFT

Executive Summary

U.S. Department of the Interior
Bureau of Reclamation,
Upper Colorado Region
National Park Service,
Intermountain Region

December 2015



Cover photo credits:

Title bar: Grand Canyon National Park

Grand Canyon: Grand Canyon National Park

Glen Canyon Dam: T.R. Reeve

High-flow experimental release: T.R. Reeve

Fisherman: T. Gunn

Humpback chub: Arizona Game and Fish Department

Rafters: Grand Canyon National Park

CONTENTS

1
 2
 3
 4 **ACRONYMS AND ABBREVIATIONS** vii
 5
 6 ES.1 Introduction 1
 7 ES.2 Proposed Federal Action 2
 8 ES.2.1 Purpose of and Need for Action 2
 9 ES.2.2 Objectives and Resource Goals of the LTEMP 3
 10 ES.3 Scope of the DEIS 6
 11 ES.3.1 Affected Region and Resources 6
 12 ES.3.2 Impact Topics Selected for Detailed Analysis 6
 13 ES.4 Laws and Regulations Related to Operations of Glen Canyon Dam and Park
 14 Management 8
 15 ES.4.1 Environmental Laws and Executive Orders 9
 16 ES.4.2 Cultural/Historical Laws and Executive Orders 9
 17 ES.4.3 American Indian and Tribal Consultation Laws and Executive
 18 Orders 10
 19 ES.4.4 Law of the River 10
 20 ES.5 Related Actions 11
 21 ES.5.1 Biological Opinions 11
 22 ES.5.2 Environmental Impact Statements and Related Documents 11
 23 ES.5.2.1 Operation of Glen Canyon Dam: Environmental
 24 Impact Statement and Record of Decision 11
 25 ES.5.2.2 Colorado River Interim Guidelines for Lower Basin
 26 Shortages and the Coordinated Operations for Lake
 27 Powell and Lake Mead 12
 28 ES.5.2.3 Colorado River Management Plan: Final
 29 Environmental Impact Statement and Record of
 30 Decision 12
 31 ES.5.2.4 Lower Colorado River Multi-Species Conservation
 32 Program—Final Programmatic Environmental Impact
 33 Statement/Environmental Impact Report 12
 34 ES.5.2.5 General Management Plan for Grand Canyon National
 35 Park 13
 36 ES.5.2.6 Backcountry Management Plan, Grand Canyon
 37 National Park, Arizona 13
 38 ES.5.2.7 Lake Mead National Recreation Area General
 39 Management Plan—Final Environmental Impact
 40 Statement 13
 41 ES.5.2.8 Glen Canyon National Recreation Area General
 42 Management Plan—Final Environmental Impact
 43 Statement 13
 44 ES.5.3 Environmental Assessments and Related Documents 14
 45 ES.5.3.1 Nonnative Fish Control Environmental Assessment 14

CONTENTS (Cont.)

1
 2
 3
 4 ES.5.3.2 High-Flow Experiment Protocol Environmental
 5 Assessment 14
 6 ES.5.3.3 Environmental Assessment, Comprehensive Fisheries
 7 Management Plan for Grand Canyon National Park and
 8 Glen Canyon National Recreation Area 14
 9 ES.5.3.4 Environmental Assessment and Assessment of Effect,
 10 Exotic Plant Management Plan Grand Canyon National
 11 Park, Arizona 14
 12 ES.5.4 Other Actions, Programs, Plans, and Projects 15
 13 ES.5.4.1 Colorado River Basin Salinity Control Program 15
 14 ES.5.4.2 Lake Powell Pipeline Project 15
 15 ES.5.4.3 Final Wilderness Recommendation, Grand Canyon
 16 National Park, 2010 Update 15
 17 ES.5.4.4 Grand Canyon National Park Foundation Statement for
 18 Planning and Management 15
 19 ES.5.4.5 Glen Canyon National Recreation Area and Rainbow
 20 Bridge National Monument Foundation Document for
 21 Management and Planning 16
 22 ES.5.4.6 Management and Control of Tamarisk and Other
 23 Invasive Vegetation at Backcountry Seeps, Springs,
 24 and Tributaries in Grand Canyon National Park 16
 25 ES.5.4.7 Strategic Plan for Glen Canyon National Recreation
 26 Area and Rainbow Bridge National Monument
 27 FY2007–FY2011 16
 28 ES.5.4.8 Grand Canyon National Park Resource Management
 29 Plan 16
 30 ES.6 Descriptions of Alternatives 16
 31 ES.6.1 Development of Alternatives 17
 32 ES.6.2 Descriptions of Alternatives Analyzed in the DEIS 18
 33 ES.6.2.1 Alternative A (No Action Alternative) 20
 34 ES.6.2.2 Alternative B 28
 35 ES.6.2.3 Alternative C 29
 36 ES.6.2.4 Alternative D (Preferred Alternative) 29
 37 ES.6.2.5 Alternative E 30
 38 ES.6.2.6 Alternative F 31
 39 ES.6.2.7 Alternative G 31
 40 ES.7 Implementation of the LTEMP 32
 41 ES.7.1 Operational Flexibility 32
 42 ES.7.2 Overall Experimental Implementation Process 33
 43 ES.7.3 Descriptions of Potential Experiments 35
 44 ES.7.3.1 Sediment-Related Experiments 35
 45 ES.7.3.2 Aquatic Resource-Related Experiments 36
 46 ES.7.3.3 Experimental Vegetation Restoration 36

CONTENTS (Cont.)

1
2
3
4 ES.7.3.4 Hydropower Improvement Flows 37
5 ES.8 Affected Environment 37
6 ES.9 Environmental Consequences 40
7 ES.10 Unavoidable Adverse Impacts..... 42
8 ES.11 Relationship between Short-Term Use and Long-Term Productivity..... 55
9 ES.12 Irreversible and Irretrievable Commitments of Resources..... 56
10 ES.13 References 56
11

FIGURES

12
13
14
15
16 ES-1 Locations of Glen Canyon Dam, Lake Powell, the Colorado River between
17 Lake Powell and Lake Mead, and Adjacent Lands 7
18
19 ES-2 Model Flow Diagram for Analyses Showing Inputs, Intermediate Calculations,
20 and Output 41
21

TABLES

22
23
24
25
26 ES-1 Operational Characteristics of LTEMP Alternatives 21
27
28 ES-2 Condition-Dependent and Experimental Elements of LTEMP Alternatives 23
29
30 ES-3 Summary of Impacts of LTEMP Alternatives on Resources 43
31
32

1
2
3
4
5
6
7
8
9
10
11
12
13
14
15

This page intentionally left blank

ACRONYMS AND ABBREVIATIONS

1		
2		
3		
4	ac	acre(s)
5	ac-ft	acre-foot (feet)
6	AMWG	Adaptive Management Work Group
7	AZGFD	Arizona Game and Fish Department
8		
9	BIA	Bureau of Indian Affairs
10		
11	CFMP	Comprehensive Fisheries Management Plan
12	CFR	<i>Code of Federal Regulations</i>
13	cfs	cubic feet per second
14	CREDA	Colorado River Energy Distributors Association
15	CRMP	Colorado River Management Plan
16	CRSP	Colorado River Storage Project
17	CRSPA	Colorado River Storage Project Act of 1956
18	CRSS	Colorado River Simulation System
19		
20	DEIS	Draft Environmental Impact Statement
21	DOE	U.S. Department of Energy
22	DOI	U.S. Department of the Interior
23		
24	EA	Environmental Assessment
25	EIS	Environmental Impact Statement
26	E.O.	Executive Order
27	ESA	Endangered Species Act of 1973
28		
29	FONSI	Finding of No Significant Impact
30	ft	foot (feet)
31	FWS	U.S. Fish and Wildlife Service
32		
33	GCDAMP	Glen Canyon Dam Adaptive Management Program
34	GCMRC	Grand Canyon Monitoring and Research Center
35	GCNP	Grand Canyon National Park
36	GCNRA	Glen Canyon National Recreation Area
37	GCPA	Grand Canyon Protection Act of 1992
38	GHG	greenhouse gas
39		
40	HFE	high-flow experiment
41	hr	hour(s)
42		
43	in.	inch(es)
44		
45	kaf	thousand acre-feet
46		

1	LMNRA	Lake Mead National Recreation Area
2	LROC	Long-Range Operating Criteria
3	LTEMP	Glen Canyon Dam Long-Term Experimental and Management Plan
4		
5	maf	million acre-feet
6	mi	mile(s)
7	mi ²	square mile(s)
8	MLFF	Modified Low Fluctuating Flow
9	MW	megawatt(s)
10		
11	NEPA	National Environmental Policy Act of 1969, as amended
12	NM	national monument
13	NOI	Notice of Intent
14	NO _x	nitrogen oxides
15	NPS	National Park Service
16	NRHP	<i>National Register of Historic Places</i>
17		
18	P.L.	Public Law
19		
20	Reclamation	Bureau of Reclamation
21	ROD	Record of Decision
22		
23	Secretary, the	Secretary of the Interior
24	SLCA/IP	Salt Lake City Integrated Projects
25	SO ₂	sulfur dioxide
26	Stat.	Statute
27		
28	TWG	Technical Work Group
29		
30	UCRC	Upper Colorado River Commission
31	USC	<i>United States Code</i>
32	USGS	U.S. Geological Survey
33		
34	Western	Western Area Power Administration
35		
36		

1 means of operating Glen Canyon Dam. The ROD incorporated the GCPA requirement that the
2 Secretary of the Interior (hereafter referred to as the Secretary) undertake research and
3 monitoring to determine if revised dam operations were achieving the resource protection
4 objectives of the final EIS and the ROD. The ROD also led to the establishment of the Glen
5 Canyon Dam Adaptive Management Program (GCDAMP), administered by Reclamation with
6 technical expertise provided by the U.S. Geological Survey's (USGS's) Grand Canyon
7 Monitoring and Research Center (GCMRC).
8

9 The DOI has evaluated information developed through the GCDAMP to more fully
10 inform decisions regarding operation of Glen Canyon Dam over the next 20 years and to inform
11 other management and experimental actions within the LTEMP. The LTEMP will incorporate
12 information gathered since the 1996 ROD, including status reports developed in coordination
13 with the GCDAMP and Reclamation, and NPS compliance documents supporting adaptive
14 management efforts for the Glen Canyon Dam. These include, but are not limited to, the
15 Environmental Assessment (EA) for Non-Native Fish Control Downstream from Glen Canyon
16 Dam (Reclamation 2011a), Environmental Assessment for an Experimental Protocol for High-
17 Flow Releases from Glen Canyon Dam (Reclamation 2011b), Colorado River Management Plan
18 (CRMP) (NPS 2006b), EIS for 2007 Interim Guidelines for Lower Basin Shortages and
19 Coordinated Operations for Lake Powell and Lake Mead (Reclamation 2007a), and the
20 Comprehensive Fisheries Management Plan (CFMP) (NPS 2013).
21
22

23 **ES.2 PROPOSED FEDERAL ACTION**

24

25 The proposed federal action considered in this DEIS, as described in the 2011 Notice of
26 Intent (NOI) and as further refined in this DEIS, is the development and implementation of a
27 structured, long-term experimental and management plan for operations of Glen Canyon Dam.
28 The LTEMP and the Secretary's decision would provide a framework for adaptively managing
29 Glen Canyon Dam operations and other management and experimental actions over the next
30 20 years consistent with the GCPA and other provisions of applicable federal law. The LTEMP
31 would determine specific options for dam operations (including hourly, daily, and monthly
32 release patterns), non-flow actions, and appropriate experimental and management actions that
33 will meet the GCPA's requirements, maintain or improve hydropower production, and minimize
34 impacts on resources, including those of importance to American Indian Tribes. Under the
35 LTEMP, water will continue to be delivered in a manner that is fully consistent with the Law of
36 the River (Section ES.4.4). This LTEMP DEIS analyzes alternative-specific ways to manage
37 monthly and hourly releases from Glen Canyon Dam.
38
39

40 **ES.2.1 Purpose of and Need for Action**

41

42 The purpose of the proposed action is to provide a comprehensive framework for
43 adaptively managing Glen Canyon Dam over the next 20 years consistent with the GCPA and
44 other provisions of applicable federal law.
45

1 The proposed action will help determine specific dam operations and actions that could
2 be implemented to improve conditions and continue to meet the GCPA’s requirements and to
3 minimize—consistent with law—adverse impacts on the downstream natural, recreational, and
4 cultural resources in the two park units, including resources of importance to American Indian
5 Tribes.

6
7 The need for the proposed action stems from the need to use scientific information
8 developed since the 1996 ROD to better inform DOI decisions on dam operations and other
9 management and experimental actions so that the Secretary may continue to meet statutory
10 responsibilities for protecting downstream resources for future generations, conserving species
11 listed under the Endangered Species Act (ESA), avoiding or mitigating impacts on *National*
12 *Register of Historic Properties (NRHP)*-eligible properties, and protecting the interests of
13 American Indian Tribes, while meeting obligations for water delivery and the generation of
14 hydroelectric power.

15 16 17 **ES.2.2 Objectives and Resource Goals of the LTEMP**

18
19 The DOI has identified several primary objectives of operating Glen Canyon Dam under
20 the LTEMP, as well as more specific goals to improve resources within the Colorado River
21 Ecosystem¹ (primarily from Glen Canyon Dam downstream to the headwaters of Lake Mead)
22 through experimental and management actions. These objectives and resource goals were
23 considered in the formulation and development of alternatives in this DEIS.

24
25 The following is a list of the objectives of the LTEMP:

- 26
27 • Develop an operating plan for Glen Canyon Dam in accordance with the
28 GCPA to protect, mitigate adverse impacts on, and improve the values for
29 which GCNP and GCNRA were established, including, but not limited to,
30 natural and cultural resources and visitor use, and to do so in such a manner as
31 is fully consistent with and subject to the Colorado River Compact, the Upper
32 Colorado River Basin Compact, the Water Treaty of 1944 with Mexico, the
33 decree of the U.S. Supreme Court in *Arizona v. California*, and the provisions
34 of the Colorado River Storage Project Act of 1956 (CRSPA) and the Colorado
35 River Basin Project Act of 1968 that govern the allocation, appropriation,
36 development, and exportation of the waters of the Colorado River Basin and
37 in conformance with the Criteria for Coordinated Long-Range Operations of
38 Colorado River Reservoirs as currently implemented by the 2007 Interim
39 Guidelines for Lower Basin Shortages and Coordinated Operations for Lake
40 Powell and Lake Mead.

41

¹ The Colorado River Ecosystem is defined as the Colorado River mainstream corridor and interacting resources in associated riparian and terrace zones, located primarily from the forebay of Glen Canyon Dam to the western boundary of GCNP. It includes the area where the dam operations impact physical, biological, recreational, cultural, and other resources (see Appendix A).

- 1 • Ensure water delivery to the communities and agriculture that depend on
2 Colorado River water consistent with applicable determinations of annual
3 water release volumes from Glen Canyon Dam made pursuant to the Long-
4 Range Operating Criteria (LROC) for Colorado River Basin Reservoirs,
5 which are currently implemented through the 2007 Interim Guidelines for
6 Lower Basin Shortages and Coordinated Operations for Lake Powell and Lake
7 Mead.
8
- 9 • Consider potential future modifications to Glen Canyon Dam operations and
10 other flow and non-flow actions to protect and improve downstream
11 resources.
12
- 13 • Maintain or increase Glen Canyon Dam electric energy generation, load
14 following capability, and ramp rate capability, and minimize emissions and
15 costs to the greatest extent practicable, consistent with improvement and long-
16 term sustainability of downstream resources.
17
- 18 • Respect the interests and perspectives of American Indian Tribes.
19
- 20 • Make use of the latest relevant scientific studies, especially those conducted
21 since 1996.
22
- 23 • Determine the appropriate experimental framework that allows for a range of
24 programs and actions, including ongoing and necessary research, monitoring,
25 studies, and management actions in keeping with the adaptive management
26 process.
27
- 28 • Identify the need for a Recovery Implementation Program for endangered fish
29 species below Glen Canyon Dam.
30
- 31 • Ensure Glen Canyon Dam operations are consistent with the GCPA, ESA,
32 National Historic Preservation Act, CRSPA, and other applicable federal laws.
33

34 Reclamation and NPS also developed resource goals considering public input and desired
35 future conditions previously adopted by the Adaptive Management Work Group (AMWG). The
36 following resource goals were identified:
37

- 38 1. *Archaeological and Cultural Resources*. Maintain the integrity of potentially
39 affected NRHP-eligible or listed historic properties in place, where possible,
40 with preservation methods employed on a site-specific basis.
41
- 42 2. *Natural Processes*. Restore, to the extent practicable, ecological patterns and
43 processes within their range of natural variability, including the natural
44 abundance, diversity, and genetic and ecological integrity of the plant and
45 animal species native to those ecosystems.
46

- 1 3. *Humpback Chub*. Meet humpback chub (*Gila cypha*) recovery goals,
2 including maintaining a self-sustaining population, spawning habitat, and
3 aggregations in the humpback chub's natural range in the Colorado River and
4 its tributaries below the Glen Canyon Dam.
5
- 6 4. *Hydropower and Energy*. Maintain or increase Glen Canyon Dam electric
7 energy generation, load following capability, and ramp rate capability, and
8 minimize emissions and costs to the greatest extent practicable, consistent
9 with improvement and long-term sustainability of downstream resources.
10
- 11 5. *Other Native Fish*. Maintain self-sustaining native fish species populations
12 and their habitats in their natural ranges on the Colorado River and its
13 tributaries.
14
- 15 6. *Recreational Experience*. Maintain and improve the quality of recreational
16 experiences for the users of the Colorado River Ecosystem. Recreation
17 includes, but is not limited to, flatwater and whitewater boating, river corridor
18 camping, and angling in Glen Canyon.
19
- 20 7. *Sediment*. Increase and retain fine sediment volume, area, and distribution in
21 the Glen, Marble, and Grand Canyon reaches above the elevation of the
22 average base flow for ecological, cultural, and recreational purposes.
23
- 24 8. *Tribal Resources*. Maintain the diverse values and resources of traditionally
25 associated Tribes along the Colorado River corridor through Glen, Marble,
26 and Grand Canyons.
27
- 28 9. *Rainbow Trout Fishery*. Achieve a healthy high-quality recreational rainbow
29 trout (*Oncorhynchus mykiss*) fishery in GCNRA and reduce or eliminate
30 downstream trout migration consistent with NPS fish management and ESA
31 compliance.
32
- 33 10. *Nonnative Invasive Species*. Minimize or reduce the presence and expansion
34 of aquatic nonnative invasive species.
35
- 36 11. *Riparian Vegetation*. Maintain native vegetation and wildlife habitat, in
37 various stages of maturity, such that they are diverse, healthy, productive,
38 self-sustaining, and ecologically appropriate.
39

40 In addition, the LTEMP was developed to ensure that water delivery continues in a
41 manner that is fully consistent with and subject to the Colorado River Compact, the Upper
42 Colorado River Basin Compact, the Water Treaty of 1944 with Mexico, the decree of the
43 Supreme Court in *Arizona v. California*, and the provisions of CRSPA and the Colorado River
44 Basin Project Act of 1968 that govern allocation, appropriation, development, and exportation of
45 the waters of the Colorado River Basin, and consistent with applicable determinations of annual
46 water release volumes from Glen Canyon Dam made pursuant to the LROC for Colorado River

1 Basin Reservoirs, which are currently implemented through the 2007 Interim Guidelines for
2 Lower Basin Shortages and Coordinated Operations for Lake Powell and Lake Mead.

5 **ES.3 SCOPE OF THE DEIS**

7 The *Federal Register* NOI to prepare an EIS and hold public scoping meetings was
8 published on July 6, 2011, which marked the beginning of the public comment period. The
9 scoping comment period ended January 31, 2012. Six public meetings and one web-based
10 meeting were held in Arizona, Colorado, Nevada, and Utah in November 2011. A total of
11 447 individuals, groups, or organizations submitted scoping comments. Results of the public
12 scoping process are described in the Scoping Summary Report (Reclamation and NPS 2012).

15 **ES.3.1 Affected Region and Resources**


17 In general, the region examined in this DEIS includes the area potentially directly
18 affected by implementation of the LTEMP (normal and experimental operations of Glen Canyon
19 Dam and non-flow actions). This area includes Lake Powell, Glen Canyon Dam, and the river
20 downstream to Lake Mead. More specifically, the scope primarily encompasses the Colorado
21 River Ecosystem, which includes the Colorado River mainstream corridor and interacting
22 resources in associated riparian and terrace zones, located primarily from the forebay of Glen
23 Canyon Dam to the western boundary of GCNP. It includes the area where dam operations
24 impact physical, biological, recreational, cultural, and other resources. Portions of GCNRA,
25 GCNP, and Lake Mead National Recreation Area (LMNRA) are included within this area. For
26 certain resources, such as socioeconomic, air quality, and hydropower, the affected region was
27 larger and included areas potentially affected by indirect impacts of the LTEMP. Figure ES-1
28 portrays the project area in context with the geographic regions of northern Arizona,
29 southwestern Utah, and southern Nevada.

31 The primary resources that could be impacted by the proposed action include sediment
32 resources, aquatic and terrestrial ecological resources, historic and cultural resources, resources
33 of importance to American Indian Tribes, recreational resources, and wilderness in the vicinity
34 of the Glen and Grand Canyons, as well as socioeconomic resources, hydropower resources, and
35 air quality.

38 **ES.3.2 Impact Topics Selected for Detailed Analysis**

40 Topics for analysis in the DEIS were selected on the basis of public scoping comments,
41 joint-lead agency guidance, meetings with Tribes and stakeholders, and relevant laws and
42 regulations. The following topics were analyzed in the LTEMP DEIS:

- 44 • Water resources, including annual, monthly, and hourly patterns of releases,
45 water temperature, and water quality;



1
 2 **FIGURE ES-1 Generalized Locations of Glen Canyon Dam, Lake Powell, the Colorado River**
 3 **between Lake Powell and Lake Mead, and Adjacent Lands (This map is for illustrative purposes**
 4 **only, not for jurisdictional determinations; potential area of effects varies by resource.)**

- 5
 6
 7 • Sediment resources, including sand and sandbars within the active river
 8 channel, and sand that accumulates in the Colorado River delta of Lake Mead;
 9
 10 • Natural processes that support ecological systems within the Colorado River
 11 Ecosystem;
 12
 13 • Aquatic resources, including aquatic food base for fishes, nonnative fishes
 14 (warmwater, coolwater, and trout), native fishes (including the endangered
 15 humpback chub and razorback sucker [*Xyrauchen texanus*]), and aquatic
 16 parasites;
 17
 18 • Riparian vegetation, including Old High Water Zone vegetation, New High
 19 Water Zone vegetation, wetlands, and special status plant species;
 20
 21 • Wildlife, including terrestrial invertebrates, amphibians and reptiles, birds,
 22 mammals, and special status wildlife species;

- 1
- 2 • Cultural resources, including archeological resources, historic and prehistoric
- 3 structures, cultural landscapes, traditional cultural properties, and
- 4 ethnographic resources important to American Indian Tribes;
- 5
- 6 • Tribal resources, including vegetation, wildlife, fish, and wetlands, water
- 7 rights, traditional cultural places, traditional knowledge, and continued access
- 8 to important resources within Glen and Grand Canyons;
- 9
- 10 • Recreation, visitor use, and experience as related to fishing, boating, and
- 11 camping activities in the Colorado River and on Lakes Powell and Mead;
- 12
- 13 • Wilderness and visitor wilderness experience;
- 14
- 15 • Hydropower, including the amount and value of hydropower generation at
- 16 Glen Canyon Dam, marketable electrical capacity, capital and operating costs,
- 17 and residential electricity bills of electricity customers;
- 18
- 19 • Socioeconomics, including recreational use values, nonuse economic value,
- 20 employment and income, and environmental justice;
- 21
- 22 • Air quality effects related to changes in Glen Canyon Dam operations,
- 23 including effects on visibility in the region and air emissions;
- 24
- 25 • Climate change, including the effects of Glen Canyon operations on
- 26 greenhouse gas (GHG) emissions and the effects of climate change on future
- 27 impacts of Glen Canyon Dam operations; and
- 28
- 29 • Cumulative impacts of the effects of the proposed action in combination with
- 30 the effects of past, present, and reasonably foreseeable future projects on the
- 31 environment.
- 32
- 33

34 **ES.4 LAWS AND REGULATIONS RELATED TO OPERATIONS OF GLEN CANYON**

35 **DAM AND PARK MANAGEMENT**

36

37 The following laws, regulations, and treaties must be complied with for operation of Glen

38 Canyon Dam and for park management, and may or may not specifically apply to this action.

39 Nothing in this DEIS is intended to interpret the authorities listed below.

40

41

1 **ES.4.1 Environmental Laws and Executive Orders**

- 2
- 3 • Bald and Golden Eagle Protection Act of 1940, as amended 1962 (Title 16,
4 *United States Code*, Section 668c [16 USC 668c])
- 5
- 6 • Clean Air Act of 1970 (33 USC 1251 et seq.)
- 7
- 8 • Clean Water Act of 1972 (33 USC 1251 et seq.)
- 9
- 10 • Endangered Species Act of 1973 (16 USC 1531-1544, 87 Statute [Stat.] 884)
- 11
- 12 • Executive Order (E.O.) 11514, “Protection and Enhancement of
13 Environmental Quality,” as amended by E.O. 11991, “Relating to Protection
14 and Enhancement of Environmental Quality” (U.S. President 1970)
- 15
- 16 • E.O. 11988, “Floodplain Management” (U.S. President 1977a)
- 17
- 18 • E.O. 11990, “Protection of Wetlands” (U.S. President 1977b)
- 19
- 20 • E.O. 13112, “Invasive Species” (U.S. President 1999)
- 21
- 22 • E.O. 13186, “Responsibilities of Federal Agencies to Protect Migratory Birds”
23 (U.S. President 2001)
- 24
- 25 • Fish and Wildlife Coordination Act of 1934 (16 USC 661 et seq.)
- 26
- 27 • Migratory Bird Treaty Act of 1918, as amended 2008 (16 USC 703)
- 28
- 29 • National Environmental Policy Act of 1969, as amended (42 USC 4321
30 et seq.)
- 31
- 32 • National Park Service Organic Act of 1916 (16 USC 1-4, 22, and 43, as
33 amended)
- 34
- 35 • Redwoods National Park Expansion Act of 1978 (Redwoods Amendment)
36 (16 USC 1a-1)
- 37
- 38 • Wild and Scenic Rivers Act of 1968 (16 USC 1271 et seq.)
- 39
- 40 • Wilderness Act of 1964 (16 USC 1131-1136)
- 41
- 42

43 **ES.4.2 Cultural/Historical Laws and Executive Orders**

- 44
- 45 • Antiquities Act of 1906 (16 USC 431-433)
- 46

- 1 • Archaeological and Historic Preservation Act of 1974 (16 USC 469 et seq.)
- 2
- 3 • Archaeological Resources Protection Act of 1979 (16 USC 470 et seq., Public
- 4 Law [P.L.] 96-95)
- 5
- 6 • E.O. 11593, “Protection and Enhancement of the Cultural Environment”
- 7 (U.S. President 1971)
- 8
- 9 • Historic Sites, Buildings, and Antiquities Act of 1935 (16 USC 461 et seq., as
- 10 amended by P.L. 89-249)
- 11
- 12 • National Historic Preservation Act of 1966 (16 USC 470 et seq.; P.L. 89-665)
- 13
- 14

15 **ES.4.3 American Indian and Tribal Consultation Laws and Executive Orders**

- 16
- 17 • American Indian Religious Freedom Act of 1978 (P.L. 95-431, 92 Stat. 469,
- 18 42 USC 1996)
- 19
- 20 • E.O. 13007, “Indian Sacred Sites” (U.S. President 1996)
- 21
- 22 • E.O. 13175, “Consultation and Coordination with Indian Tribal Governments”
- 23 (U.S. President 2000)
- 24
- 25 • Native American Graves Protection and Repatriation Act of 1990
- 26 (P.L. 101-601, 104 Stat. 3048, 25 USC 3001 et seq.)
- 27
- 28

29 **ES.4.4 Law of the River**

30

31 The treaties, compacts, decrees, statutes, regulations, contracts, and other legal

32 documents and agreements applicable to the allocation, appropriation, development, exportation,

33 and management of the waters of the Colorado River Basin are often referred to as the Law of

34 the River. There is no single, universally agreed upon definition of the Law of the River, but it is

35 useful as a shorthand reference to describe this longstanding and complex body of legal

36 agreements governing the Colorado River. Documents generally considered to be part of the Law

37 of the River include the Colorado River Compact, the Upper Colorado River Basin Compact, the

38 Water Treaty of 1944 with Mexico, the decree of the U.S. Supreme Court in *Arizona v.*

39 *California*, and the provisions of CRSIPA and the Colorado River Basin Project Act of 1968 that

40 govern the allocation, appropriation, development, and exportation of the waters of the Colorado

41 River Basin and in conformance with the Criteria for Coordinated Long-Range Operations of

42 Colorado River Reservoirs as currently implemented by the 2007 Interim Guidelines for Lower

43 Basin Shortages and Coordinated Operations for Lake Powell and Lake Mead.

44

45

1 **ES.5 RELATED ACTIONS**
2

3 Numerous ongoing and completed plans, policies, actions, and initiatives are related to
4 the operation of the Glen Canyon Dam and Colorado River with respect to the proposed federal
5 action analyzed in this DEIS.
6

7
8 **ES.5.1 Biological Opinions**
9

- 10 • Final Biological Opinion for the Proposed Adoption of Colorado River
11 Interim Guidelines for Lower Basin Shortages and Coordinated Operations for
12 Lake Powell and Lake Mead (FWS 2007).
13
14 • Final Biological Opinion on the Operation of Glen Canyon Dam, including
15 High-Flow Experiments and Nonnative Fish Control (FWS 2011). This
16 replaced former Biological Opinions from 1995 to 2009.
17
18 • Final Biological Opinion on the Comprehensive Fisheries Management Plan,
19 Coconino and Mohave Counties, Arizona (FWS 2013).
20

21
22 **ES.5.2 Environmental Impact Statements and Related Documents**
23

24
25 **ES.5.2.1 Operation of Glen Canyon Dam: Environmental Impact Statement**
26 **and Record of Decision (Reclamation 1996)**
27

28 Glen Canyon Dam currently operates under provisions of the EIS completed in 1995
29 (Reclamation 1995). The Secretary accepted the recommendation of the 1995 EIS and signed the
30 1996 ROD (Reclamation 1996) that selected Modified Low Fluctuating Flows (MLFF) as the
31 operating system for the dam. A component of the final Glen Canyon Dam EIS
32 (Reclamation 1995) and the environmental commitments identified in the 1996 ROD was the
33 implementation of a Programmatic Agreement regarding operations of the Glen Canyon Dam.
34 This agreement, along with subsequent monitoring and remedial action plans and the 2007
35 Comprehensive Treatment Plan, set a strategy for long-term management of archaeological sites
36 affected by the operations of Glen Canyon Dam. In addition, separate, action-specific
37 Memoranda of Agreement were established among the signatories to the agreements, primarily
38 Reclamation, NPS, Arizona State Historic Preservation Office, and affiliated Tribes for actions
39 related to the High Flow Experimental Protocol EA (Reclamation 2011b) and the Nonnative Fish
40 Control EA (Reclamation 2011a).
41
42

1 **ES.5.2.2 Colorado River Interim Guidelines for Lower Basin Shortages**
2 **and the Coordinated Operations for Lake Powell and Lake Mead**
3 **(Reclamation 2007b)**
4

5 In 2007, Reclamation developed and adopted interim operational guidelines that would
6 address the operation of Lake Powell and Lake Mead during drought and low-reservoir
7 conditions. These Interim Guidelines would be used each year (through 2025 for water supply
8 determinations and through 2026 for reservoir operating decisions) in implementing the LROC
9 for the Colorado River reservoirs pursuant to the 1968 Colorado River Basin Project Act. This
10 ROD did not modify the authority of the Secretary to determine monthly, daily, hourly, or
11 instantaneous releases from Glen Canyon Dam.
12

13 The completed Interim Guidelines determine the availability of Colorado River water for
14 use in the Lower Basin, on the basis of Lake Mead’s water surface elevation, as a way to
15 conserve reservoir storage and provide water users and managers with greater certainty regarding
16 the reduction of water deliveries during drought and other low-reservoir conditions. The Interim
17 Guidelines also proposed a coordinated operation plan for Lake Powell and Lake Mead, basing
18 releases and conserved amounts on predetermined levels in both reservoirs, which would
19 minimize shortages in the Lower Basin and decrease the risk of curtailments in the Upper Basin.
20 In addition, the Interim Guidelines established a mechanism for storing and delivering conserved
21 water from Lake Mead, referred to as Intentionally Created Surplus (ICS), intended to minimize
22 the severity and likelihood of potential future shortages.
23
24

25 **ES.5.2.3 Colorado River Management Plan: Final Environmental Impact**
26 **Statement and Record of Decision (NPS 2005, 2006a)**
27

28 This Final EIS (NPS 2005) presents a visitor use management plan for the Colorado
29 River corridor in the Grand Canyon. The ROD (NPS 2006a) was approved in early 2006, and the
30 CRMP was published later in the year (NPS 2006b). The CRMP’s section on research,
31 monitoring, and mitigation for the plan focuses on the impacts of visitor use and is a
32 consideration for the LTEMP DEIS analysis.
33
34

35 **ES.5.2.4 Lower Colorado River Multi-Species Conservation Program—Final**
36 **Programmatic Environmental Impact Statement/Environmental Impact**
37 **Report (DOI 2004)**
38

39 This Programmatic EIS evaluates the impacts of implementing the Lower Colorado River
40 Multi-Species Conservation Program Conservation Plan. It is intended to avoid, minimize, and
41 fully mitigate the incidental take of the covered species from the implementation of the covered
42 activities to the maximum extent practicable. The Conservation Plan also is intended to
43 contribute to the recovery of species listed as threatened or endangered under the ESA and
44 reduce the likelihood for future listing of unlisted covered species along the lower Colorado
45 River. The ROD (DOI 2005) was approved in 2005.
46

1 **ES.5.2.5 General Management Plan for Grand Canyon National Park (NPS 1995)**
2

3 This plan guides the management of resources, visitor use, and general development at
4 the park over a 10- to 15-year period. The primary purpose of the plan is to provide a foundation
5 from which to protect park resources while providing for meaningful visitor experiences. A
6 secondary purpose is to encourage compatible activities on adjacent lands so as to minimize
7 adverse effects on the park.
8

9
10 **ES.5.2.6 Backcountry Management Plan, Grand Canyon National Park, Arizona**
11 **(NPS 1988)**
12

13 This plan defines the primary policies that manage visitor use and resource protection for
14 the undeveloped areas of GCNP. GCNP has started work on a Backcountry Management Plan
15 and EIS. The park's existing Backcountry Management Plan is being updated to comply with
16 current NPS laws and policies and the park's 1995 General Management Plan. Once completed,
17 the revised Backcountry Management Plan will guide management decisions regarding the
18 park's backcountry and wilderness resources into the future.
19

20
21 **ES.5.2.7 Lake Mead National Recreation Area General Management Plan—Final**
22 **Environmental Impact Statement (NPS 1986)**
23

24 This plan presents short-term and long-term strategies for meeting the management
25 objectives of LMNRA. It addresses resource management, resource use, and park development
26 challenges. The plan was intended to guide park management for 25 years or longer when it was
27 issued. The purpose of the plan is to provide a cohesive framework for management decisions,
28 management proposals, concession planning, and guidance for short-term decision-making.
29

30
31 **ES.5.2.8 Glen Canyon National Recreation Area General Management Plan—Final**
32 **Environmental Impact Statement (NPS 1979)**
33

34 This plan and wilderness recommendation lays out proposals for meeting four levels of
35 management objectives for GCNRA, ranging from general to specific. The first-level objective is
36 to manage GCNRA to maximize its recreational enjoyment. Objective levels 2 through 4 address
37 increasingly specific objectives, including those for cultural, Tribal, mineral, and grazing
38 resources and management of the reservoir. The plan presents a management zoning proposal to
39 divide GCNRA into four management zones: natural, recreation and resource utilization,
40 cultural, and development.
41

1 **ES.5.3 Environmental Assessments and Related Documents**

2
3
4 **ES.5.3.1 Nonnative Fish Control Environmental Assessment (Reclamation 2011a)**

5
6 In this assessment, Reclamation proposed to conduct research, monitoring, and specific
7 actions to control nonnative fish in the Colorado River downstream from Glen Canyon Dam in
8 an effort to help conserve native fish. The purpose of the action was to minimize the negative
9 impacts of competition and predation on an endangered fish, the humpback chub. The action was
10 needed because competition and predation by nonnative fishes, particularly rainbow trout and
11 brown trout (*Salmo trutta*), may be contributing to a reduction in survival and recruitment of
12 young humpback chub and threatening the potential recovery of the species. Rainbow trout and
13 brown trout are not native to the Colorado River Basin and have been introduced into the region
14 as sport fish. The Finding of No Significant Impact (FONSI) (Reclamation 2012b) was signed in
15 May of 2012.
16
17

18 **ES.5.3.2 High-Flow Experiment Protocol Environmental Assessment**
19 **(Reclamation 2011b)**

20
21 This experimental protocol was developed following analysis of a series of high-flow
22 experimental releases. The protocol is intended to improve conservation of limited sediment
23 resources in the Colorado River below Glen Canyon Dam. The FONSI (Reclamation 2012a) was
24 signed in May of 2012.
25
26

27 **ES.5.3.3 Environmental Assessment, Comprehensive Fisheries Management Plan**
28 **for Grand Canyon National Park and Glen Canyon National Recreation**
29 **Area (NPS 2013)**

30
31 The NPS will implement a CFMP, in coordination with the AZGFD, the FWS,
32 Reclamation, and GCMRC, for all fish-bearing waters in GCNP and GCNRA below Glen
33 Canyon Dam. The intent of the CFMP is to maintain a thriving native fish community within
34 GCNP and a highly valued recreational rainbow trout fishery in the Glen Canyon reach of
35 GCNRA. NPS released a FONSI on December 9, 2013, for the CFMP.
36
37

38 **ES.5.3.4 Environmental Assessment and Assessment of Effect, Exotic Plant**
39 **Management Plan Grand Canyon National Park, Arizona (NPS 2009)**

40
41 GCNP proposed using Integrated Pest Management techniques to control and contain
42 exotic plant species within park boundaries. Exotic plant species displace natural vegetation and
43 consequently affect long-term health of native plant and animal communities.
44
45

1 **ES.5.4 Other Actions, Programs, Plans, and Projects**
2
3

4 **ES.5.4.1 Colorado River Basin Salinity Control Program (Reclamation 2014)**
5

6 The Colorado River and its tributaries provide municipal and industrial water to about
7 27 million people and irrigation water to nearly 4 million ac of land in the United States. The
8 threat of salinity is a major concern in both the United States and Mexico. In June 1974,
9 Congress enacted the Colorado River Basin Salinity Control Act (P.L. 93-320), which directed
10 the Secretary to proceed with a program to enhance and protect the quality of water available in
11 the Colorado River for use in the United States and Republic of Mexico.
12
13

14 **ES.5.4.2 Lake Powell Pipeline Project (WCWCD 2012)**
15

16 Washington, Kane, and Iron Counties in Utah are pursuing the construction of a pipeline
17 that would run from Lake Powell, near Glen Canyon Dam, through Kane County, to Sand
18 Hollow Reservoir, which is located approximately 10 mi east of St. George. The pipeline would
19 then run parallel to Interstate 15 into Iron County. The pipeline would be 158 mi long and bring
20 70,000 ac-ft of water to Washington County, 10,000 ac-ft to Kane County, and 20,000 ac-ft to
21 Iron County.
22
23

24 **ES.5.4.3 Final Wilderness Recommendation, Grand Canyon National Park,**
25 **2010 Update**
26

27 The 1980 Final Wilderness Recommendation submitted to the DOI includes 1,143,918 ac
28 proposed for wilderness designation, and includes 26,461 ac as potential wilderness pending the
29 resolution of boundary and motorized boat use issues. The Colorado River was identified as
30 potential wilderness. In 2010, NPS conducted internal reviews and included refinements to the
31 proposed wilderness acreage estimates. All refinements were consistent with the intent of the
32 original document submitted to the DOI in 1980.
33
34

35 **ES.5.4.4 Grand Canyon National Park Foundation Statement for Planning and**
36 **Management (NPS 2010)**
37

38 The Foundation Statement provides a base for future planning, as required by NPS, to
39 help guide park management. The Foundation Statement summarizes fundamental resources and
40 values critical to maintaining Grand Canyon's natural, cultural, and experiential value into the
41 future. Because this Foundation Statement is based on laws and policies that define GCNP and
42 its mission, the Statement should remain relatively unchanged.
43
44

1 **ES.5.4.5 Glen Canyon National Recreation Area and Rainbow Bridge National**
2 **Monument Foundation Document for Management and Planning**
3 **(NPS 2014)**
4

5 The Foundation Statement provides a base for future planning, as required by NPS, to
6 help guide park management. The Foundation Statement summarizes fundamental resources and
7 values critical to maintaining Glen Canyon and Rainbow Bridge’s natural, cultural, and
8 experiential value into the future. Because this Foundation Statement is based on laws and
9 policies that define GCNRA and its mission, the Statement should remain relatively unchanged.
10

11
12 **ES.5.4.6 Management and Control of Tamarisk and Other Invasive Vegetation at**
13 **Backcountry Seeps, Springs, and Tributaries in Grand Canyon National**
14 **Park (NPS 2008)**
15

16 GCNP’s backcountry seeps, springs, and tributaries of the Colorado River are among the
17 most pristine watersheds and desert riparian habitats remaining in the coterminous United States.
18 This report contains the details from the invasive plant control and monitoring efforts completed
19 for one phase (Phase II-B) of the three-phase project. Reports for the previous two phases are
20 also available on the NPS website.
21

22
23 **ES.5.4.7 Strategic Plan for Glen Canyon National Recreation Area and Rainbow**
24 **Bridge National Monument FY2007–FY2011 (NPS 2006c)**
25

26 This 5-year Strategic Plan has been written for GCNRA and Rainbow Bridge National
27 Monument (NM). Because Rainbow Bridge NM is administered by GCNRA, this strategic plan
28 covers both units of the NPS.
29

30
31 **ES.5.4.8 Grand Canyon National Park Resource Management Plan (NPS 1997)**
32

33 The purpose of the Resource Management Plan was to provide long-term guidance and
34 direction for the stewardship of the natural, cultural, and recreational resources of GCNP.
35

36
37 **ES.6 DESCRIPTIONS OF ALTERNATIVES**
38

39 Seven alternatives, including the No Action Alternative, were developed for
40 consideration in the DEIS. These alternatives were assigned letter designations of A through G,
41 with Alternative A being the No Action Alternative.
42

43 Alternative A (the No Action Alternative) represents continued implementation of
44 existing operations and actions as defined by existing agency decisions. The other six “action”
45 alternatives represent various ways in which operations and actions could be modified under an
46 LTEMP. Four of the action alternatives (C, D [the preferred alternative], F, and G) were

1 developed by the joint-lead agencies with participation by other DOI agencies, including the
2 BIA, FWS, and GCMRC, as well as Argonne National Laboratory, Western, and AZGFD. Two
3 of the action alternatives were developed and submitted for consideration by two stakeholder
4 organizations, the Colorado River Energy Distributors Association (CREDA; Alternative B) and
5 the Colorado River Basin States Representatives from Arizona, California, Colorado, Utah,
6 Nevada, New Mexico, Wyoming, and the Upper Colorado River Commission (Basin States;
7 Alternative E) in response to an offer made by the DOI in April 2012 to consider alternatives
8 submitted by Cooperating Agencies and AMWG members. Grand Canyon Trust and the
9 Irrigation and Electrical Districts Association of Arizona submitted letters with comments on
10 alternatives, but did not submit complete alternative proposals.
11
12

13 **ES.6.1 Development of Alternatives**

14

15 The alternative development process began with identification of the proposed action
16 (i.e., development of a Long-Term Experimental and Management Plan), purpose and need of
17 the LTEMP, and the resource goals and objectives of the LTEMP (Section ES.2). Once these
18 items were defined, NPS and Reclamation worked to develop a set of alternatives that
19 represented the full range of reasonable experimental and management actions; met the purpose,
20 need, and objectives of the proposed action; and were within the constraints of existing laws,
21 regulations, and existing decisions and agreements.
22

23 Alternative operations that either used different operational strategies (e.g., consistent
24 monthly release pattern or condition-dependent release pattern) or had different primary
25 objectives (e.g., native fish, sediment, or restoration of a more natural flow pattern) were
26 developed and refined. In developing alternatives for detailed analysis, NPS and Reclamation
27 considered and evaluated concepts identified by the public during scoping, and alternatives that
28 had been identified in several efforts led by the GCDAMP (USGS 2006, 2008).
29

30 Several iterations of preliminary draft alternative concepts developed by NPS and
31 Reclamation were presented to the Cooperating Agencies and other stakeholders in workshops
32 and webinars to explain the alternative development process, describe proposed alternative
33 characteristics, and solicit feedback. Workshops included (1) a facilitated public workshop on
34 April 4 and 5, 2012; (2) Cooperating Agency and Tribal meetings on August 10, 2012; (3) Tribal
35 workshops on March 14, 2013; (4) a stakeholder workshop on August 5–7, 2013; and (5) a
36 stakeholder workshop on March 31–April 1, 2014. There were also monthly calls with
37 Cooperating Agencies that included updates and information exchange related to the alternatives.
38

39 Alternative D has been selected by the DOI as the preferred alternative in this DEIS and
40 is supported by Western and the Basin States. It was developed by the DOI based on the results
41 of the analysis of the other six alternatives. Alternative D adopted many of the best-performing
42 characteristics of Alternatives C and E. The effects of operations under these latter two
43 alternatives were first modeled, and the results of that modeling suggested ways in which
44 characteristics of each could be combined and modified to improve performance, reduce impacts,
45 and better meet the purpose, need, and objectives of the LTEMP. The impacts of Alternative D
46 were then evaluated using the same models used for other alternatives (Section ES.9), and these

1 results served as the basis for the assessments presented in the DEIS. Subsequent to that
2 modeling, relatively minor modifications were made to Alternative D based on discussions with
3 Cooperating Agencies, and with the support of additional modeling.
4

5 To aid in the alternative development process, formal decision analysis tools were used
6 for the LTEMP DEIS. Such tools are particularly useful for this application because the LTEMP
7 concerns the management of a very complex system with many—possibly competing—resources
8 of interest, and it involves uncertainty about the relationships between management strategies
9 and the responses of resources to those strategies. A structured decision analysis process for
10 LTEMP alternative development and evaluation was facilitated by Dr. Michael Runge of the
11 USGS to obtain multiple stakeholder viewpoints. This was accomplished through a series of
12 workshops and webinars involving LTEMP project managers; DEIS analysts; technical
13 representatives from FWS, BIA, Western, and AZGFD; and interested AMWG stakeholders.
14

15 16 **ES.6.2 Descriptions of Alternatives Analyzed in the DEIS**

17
18 The DEIS assesses the potential environmental effects of seven alternatives being
19 considered. These alternatives are described below. There are a number of experimental and
20 management actions that would be incorporated into all of the LTEMP alternatives, except where
21 noted:
22

- 23 • High flow releases for sediment conservation. Implementation of high-flow
24 experiments (HFEs) under all alternatives are patterned after the current HFE
25 protocol (Reclamation 2011b). However, each alternative includes specific
26 modifications related to the frequency of spring and fall HFEs, the triggers for
27 HFEs, and the overall process for implementation of HFEs, including
28 implementation considerations and conditions that would result in
29 discontinuing specific experiments.
30
- 31 • Nonnative fish control actions. Implementation of control actions for
32 nonnative brown and rainbow trout are patterned after those identified in the
33 Nonnative Fish Control EA (Reclamation 2011a) and FONSI
34 (Reclamation 2012b). Some alternatives, however, include specific
35 modifications related to the area where control actions would occur, the
36 specific actions to be implemented, and the overall process for
37 implementation of control actions, including implementation considerations
38 and conditions that would result in discontinuing specific experiments.
39 Nonnative fish control actions are not included in Alternative F.
40
- 41 • Conservation measures established by the FWS for the proposed action.
42 Conservation measures identified in the 2011 Biological Opinion (BO) on
43 operations of Glen Canyon Dam (FWS 2011) included the establishment of a
44 humpback chub refuge, evaluation of the suitability of habitat in the lower
45 Grand Canyon for the razorback sucker, and establishment of an augmentation
46 program for the razorback sucker, if appropriate. Other measures include

1 humpback chub translocation; Bright Angel Creek brown trout control; Kanab
2 ambersnail (*Oxyloma haydeni kanabensis*) monitoring; determination of the
3 feasibility of flow options to control trout, including increasing daily down-
4 ramp rates to strand or displace age-0 trout, and high flow followed by low
5 flow to strand or displace age-0 trout; assessments of the effects of actions on
6 humpback chub populations; sediment research to determine effects of
7 equalization flows; and Asian tapeworm (*Bothriocephalus acheilognathi*)
8 monitoring. Most of these conservation measures are ongoing and are
9 elements of existing management practices (e.g., brown trout control,
10 humpback chub translocation, and sediment research to determine the effects
11 of equalization flows), while others are being considered for further action
12 under the LTEMP (e.g., trout management flows). New conservation
13 measures or adjustments to the existing ones may be developed for the
14 preferred alternative.

- 15
- 16 • Experimental and management actions at specific sites, such as nonnative
17 plant removal, revegetation with native species, and mitigation at specific and
18 appropriate cultural sites. Included are pilot experimental riparian vegetation
19 restoration actions planned by NPS. These actions would also have
20 involvement from Tribes to capture concerns regarding culturally significant
21 native plants, and would provide an opportunity to integrate Traditional
22 Ecological Knowledge in a more applied manner into the long-term program.
23
 - 24 • Preservation of historic properties through a program of research, monitoring,
25 and mitigation to address erosion and preservation of archeological and
26 ethnographic sites and minimize loss of integrity at NRHP historic properties.
27
 - 28 • Continued adaptive management under the GCDAMP, including a research
29 and monitoring component.
30

31 In addition to these common elements, there are recent plans and decisions of the joint-
32 lead agencies and DOI-identified management actions that would be implemented under all
33 alternatives (Section ES.5). In general, these items, together with existing laws and regulations
34 (Section ES.4), establish sideboards that constrain the breadth and nature of flow and non-flow
35 actions that could be considered for inclusion in alternatives.
36

37 Under all alternatives, release patterns could be adjusted to provide ancillary services,
38 including regulation and reserves for hydropower. Regulation is the minute-by-minute changes
39 in generation needed to maintain a constant voltage within a power control area. Regulation
40 affects instantaneous operations that deviate above and below the mean hourly flow without
41 affecting mean hourly flow. Spinning reserves in the control area served by CRSP facilities are
42 typically provided by power resources in the Aspinall Unit, a series of three hydropower dams on
43 the Gunnison River. However, under some relatively rare hydrological and power resource
44 conditions, Aspinall power resources cannot provide spinning reserves. When this occurs, the
45 spinning reserve duty is typically placed on the Glen Canyon Powerplant. In the event that these
46 reserves are placed on Glen Canyon and at the same time need to be deployed in response to a

1 grid event, such as a system unit outage or downed power line, Western would invoke exception
2 criteria, and, within minutes or less, increase the Glen Canyon Dam power generation level up to
3 the spinning reserve requirement. Associated turbine water release rates would increase in
4 tandem with higher power production.

5
6 Normal operations described under any alternative would be altered temporarily to
7 respond to emergencies. The North American Electric Reliability Corporation (NERC) has
8 established guidelines for the emergency operations of interconnected power systems. A number
9 of these guidelines apply to Glen Canyon Dam operations. These changes in operations would be
10 of short duration (usually less than 4 hr) and would be the result of emergencies within the
11 interconnected electrical system. Examples of system emergencies include insufficient
12 generating capacity; transmission system overload, voltage control, and frequency; system
13 restoration; and humanitarian situations (search and rescue).

14
15 The original NOI to prepare the LTEMP EIS identified the need to determine whether to
16 establish a recovery implementation program for endangered fish species below Glen Canyon
17 Dam. Although the GCDAMP has undertaken a number of actions that have previously been
18 identified as necessary for the recovery of humpback chub in FWS recovery planning
19 documents, the emphasis of that program is on mitigation and conservation actions specified in
20 the NEPA evaluations and ESA Section 7 Biological Opinions for federal actions, not on the
21 endangered fish species' overall needs to reach recovery. This limits the types of projects the
22 GCDAMP can fund for the endangered fish. A recovery implementation program could directly
23 fund actions intended to result in recovery. Recent findings of razorback sucker in western Grand
24 Canyon and Lake Mead, and evidence of recruitment in these areas, as well as in Lake Powell,
25 highlight the need for future recovery planning for this species in these geographic areas as well.
26 FWS is currently in the process of redrafting recovery plans for the four Colorado River "big
27 river" species, humpback chub, bonytail, Colorado pikeminnow, and razorback sucker. The
28 LTEMP team finds that, conceptually, a recovery implementation plan could be beneficial for
29 these species. However, the breadth of actions related to recovery may be outside the authority of
30 the LTEMP team. FWS could evaluate whether a recovery implementation program is
31 appropriate in the relevant areas of the Colorado River Ecosystem, or it could choose to evaluate
32 potential recovery actions by developing recovery plans in coordination with partners.

33
34 Specific details of each of the LTEMP alternatives are described in Sections ES.6.2.1
35 to ES.6.2.7. Operational characteristics of LTEMP alternatives are presented in Table ES-1, and
36 condition-dependent and experimental elements are summarized in Table ES-2.

37 38 39 **ES.6.2.1 Alternative A (No Action Alternative)**

40
41 Alternative A (No Action Alternative) represents continued operation of Glen Canyon
42 Dam as guided by the 1996 ROD for operations of Glen Canyon Dam: MLFF, as modified by
43 recent DOI decisions, including those specified in the 2007 ROD on Colorado River Interim
44 Guidelines for Lower Basin Shortages and Coordinated Operations for Lakes Powell and Mead
45 (until 2026) (Reclamation 2007b), the HFE EA (Reclamation 2011b), and the Nonnative Fish
46 Control EA (Reclamation 2011a) (both expiring in 2020). As is the case for all alternatives,

TABLE ES-1 Operational Characteristics of LTEMP Alternatives

Elements of Base Operations ^a	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Monthly pattern in release volume	Historic monthly release volumes. Higher volumes in high electric demand months of Dec., Jan., Jul., and Aug.	Same as Alternative A.	Highest volume in high electric demand months of Dec., Jan., and Jul.; Feb.–Jun. Volumes proportional to contract rate of delivery; lower volumes Aug.–Nov.	Comparable to Alternative E, but Aug. and Sep. volume increased, with additional volume taken from Jan.–Jul.; volume released in Oct.–Dec. = 2.0 maf in ≥ 8.23 -maf years.	Monthly volumes proportional to the contract rate of delivery, but with a targeted reduction in Aug.–Oct. volumes; volume released in Oct.–Dec. = 2.0 maf in ≥ 8.23 -maf years.	Relative to Alternative A, higher release volumes in Apr.–Jun.; lower volumes in remaining months.	Equal monthly volumes, adjusted with changes in runoff forecast.
Minimum flows (cfs)	8,000 between 7 a.m. and 7 p.m. 5,000 between 7 p.m. and 7 a.m.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.	5,000	5,000
Maximum non-experimental flows (cfs) ^b	25,000	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.	Same as Alternative A.
Daily range (cfs/24 hr) ^c	5,000 for monthly volumes <600 kaf 6,000 for monthly volumes 600–800 kaf 8,000 for monthly volumes >800 kaf	Dec. and Jan.: 12,000 Feb., Jul., and Aug.: 10,000 Oct., Nov., Mar., Jun., and Sep.: 8,000 Apr. and May: 6,000	Equal to 7 × monthly volume (in kaf) in all months.	Equal to 10 × monthly volume (in kaf) in Jun.–Aug., and 9 × monthly volume (in kaf) in other months; daily range not to exceed 8,000 cfs.	Equal to 12 × monthly volume (in kaf) in Jun.–Aug., and 10 × monthly volume (in kaf) in other months.	0 cfs ^d	0 cfs ^d

TABLE ES-1 (Cont.)

Elements of Base Operations ^a	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Ramp rates (cfs/hr)	4,000 up 1,500 down	4,000 up 4,000 down in Nov.–Mar. 3,000 down in other months	4,000 up 2,500 down	4,000 up 2,500 down	4,000 up 2,500 down	4,000 up 1,500 down	4,000 up 1,500 down

^a Base operations are defined as operations in those years when no condition-dependent or experimental actions are triggered. Examples of such actions include HFEs, low summer flows, and trout management flows (see Table ES-2).

^b Maximum flows presented are for normal operations and may be exceeded as necessary for HFEs, emergency operations, and equalization purposes.

^c Values presented are the normal daily range in mean hourly flow for each alternative. Some variation in instantaneous flows within hours is allowed in all alternatives to accommodate emergency conditions, regulation requirements, and reserve requirements. For several alternatives, reduced fluctuations would be implemented after significant sediment inputs or after HFEs as described in Table ES-2.

^d Hourly water release volumes would be nearly the same among all hours, while allowing for fluctuations in instantaneous flow rates to accommodate regulation services and calls on reserve generation to respond to system emergencies. Regulation affects instantaneous operations that deviate above and below the mean hourly flow with minimal impact on the mean hourly flow.

TABLE ES-2 Condition-Dependent and Experimental Elements of LTEMP Alternatives

Condition-Dependent Elements	Trigger and Primary Objective	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
High-Flow Experiments (HFEs)								
Spring HFE up to 45,000 cfs in Mar. or Apr.	Trigger: Sufficient Paria River sediment input in spring accounting period (Dec.–Mar.) to achieve a positive sand mass balance in Marble Canyon with implementation of an HFE. Objective: Rebuild sandbars.	Implement when triggered through 2020 when protocol expires.	Implement when triggered during entire LTEMP period, but not to exceed one spring or fall HFE every other year.	Implement when triggered during entire LTEMP period.	Implement when triggered during entire LTEMP period, but no spring HFEs in first 2 years, and no spring HFE in the same water year as an extended-duration (>96 hr) fall HFE.	Implement when triggered during entire LTEMP period, except no spring HFEs in first 10 years.	Implement when triggered during entire LTEMP period.	Implement when triggered during entire LTEMP period.
Proactive spring HFE in Apr., May, or Jun., with maximum possible 24-hr release up to 45,000 cfs	Trigger: High-volume equalization year (≥ 10 maf). Objective: To build beaches and protect sand supply otherwise exported by high equalization release.	No	No	Yes, if no other spring HFE in same water year.	Yes, if no other spring HFE in same water year; no proactive spring HFE in first 2 years.	No	No	Yes, if no other spring HFE in same water year.

TABLE ES-2 (Cont.)

Condition-Dependent Elements	Trigger and Primary Objective	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
High-Flow Experiments (HFEs) (Cont.)								
Fall HFE (Oct. or Nov.)	Trigger: Sufficient Paria River sediment input in fall accounting period (Jul.–Oct.) to achieve a positive sand mass balance in Marble Canyon with implementation of an HFE. Objective: Rebuild sandbars.	Implement when triggered through 2020 when protocol expires.	Implement when triggered during entire LTEMP period, but not to exceed one spring or fall HFE every other year.	Implement when triggered during entire LTEMP period.	Follows existing protocol for entire LTEMP period.	Follows existing protocol for entire LTEMP period.	Follows existing protocol for entire LTEMP period.	Follows existing protocol for entire LTEMP period.
Fall HFEs longer than 96-hr duration	Trigger: Paria River sediment input in fall. Objective: Rebuild sandbars.	No	No	Yes, but HFE volume limited to that of a 45,000-cfs, 96-hr flow (357,000 ac-ft).	Yes, magnitude (up to 45,000 cfs) and duration (up to 250 hr ^a) dependent on sediment supply; limited to no more than four in a 20-year period.	No	No	Yes, magnitude (up to 45,000 cfs) and duration (up to 336 hr) dependent on sediment supply.
Adjustments to Base Operations								
Reduced fluctuations before HFEs (“load-following curtailment”) ^b	Trigger: Significant sediment input from Paria River in Dec.–Mar. or Jul.–Oct. Objective: Conserve sediment input for spring or fall HFE.	No	No	Yes (±1,000 cfs), in Feb. and Mar. (spring HFE) or Aug.–Oct. (fall HFE).	No	Yes (±1,000 cfs), in Aug.–Oct. (fall HFE).	No change in operations, which already feature steady flows throughout the year.	No change in operations, which already feature steady flows throughout the year.

TABLE ES-2 (Cont.)

Condition-Dependent Elements	Trigger and Primary Objective	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Adjustments to Base Operations (Cont.)								
Reduced fluctuations after HFES ("load-following curtailment") ^b	Trigger: HFE Objective: Reduce erosion of newly built sandbars.	No	No	Yes, until Dec. 1 after fall HFES, or May 1 after spring HFES.	Yes ($\pm 1,000$ cfs), until the end of the month in which the fall HFE occurred.	No	No change in operations, which already feature steady flows throughout the year.	No change in operations, which already feature steady flows throughout the year.
Low summer flows (Jul., Aug., Sep.)	Trigger: Number of adult humpback chub, temperature at Little Colorado River confluence, and release temperature. Objective: Improve recruitment of chub in mainstem.	No	No	Test if number of adult chub $< 7,000$, $< 12^\circ\text{C}$ at Little Colorado River confluence, and release temperature is sufficiently warm to achieve 13°C only if low flows are provided; within-day range 2,000 cfs.	Test in second 10 years if number of adult chub $< 7,000$, $< 12^\circ\text{C}$ at Little Colorado River confluence, and release temperature is sufficiently warm to achieve 14°C if low flows are provided; within-day range 2,000 cfs.	Test in second 10 years if releases have been cold, number of adult chub $\geq 7,000$, and temperature of at least 16°C can be reached.	No change in operations, which already feature low flows during summer.	No
Sustained low flows for benthic invertebrate production	Trigger: None Objective: Increase invertebrate production especially mayflies, stoneflies, and caddisflies.	No	No	No	Test, but avoid confounding effects on trout management flows. Minimum monthly flow would be held constant on Saturdays and Sundays of May through Aug.	No	No	No

TABLE ES-2 (Cont.)

Condition-Dependent Elements	Trigger and Primary Objective	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Adjustments to Base Operations (Cont.)								
Hydropower improvement flows (increased fluctuation levels)	Trigger: Annual volume ≤ 8.23 maf. Objective: Test effect on sediment, humpback chub, and trout.	No	Maximum daily flow (held for as long as possible): 25,000 cfs (Dec.–Feb., Jun.–Aug.) 20,000 cfs (Sep.–Nov.) 15,000 cfs (Mar.–May) Minimum daily flow all months: 5,000 cfs Ramp rate up and down: 5,000 cfs/hr Test in 4 years	No	No	No	No	No
Trout Management Actions								
Trout management flows	Trigger: Predicted high trout recruitment in Glen Canyon reach. Objective: Improve fishery, reduce emigration to Little Colorado River reach, and subsequent competition and predation on humpback chub.	Test	Test and implement if successful.	Test and implement if successful; tests in first 5 years not dependent on high trout population.	Test and implement if successful; test may be conducted early in the 20-year period even if not triggered by high trout recruitment.	2 × 2 factorial design testing with/without HFE and with/without trout management flows under warm and cold conditions.	No	Test and implement if successful.

TABLE ES-2 (Cont.)

Condition-Dependent Elements	Trigger and Primary Objective	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Non-Flow Actions								
Remove trout in Little Colorado River reach ^c	Trigger: High trout numbers in Little Colorado River reach, low humpback chub numbers. Objective: Reduce competition and predation on chub	Yes	Yes	Yes	Yes	Yes	No	Yes
Riparian vegetation restoration	Trigger: None Objective: Improve vegetation conditions at key sites.	No	Yes	Yes	Yes	Yes	Yes	Yes

- a The duration of extended-duration HFEs would be increased stepwise; the first test of an extended-duration HFE under Alternative D would be limited to 192 hr, depending on the results of that first test, subsequent durations could be longer. Sediment concentration in the river would be monitored during the HFE at least during the first test.
- b Hourly water release volumes would be nearly the same among all hours, while allowing for fluctuations in instantaneous flow rates to accommodate regulation services and calls on reserve generation to respond to system emergencies. Regulation affects instantaneous operations that deviate above and below the mean hourly flow with minimal impact on the mean hourly flow.
- c Trout removal in the Paria River–Badger Rapids reach was assessed in the Nonnative Fish Protocol EA, but it may not be practical based on the estimated level of effort needed to accomplish significant reductions in numbers of trout in the Little Colorado River reach when trout numbers are high in Marble Canyon (Appendix D in Reclamation 2011a).

1 Alternative A also includes implementation of existing and planned NPS management activities,
2 with durations as specified in NPS management documents.

3
4 Under Alternative A, daily flow fluctuations would continue to be determined according
5 to monthly volume brackets as follows: 5,000 cfs daily range for monthly volumes less than
6 600 kaf; 6,000 cfs daily range for monthly volumes between 600 kaf and 800 kaf; and 8,000 cfs
7 for monthly volumes greater than 800 kaf.

8
9 Under Alternative A, the current HFE protocol (Reclamation 2011b) would be followed
10 until it expired in 2020. Under this protocol, high-flow releases may be made in spring (March
11 and April) or fall (October and November). HFE magnitude would range from 31,500 to
12 45,000 cfs. The duration would range from less than 1 to 96 hr. Frequency of HFEs would be
13 determined by tributary sediment inputs, resource conditions, and a decision process carried out
14 by the DOI. The HFE protocol uses a “store and release” approach in which sediment inputs are
15 tracked over two accounting periods, one for each seasonal HFE: spring (December through
16 June) and fall (July through November). Under the protocol, the maximum possible magnitude
17 and duration of HFE that would achieve a positive sand mass balance in Marble Canyon, as
18 determined by modeling, would be implemented.

19
20 Under Alternative A, the current nonnative fish control protocol would be followed until
21 it expired in 2020 (Reclamation 2011a). Mechanical removal would primarily consist of the use
22 of boat-mounted electrofishing equipment to remove all nonnative fish captured. Captured
23 nonnative fish would be removed alive and potentially stocked into areas that have an approved
24 stocking plan, unless live removal fails, in which case fish would be euthanized and used for
25 later beneficial use (Reclamation 2011a).

26 27 28 **ES.6.2.2 Alternative B**

29
30 The objective of Alternative B is to increase hydropower generation while limiting
31 impacts on other resources and relying on flow and non-flow actions to the extent possible to
32 mitigate impacts of higher fluctuations. Alternative B focuses on non-flow actions and
33 experiments to address sediment resources, nonnative fish control, and on native and nonnative
34 fish communities.

35
36 Under Alternative B, monthly volumes would be the same as under current operations,
37 but daily flow fluctuations would be higher than under current operations in most months.
38 Compared to current operations, the hourly up-ramp rate would remain unchanged at
39 4,000 cfs/hr, but the hourly down-ramp rate would be increased to 4,000 cfs/hr in November
40 through March and 3,000 cfs/hr in other months.

41
42 Alternative B includes implementation of the nonnative fish control protocol
43 (Reclamation 2011a) and HFE protocol (Reclamation 2011b) through the entire LTEMP period,
44 but HFEs would be limited to a maximum of one spring or fall HFE every other year. In addition
45 to these experimental actions, Alternative B would test trout management flows and hydropower
46 improvement flows. With trout management flows, high flows (e.g., 20,000 cfs) would be

1 maintained for 2 or 3 days, followed by a very sharp drop in flows to a minimum level
2 (e.g., 5,000 cfs) for the purpose of reducing annual recruitment of trout. Hydropower
3 improvement experiments would test maximum powerplant capacity releases in up to 4 years
4 during the LTEMP period, but only in years with annual volumes ≤ 8.23 maf.
5
6

7 **ES.6.2.3 Alternative C**

8

9 The objective of Alternative C is to adaptively operate Glen Canyon Dam to achieve a
10 balance of resource objectives with priorities placed on humpback chub, sediment, and
11 minimizing impacts on hydropower. Alternative C features a number of condition-dependent
12 flow and non-flow actions that would be triggered by resource conditions. The alternative uses
13 decision trees to identify when experimental changes in base operations or other planned action
14 is needed to protect resources. Operational changes or implementation of non-flow actions could
15 be triggered by changes in sediment input, humpback chub numbers and population structure,
16 trout numbers, and water temperature.
17

18 Monthly release volumes under Alternative C in August through November would be
19 lower than those under most other alternatives to reduce sediment transport rates during the
20 monsoon period. Release volumes in the high power demand months of December, January, and
21 July would be increased to compensate for water not released in August through November, and
22 volumes in February through June would be patterned to follow the monthly hydropower
23 demand as defined by the contract rate of delivery. Under Alternative C, the allowable within-
24 day fluctuation range from Glen Canyon Dam would be proportional to monthly volume
25 ($7 \times$ monthly volume in kaf). The down-ramp rate would be increased to 2,500 cfs/hr, but the up-
26 ramp rate would remain unchanged at 4,000 cfs/hr.
27

28 Experimentation under Alternative C includes testing the effects of the following actions:
29 (1) sediment-triggered spring and fall HFEs through the entire 20-year LTEMP period, (2) 24-hr
30 proactive spring HFEs in high volume years (≥ 10 maf release volume), (3) extension of the
31 possible duration of fall HFEs while maintaining a maximum total volume of a 96-hr 45,000 cfs
32 release), (4) reducing fluctuations before and after HFEs, (5) mechanical removal of trout near
33 the Little Colorado River confluence, (6) trout management flows, and (7) low summer flows
34 during the entire LTEMP period to allow greater warming.
35
36

37 **ES.6.2.4 Alternative D (Preferred Alternative)**

38

39 Alternative D is the preferred alternative for the LTEMP. The objective of Alternative D
40 is to adaptively operate Glen Canyon Dam to best meet the resource goals of the LTEMP. Like
41 Alternative C, Alternative D features a number of condition-dependent flow and non-flow
42 actions that would be triggered by resource conditions.
43

44 Under Alternative D, the total monthly release volume of October, November, and
45 December would be equal to that under Alternative A to avoid the possibility of the operational
46 tier differing from that of Alternative A, as established in the Interim Guidelines

1 (Reclamation 2007a). The August volume was set to 800 kaf in an 8.23-maf release year to
2 balance sediment conservation prior to a potential HFE and power production and capacity
3 concerns. January through July monthly volumes were set at levels that approximate Western's
4 contract rate of delivery. This produced a redistribution of monthly release volumes under
5 Alternative D that would result in the most even distribution of flows of any alternative except
6 for Alternative G. The allowable within-day fluctuation range from Glen Canyon Dam would be
7 proportional to the volume of water scheduled to be released during the month ($10 \times$ monthly
8 volume in kaf in the high-demand months of June, July, and August and $9 \times$ monthly volume
9 in kaf in other months). Up- and down-ramp rates would be the same as under Alternative C.

10
11 Experimentation under Alternative D includes testing the effects of the following actions:
12 (1) sediment-triggered spring and fall HFEs through the entire 20-year LTEMP period, (2) 24-hr
13 proactive spring HFEs in high volume years (≥ 10 maf release volume), (3) extension of the
14 duration of up to 45,000 cfs fall HFEs for as many as 250 hr depending on sediment availability,
15 (4) reducing fluctuations after fall HFEs, (5) mechanical removal of trout near the Little
16 Colorado River confluence, (6) trout management flows, (7) low summer flows in the second
17 10 years of the LTEMP period to allow greater warming, and (8) sustained low flows to improve
18 the aquatic food base.

21 **ES.6.2.5 Alternative E**

22
23 The objective of Alternative E is to provide for recovery of the humpback chub while
24 protecting other important resources, including sediment, the rainbow trout fishery at Lees Ferry,
25 aquatic food base, and hydropower resources. Alternative E features a number of condition-
26 dependent flow and non-flow actions that would be triggered by resource conditions.

27
28 Under Alternative E, monthly volumes would closely follow the monthly hydropower
29 demand as defined by Western's contract rate of delivery. The total monthly release volume of
30 October, November, and December, however, would be equal to that under Alternative A, to
31 minimize the possibility of the operational tier differing from that of Alternative A as established
32 in the Interim Guidelines. In addition, lower monthly volumes (relative to Alternative A) would
33 be targeted in August and September to reduce sediment transport during the monsoon period,
34 when most sediment is delivered by the Paria River. The allowable within-day fluctuation range
35 from Glen Canyon Dam would be proportional to the volume of water scheduled to be released
36 during the month ($12 \times$ monthly volume in kaf in high power demand months of June, July, and
37 August, and $10 \times$ monthly volume in kaf in other months).

38
39 Experimentation under Alternative E includes testing the effects of the following actions:
40 (1) sediment-triggered fall HFEs through the entire 20-year LTEMP period, (2) sediment-
41 triggered spring HFEs only in the second 10 years of the LTEMP period, (3) 24-hr proactive
42 spring HFEs in high volume years (≥ 10 maf release volume), (4) reducing fluctuations before
43 fall HFEs, (5) mechanical removal of trout near the Little Colorado River confluence, (6) trout
44 management flows, and (7) low summer flows in the second 10 years of the LTEMP period to
45 allow greater warming.

1 **ES.6.2.6 Alternative F**

2
3 The objective of Alternative F is to provide flows that follow a more natural pattern of
4 high spring, and low summer, fall, and winter flows while limiting sediment transport and
5 providing for warming in summer months. In keeping with this objective, Alternative F does not
6 feature some of the flow and non-flow actions of the other alternatives.

7
8 Under Alternative F, peak flows would be lower than pre-dam magnitudes to reduce
9 sediment transport and erosion given the reduced sand supply downstream of the dam. Peak
10 flows would be provided in May and June, which corresponds well with the timing of the pre-
11 dam peak. The overall peak flow in an 8.23-maf year would be 20,000 cfs (scaled
12 proportionately in drier and wetter years) and would include a 24-hr 45,000-cfs flow at the
13 beginning of the spring peak period (e.g., on May 1) if there was no triggered spring HFE in
14 same year, and a 168-hr (7-day) 25,000-cfs flow at the end of June. Following this peak, there
15 would be a rapid drop to the summer base flow. The initial annual 45,000-cfs flow would serve
16 to store sediment above the flows of the remainder of the peak, thus limiting sand transport
17 farther downstream and helping to conserve sandbars. The variability in flows within the peak
18 would also serve to water higher elevation vegetation. There would be no within-day fluctuations
19 in flow under Alternative F.

20
21 Low base flows would be provided from July through January. These low flows would
22 provide for warmer water temperatures, especially in years when releases are warm, and would
23 also serve to reduce overall sand transport during the remainder of the year.

24
25 Other than testing the effectiveness of sediment-triggered HFEs, which would continue
26 through the entire LTEMP period, there would be no explicit experimental or condition-
27 dependent triggered actions under Alternative F.

28
29
30 **ES.6.2.7 Alternative G**

31
32 The objective of Alternative G is to maximize the conservation of sediment, in order to
33 maintain and increase sandbar size. Under Alternative G, flows would be delivered in a steady
34 pattern throughout the year with no monthly differences in flow other than those needed to adjust
35 operations in response to changes in forecast and other operating requirements such as
36 equalization. In an 8.23-maf year, steady flow would be approximately 11,400 cfs.

37
38 Experimentation under Alternative G includes testing the effects of the following actions:
39 (1) sediment-triggered spring and fall HFEs through the entire 20-year LTEMP period, (2) 24-hr
40 proactive spring HFEs in high volume years (≥ 10 maf release volume), (3) extension of the
41 duration of up to 45,000-cfs fall HFEs for as many as 250 hr depending on sediment availability,
42 (4) mechanical removal of trout near the Little Colorado River confluence, and (5) trout
43 management flows.

1 **ES.7 IMPLEMENTATION OF THE LTEMP**
2

3 Annually, Reclamation will develop a hydrograph based on the characteristics of the
4 selected alternative. Reclamation will seek consensus on the annual hydrograph through monthly
5 operational coordination calls with governmental entities and regular meetings of the GCDAMP
6 Technical Working Group (TWG) and AMWG. Reclamation will conduct monthly Glen Canyon
7 Dam operational coordination meetings or calls with the DOI bureaus (USGS, NPS, FWS, and
8 BIA), Western, and representatives from the Basin States and Upper Colorado River
9 Commission (UCRC). The purpose of these meetings or calls is for the participants to share and
10 seek information on Glen Canyon Dam operations. One liaison from each Basin State and from
11 the UCRC may participate in the monthly operational coordination meetings or calls.
12
13

14 **ES.7.1 Operational Flexibility**
15

16 Reclamation requires retention of flexibility at Glen Canyon Dam for operational
17 purposes because hydrologic conditions of the Colorado River Basin (or the operational
18 conditions of Colorado River reservoirs) cannot be completely known in advance. Consistent
19 with current operations, Reclamation, in consultation with Western, will make specific
20 adjustments to daily and monthly release volumes during the water year. Monthly release
21 volumes may be rounded for practical implementation or for maintenance needs. In addition,
22 when releases are actually implemented, minor variations may occur regularly for a number of
23 operational reasons that cannot be projected in advance.
24

25 Reclamation also will make specific adjustments to daily and monthly release volumes,
26 in consultation with other entities as appropriate, for a number of reasons, including operational,
27 resource-related, and hydropower-related issues. Examples of these adjustments may include, but
28 are not limited to, the following:
29

- 30
- 31 • For water distribution purposes, volumes may be adjusted to allocate water
32 between the Upper and Lower Basins consistent with the Law of the River as
33 a result of changing hydrology;
 - 34 • For resource-related issues that may occur uniquely in a given year, release
35 adjustments may be made to accommodate nonnative species removal, to
36 assist with aerial photography, or to accommodate other resource
37 considerations separate from experimental treatments under the LTEMP; and
38
 - 39 • For hydropower-related issues, adjustments may occur to address issues such
40 as electrical grid reliability, actual or forecasted prices for purchased power,
41 transmission outages, and experimental releases from other CRSP dams.
42

43 In addition, Reclamation may make modifications where extraordinary circumstances
44 exist. Such circumstances could include operations that are prudent or necessary for safety of
45 dams, public health and safety, other emergency situations, or other unanticipated or unforeseen
46 activities arising from actual operating experience (including, in coordination with the Basin

1 States, actions to respond to low reservoir conditions as a result of drought in the Colorado River
2 Basin). The Emergency Exception Criteria established for Glen Canyon Dam will continue under
3 this alternative. (See, e.g., Section 3 of the Glen Canyon Operating Criteria at 62 FR 9448,
4 March 3, 1997.)
5
6

7 **ES.7.2 Overall Experimental Implementation Process** 8

9 At various levels, all alternatives identify condition-dependent flow and non-flow
10 treatments intended to safeguard against unforeseen adverse changes in resource impacts, and to
11 prevent irreversible changes to those resources (Table ES-2). These condition-dependent
12 treatments would be implemented experimentally during the LTEMP period unless they prove
13 ineffective or result in unanticipated and unacceptable adverse impacts on other resources.
14

15 Prior to implementation of any experiment, the relative effects of the experiment on the
16 following resource areas will be evaluated and considered: (1) water quality and water delivery,
17 (2) humpback chub, (3) sediment, (4) riparian ecosystems, (5) historic properties and traditional
18 cultural properties, (6) Tribal concerns, (7) hydropower production and the Basin Fund, (8) the
19 rainbow trout fishery, (9) recreation, and (10) other resources.
20

21 The proposed approach differs fundamentally from a more formal experimental design
22 (e.g., before-after control-impact design, factorial design) that attempts to resolve uncertainties
23 by controlling for or treating potentially influential or confounding factors. There are several
24 reasons to avoid such a formal design and instead focus on the condition-dependent approach
25 described here. Among these are (1) the difficulties in controlling for specific conditions in a
26 system as complex as the Colorado River; (2) wide variability in temperature and flow
27 conditions that are important drivers in ecological processes; (3) inherent risk of some
28 experimentation to protected sensitive resources, in particular, endangered humpback chub;
29 (4) conflicting multiple-use values and objectives; and (5) low expected value-of-information for
30 the uncertainties that could be articulated, and around which a formal experimental design would
31 be established. For these reasons, a condition-dependent adaptive approach is proposed.
32

33 A condition-dependent adaptive design is considered preferable to a formal experimental
34 design because of the need for a flexible and adaptive program that is responsive to learning. A
35 more formal experimental design, while potentially beneficial in resolving specific uncertainties,
36 would involve multiple-year tests under different conditions, and with sufficient replicates of
37 experimental conditions to statistically test the significance of treatment effects. Such an
38 experimental design would necessarily span a period of years, during which environmental
39 conditions would undoubtedly vary, and thus confound interpretation of results. The duration of
40 the experiment could be lengthened and the potential for confounding effects increased if there
41 was a desire to test system response under specific conditions that cannot be controlled
42 (e.g., annual volume, water temperature, sediment load, and species population levels). These
43 factors make a formal experimental design impractical in the Grand Canyon.
44

45 In many cases, two to three replicates of an experimental treatment are considered
46 necessary. The results of these tests would be used to determine if these condition-dependent

1 treatments should be retained as part of the suite of long-term actions implemented under
2 LTEMP. In other cases, following the process described elsewhere in this section,
3 implementation of experimental treatments would continue throughout the LTEMP period if
4 triggered (e.g., spring and fall HFEs), except in years when it was determined that the proposed
5 experiment could result in unacceptable adverse impacts on resource conditions. For these
6 experiments, effectiveness would be monitored and the experiments would be terminated or
7 modified only if sufficient evidence suggested the treatment was ineffective or had unacceptable
8 adverse impacts on other resources. All experimental treatments would be closely monitored for
9 adverse side effects on important resources. At a minimum, an unacceptable adverse impact
10 would include significant negative impacts on resources as a result of experimental treatments
11 that have not been analyzed for alternatives in the LTEMP DEIS.

12
13 In implementing the experimental framework, the DOI will exercise a formal process of
14 stakeholder engagement to ensure decisions are made with sufficient information regarding the
15 condition and potential effects on important resources. As an initial platform to discuss potential
16 future experimental actions, the DOI will hold GCDAMP annual reporting meetings for all
17 interested stakeholders; these meetings will present the best available scientific information and
18 learning from previously implemented experiments and ongoing monitoring of resources. As a
19 follow-up to this process, the DOI will meet with the TWG to discuss the experimental actions
20 being contemplated for the year.

21
22 The DOI also will conduct monthly Glen Canyon Dam operational coordination meetings
23 or calls with the DOI bureaus (USGS, NPS, FWS, BIA, and Reclamation), Western, AZGFD,
24 and representatives from the Basin States and the UCRC. Each DOI bureau will provide updates
25 on the status of resources and dam operations. In addition, Western will provide updates on the
26 status of the Basin Fund, projected purchase power prices, and its financial and operational
27 considerations. These meetings or calls are intended to provide an opportunity for participants to
28 share and obtain the most up-to-date information on dam operational considerations and the
29 status of resources (including ecological, cultural, Tribal, recreation, and the Basin Fund). One
30 liaison from each Basin State and from the UCRC will be allowed to participate in the monthly
31 operational coordination meetings or calls.

32
33 To determine whether conditions are suitable for implementing or discontinuing
34 experimental treatments or management actions, the DOI will schedule implementation/planning
35 meetings or calls with the DOI bureaus, Western, AZGFD, and one liaison from each Basin State
36 and from the UCRC, as needed or requested by the participants. The implementation/planning
37 group will strive to develop a consensus recommendation to bring forth to the DOI considering
38 resource issues and the status of the Basin Fund. The DOI will consider the consensus
39 recommendations of the implementation/planning group, but it retains sole discretion to decide
40 how best to accomplish operations and experiments in any given year pursuant to the ROD and
41 other binding obligations.

42
43 DOI will also continue separate consultation meetings with the Tribes, AZGFD, the
44 Basin States, and UCRC upon request, or as required under existing RODs.

1 **ES.7.3 Descriptions of Potential Experiments**
2

3 The following text describes specific experiments for sediment, aquatic resources, and
4 riparian vegetation. The overall approach attempts to strike a balance between identifying the
5 specific aspects of experiments deemed important and providing flexibility in the
6 implementation of those experiments that would allow for consideration of specific resource
7 conditions in the years when experiments are to be conducted. Rather than proposing a
8 prescriptive approach to experimentation, an adaptive management-based approach that is
9 responsive and flexible would be used to adapt to changing environmental and resource
10 conditions and new information. Given the size of the project area and the variability inherent in
11 the system, this pragmatic approach to experimentation is warranted, and although confounding
12 treatments are inevitable given the complexity of the experimental plan, they are not expected to
13 limit learning over the life of the LTEMP.
14

15
16 **ES.7.3.1 Sediment-Related Experiments**
17

18 Under most alternatives, spring and fall HFEs would be implemented when triggered
19 during the 20-year LTEMP period using the same Paria River sediment input thresholds used
20 under the existing HFE protocol (Reclamation 2011b). HFE releases would be 1 to 96 hr long
21 and between 31,500 and 45,000 cfs. Depending on the cumulative amount of sediment input
22 from the Paria River during the spring (December through March) or fall (July through October)
23 accounting periods, the maximum possible magnitude and duration of HFE that would achieve a
24 positive sand mass balance in Marble Canyon, as determined by modeling, would be
25 implemented.
26

27 Sand mass balance modeling is used to ensure that the duration and magnitude of an HFE
28 are best matched with the mass of sand present in the system during a particular release window.
29 The magnitude and duration of HFEs would not affect the total annual release from Glen Canyon
30 Dam. Reclamation would consider the total water to be released in the water year when
31 determining the magnitude and duration of an HFE.
32

33 Alternatives differ with regard to inclusion of several additional experiments, including:
34 (1) reduced within-day fluctuations (referred to as “load-following curtailment”) before and/or
35 after fall HFEs; (2) short-duration (24-hr) proactive spring HFEs in high-volume equalization
36 years prior to equalization releases; and (3) implementation of extended-duration (>96-hr) HFEs,
37 depending on sediment conditions (Table ES-2). The pattern of transferring water volumes from
38 other months to make up the HFE volume will be addressed through a process like that described
39 in Section ES.7.2, and, like that one, will involve consultation with DOI bureaus and Western.
40

41 For all sediment experiments, testing would be modified or temporarily or permanently
42 suspended if (1) experimental treatments were ineffective at accomplishing their objectives, or
43 (2) there were potential unacceptable adverse impacts on water delivery or key resources such as
44 humpback chub, sediment, riparian ecosystems, historic properties and traditional cultural
45 properties, Tribal concerns, hydropower production and the Basin Fund, the rainbow trout
46 fishery, recreation, and other resources. Monitoring results would be evaluated to determine

1 whether additional tests, modification of experimental treatments, or discontinuation of
2 experimental treatments were warranted. Annual implementation of any experiments would
3 consider resource condition assessments and resource concerns using the interagency process
4 described above.

7 **ES.7.3.2 Aquatic Resource-Related Experiments**

9 Depending on the alternative, various aquatic resource-related experiments would be
10 triggered by either estimated numbers of rainbow trout, a combination of estimated numbers of
11 rainbow trout and humpback chub, or measured water release temperature at Glen Canyon Dam,
12 depending on the action under consideration. Humpback chub triggers and trout triggers would
13 be developed in consultation with the FWS and AZGFD. These triggers may be modified based
14 on experimentation conducted early in the LTEMP period. In addition to the experiments
15 described in this section, spring (or fall) HFEs also might serve as a tool to purposely stimulate
16 trout production in the Glen Canyon reach if the trout population declines to unacceptable levels.

17
18 Aquatic resource experiments that may be tested under various alternatives include
19 (1) trout management flows, (2) mechanical removal of trout, (3) low summer flows, and
20 (3) sustained low flows for benthic invertebrate production (Table ES-2). Aquatic resource
21 experiments would seek to refine our understanding of the impacts of equalization, HFEs, and
22 trout management flows on these resources. The primary uncertainty surrounding HFEs revolves
23 around the extent to which the seasonality of HFEs or the number of adult rainbow trout
24 determines the strength of rainbow trout recruitment.

25
26 For all aquatic resource experiments, testing would be modified or temporarily or
27 permanently suspended if (1) experimental treatments were ineffective at accomplishing their
28 objectives, or (2) there were potential unacceptable adverse impacts on water delivery or key
29 resources such as humpback chub, sediment, riparian ecosystems, historic properties and
30 traditional cultural properties, Tribal concerns, hydropower production and the Basin Fund, the
31 rainbow trout fishery, recreation, and other resources. Monitoring results would be evaluated to
32 determine whether additional tests, modification of experimental treatments, or discontinuation
33 of experimental treatments were warranted. Annual implementation of any experiments would
34 consider resource condition assessments and resource concerns using the interagency process
35 described above.

37 38 **ES.7.3.3 Experimental Vegetation Restoration**

39
40 Experimental riparian vegetation restoration activities would be implemented by NPS
41 under all alternatives except for Alternative A and would modify the cover and distribution of
42 riparian plant communities along the Colorado River. All activities would be consistent with
43 NPS Management Policies (NPS 2006d). NPS will work with Tribal partners and GCMRC to
44 experimentally implement and evaluate a number of vegetation control and restoration activities
45 on the riparian vegetation within the Colorado River Ecosystem in GCNP and GCNRA. These
46 activities would include ongoing monitoring and removal of selected exotic plants, species in the

1 corridor, systematic removal of exotic vegetation at targeted sites, and full-scale restoration at
2 targeted sites and subreaches, which may include complete removal of tamarisk (both live and
3 dead) and revegetation with native vegetation. Treatments would fall into two broad categories,
4 including the control of exotic nonnative plant species and revegetation with native plant species.
5
6

7 **ES.7.3.4 Hydropower Improvement Flows**

8

9 Alternative B includes testing maximum powerplant capacity releases in up to 4 years
10 during the LTEMP period, but only in years with annual volumes ≤ 8.23 maf. Under hydropower
11 improvement flows, within-day releases during the high-demand months of December, January,
12 February, June, July, and August would vary between 5,000 cfs at night and 25,000 cfs during
13 the day; from September through November within-day releases would vary from 5,000 to
14 20,000 cfs; and from March through May within-day releases would vary from 5,000 to
15 15,000 cfs. Up- and down-ramp rates would be 5,000 cfs/hr throughout the year. Years with
16 annual flows ≤ 8.23 maf typically require firming purchases by Western to meet contractual
17 demand; thus, the experiment could mitigate some of those more costly purchases in the high-
18 power months. The experiment is intended to evaluate the effects of maximum powerplant
19 operations on critical resources in the Colorado River Ecosystem.
20
21

22 **ES.8 AFFECTED ENVIRONMENT**

23

24 For more than 5 million years, the forces of geologic uplift, weathering, and downcutting
25 of the Colorado River and its tributaries have carved the Grand Canyon. The canyon is about
26 1 mi deep and varies in width from a few hundred feet at river level to as much as 18 mi at the
27 rim. The erosive forces of the river cut only a narrow gorge; other geologic forces, including
28 flowing water over the canyon walls, freezing and thawing temperatures, and abrasion of rock
29 against rock cut the wider canyon. The Colorado River acts like a huge conveyor belt
30 transporting finer sediment particles to the ocean.
31

32 In cutting the canyon, the river has exposed rocks of all geologic eras, covering a span of
33 nearly 2 billion years. The rocks of the Grand Canyon are part of the Colorado Plateau, a
34 130,000-mi² area covering most of the Colorado River Basin. The elevation of the canyon rim
35 varies between about 5,000 and 8,000 ft above mean sea level, with the North Rim being about
36 1,000 ft higher than the South Rim.
37

38 Glen Canyon cuts through the massive Navajo Sandstone of the Mesozoic Era and is
39 about 200 million years old. Downstream from Lees Ferry, a sequence of nearly horizontal
40 sedimentary rocks of the Paleozoic Era appears at river level, beginning with the Kaibab
41 Formation that caps much of the canyon rim. In Marble Canyon, the river passes through
42 cavernous Redwall Limestone. The river is narrower here and in other places where the
43 Paleozoic rocks are relatively hard, but becomes wider through the more easily eroded
44 formations. The shelves of Tapeats Sandstone (more than 500 million years old) at the base of
45 the Paleozoics appear near the mouth of the Little Colorado River. Farther downstream, the
46 narrowest reaches are cut through the dense, dark-colored Vishnu Schist of the Proterozoic era

1 (about 1.7 billion years old). In the Toroweap area, the youngest rocks in the canyon are
2 exposed, which are remnants of lava flows that poured over the North Rim about 1 million years
3 ago during the Cenozoic era. The hardened lava still clings to the canyon walls, and basalt
4 boulders still affect river flow at Lava Falls Rapid. The Grand Wash Cliffs mark the
5 southwestern edge of the Colorado Plateau and the mouth of the Grand Canyon at the headwaters
6 of Lake Mead.

7
8 Climatic conditions in the area vary considerably with elevation. At Bright Angel
9 Campground (elevation 2,400 ft) near Phantom Ranch, the climate is characterized by mild
10 winters, hot summers, and low rainfall. Average high temperatures range from about 15°C
11 (59°F) in winter to 39°C (103°F) in summer. Low temperatures range from about 4 to 24°C
12 (39 to 76°F). Average annual precipitation, mostly in the form of rain, is about 11.2 in.
13 Precipitation occurs uniformly in summer, fall, and winter and is somewhat less in spring.

14
15 In contrast, the climate at the North Rim (elevation 7,800 to 8,800 ft) is characterized by
16 cold winters, cool summers, and abundant precipitation with snowfall. Average high
17 temperatures range from 4°C (39°F) in winter to 24°C (75°F) in summer; low temperatures range
18 from about -8 to 6°C (18 to 43°F). Average annual precipitation is 33.6 in. The South Rim
19 (elevation 7,000 ft) receives about 16 in. of precipitation annually. Average high temperatures
20 range from 5°C (41°F) in winter to 29°C (84°F) in summer; average low temperatures range
21 from -8°C (18°F) in winter to 12°C (54°F) in summer.

22
23 The Upper Colorado River Basin is generally classified as semiarid and the Lower Basin
24 as arid. The climate varies from cold-humid at the headwaters in the high mountains of
25 Colorado, New Mexico, Utah, and Wyoming to dry-temperate in the northern areas below the
26 mountains and arid in the lower southern areas. Annual precipitation in the higher mountains
27 occurs mostly as snow, which results in as much as 60 in. of precipitation per year. Thousands of
28 square miles in the lower part of the basin are sparsely vegetated because of low rainfall and
29 poor soil conditions. Rainfall in this area averages from 6 to 8 in., mostly from cloudburst storms
30 during the late summer and early fall.

31
32 Resources downstream from Glen Canyon Dam through the Grand Canyon are
33 interrelated, or linked, since virtually all of them are associated with or dependent on water and
34 sediment. Affected natural resources include water, sediment, aquatic ecology, vegetation,
35 wildlife, special status species, and air quality. Affected socioeconomic resources include
36 cultural resources, visual resources, recreational resources, wilderness, hydropower, regional
37 socioeconomics, resources of importance to Indian Tribes, and environmental justice.

38
39 The Colorado River Ecosystem is the system of concern in this DEIS; it includes
40 resources located in the river channel and in a relatively narrow band of adjacent land. Resources
41 within this system depend on factors outside these boundaries, including the physical and
42 biological constraints of Lake Powell and, to a lesser extent, Lake Mead and tributaries such as
43 the Little Colorado River.

44
45 The Colorado River Ecosystem originally developed in a sediment-laden, seasonally
46 flooded environment. The construction of Glen Canyon Dam altered the natural dynamics of the

1 Colorado River. Today, the ecological resources of the Grand Canyon depend on the water
2 releases from the dam and variable sediment inputs from tributaries. The major function of Glen
3 Canyon Dam (and Lake Powell) is water storage. The amount of water and its pattern of release
4 directly or indirectly affect physical, biological, cultural, and recreational resources within the
5 river corridor.

6
7 Lake Powell traps water, sediment, and associated nutrients that previously traveled
8 down the Colorado River. Interruption of river flow and regulated release of lake water now
9 results in altered aquatic and terrestrial systems compared to those before Glen Canyon Dam.
10 The present interactions among water volume and release patterns, sediment transport, and
11 downstream resources have created and support a complex system much different from pre-dam
12 conditions.

13
14 Pre-dam flows ranged seasonally from spring peaks sometimes greater than 100,000 cfs
15 to winter lows of 1,000 to 3,000 cfs. During spring snowmelt periods and flash floods,
16 significant daily and hourly flow fluctuations often occurred. While annual variability in water
17 volume was high, a generally consistent pattern of high spring flows followed by lower summer
18 flows provided an important environmental factor for plants and animals in the river and along
19 its shoreline.

20
21 Post-dam water releases fluctuate on a daily and hourly basis to maximize the value of
22 generated power by providing peaking power during high-demand periods. More power is
23 produced by releasing more water through the dam's generators. Daily releases can range from
24 5,000 to 31,500 cfs, but actual daily fluctuations have been less than this maximum range since
25 implementation of the 1996 ROD (Reclamation 1996). These fluctuations result in a downstream
26 "fluctuation zone" between low and high river stages (water level associated with a given flow)
27 that is inundated and exposed on a daily basis.

28
29 Glen Canyon Dam also affects downstream water temperature and clarity. Historically,
30 the Colorado River and its larger tributaries were characterized by heavy sediment loads,
31 variable water temperatures, large seasonal flow fluctuations, extreme turbulence, and a wide
32 range of dissolved solids concentrations. The dam has altered these characteristics. Before the
33 dam, water temperature varied on a seasonal basis from highs around 27°C (80°F) to lows near
34 freezing. Now, water released from Glen Canyon Dam averages 8°C (46°F) year round, although
35 releases temperatures vary depending on the water level in Lake Powell and other factors, and
36 water temperature warms by about 1°C (1.8°F) for every 30 mi traveled downstream during
37 warmer months of the year (Reclamation 1999). Lake Powell traps sediment that historically was
38 transported downstream. The dam releases clear water, and the river becomes muddy when
39 downstream tributaries contribute sediment, as during summer monsoon storms. These changes
40 in temperature and turbidity have important influences on the aquatic system downstream from
41 the dam.

42
43 Hydropower is cleaner than nonrenewable fuel resources, and if water releases are less
44 constrained, hydropower can be more responsive to changes in load than many other forms of
45 electrical generation. The Glen Canyon Powerplant is an important component of the electrical
46 power system of the western United States and is the largest hydroelectric facility in the CRSP.

1 The powerplant has eight generating units with a maximum combined capacity (i.e., the
2 maximum electric output of the eight generating units) of 1,320 MW. When operating policies
3 allow, releases are scheduled to be higher during months when power demand is greatest,
4 typically during the summer and winter.
5
6

7 **ES.9 ENVIRONMENTAL CONSEQUENCES** 8

9 The effects of alternatives result primarily from the patterns of water release from Glen
10 Canyon Dam that are characteristic of each alternative. Monthly, daily, and hourly release rates
11 directly affect flows and sediment distribution in the river channel and corridor, as well as water
12 levels in Lake Powell and Lake Mead. These primary effects drive secondary effects on aquatic
13 and terrestrial resources, historic properties, Tribal resources and values, and recreational
14 resources. Hydropower generation and capacity are additional primary effects of release patterns,
15 particularly the ability to adjust releases in response to changes in the demand for electric power.
16 Alternatives also include non-flow actions such as mechanical trout removal and vegetation
17 restoration activities, which would be undertaken as part of the alternative.
18

19 The quantitative analyses used for the LTEMP DEIS employed a series of linked models
20 that explicitly accounted for flow effects and the linkages among resources (Figure ES-2). The
21 assessment of resource impacts was based on these linkages under a common conceptual model.
22

23 This conceptual model was central to the construction of the LTEMP alternatives.
24 Operational characteristics and experimental actions of each alternative target particular resource
25 effects. Environmental effects caused by actions included in different alternatives were modeled
26 using historically observed resource responses to flow conditions and relationships derived from
27 experimental results obtained since dam operations were last reviewed in 1995.
28

29 Responses of resources to operations and non-flow actions were predicted using linked
30 models (e.g., reservoir operations model, hydropower operations models, sand budget model,
31 and others, as depicted in Figure ES-2). The magnitude of effects was estimated using
32 quantifiable metrics for indicators of the condition of a resource. The environmental effects of
33 alternatives were compared quantitatively whenever possible, on the basis of the estimated effect
34 on resource condition as measured by a set of resource metrics; these quantitative predictions
35 were supported when possible by published observations and findings.
36

37 For those resource metrics that could be modeled quantitatively, a range of potential
38 hydrologic conditions and sediment conditions were modeled for a 20-year period that
39 represented the 20 years of the LTEMP. Twenty-one potential Lake Powell in-flow scenarios
40 (known as hydrology traces) for the 20-year LTEMP were sampled from the 105-year historic
41 record (water years 1906 to 2010) using the Index Sequential Method and selecting every fifth
42 sequence of 20 years to 1930, and so forth. As the start of traces reach the end of the historic
43 record, the years needed to complete a 20-year period are obtained by wrapping back to the
44 beginning of the historical record. For instance, the trace beginning in 1996 consists of the years
45 1996 to 2010 and 1906 to 1910, in that order. This method produced 21 hydrology traces for
46 analysis that represented a range of possible traces from dry to wet. Although these hydrology




FIGURE ES-2 Model Flow Diagram for Analyses Showing Inputs, Intermediate Calculations, and Output

1 traces represent the range of hydrologic conditions that occurred during the period of record,
2 they may not fully capture the driest years that could occur with climate change.

3
4 In addition to these 21 hydrology traces, three 20-year sequences of sediment inputs from
5 the Paria River sediment record (water years 1964 to 2013) were analyzed that represented low
6 (water years 1982 to 2001), medium (water year 1996 to 1965), and high (water years 2012 to
7 1981). In combination, the 21 hydrology traces and 3 sediment traces resulted in an analysis that
8 considered 63 possible hydrology-sediment conditions. Models depicted in Figure ES-2 were
9 used to generate resource metric values for each of the alternatives under the 63 hydrology-
10 sediment combinations. The values generated represent a range of possible outcomes.

11
12 Some resources or environmental attributes do not lend themselves to quantification
13 because there are insufficient data or understanding to support development of a model. In these
14 cases, the assessment includes qualitative assessments of the likely impacts on these resources
15 and attributes. Qualitative analysis was particularly important for effects related to personal and
16 cultural values, as well as for an assessment of impacts on resources not directly affected by river
17 flow. In all cases, multiple lines of evidence were used to assess impacts on resources.

18
19 Information sources used for this analysis included observational and research data
20 collected since the start of dam operations and resulting from research programs originating
21 under the GCDAMP established under the 1996 ROD and carried out by the GCMRC and other
22 researchers.

23
24 Table ES-3 presents a summary of impacts anticipated under each alternative by resource
25 topic.

26 27 28 **ES.10 UNAVOIDABLE ADVERSE IMPACTS**

29
30 On the basis of the assessments conducted and summarized in Table ES-3, each of the
31 alternatives is expected to result in some unavoidable adverse impacts on resources. These
32 adverse impacts result from the flow and non-flow actions included in each alternative and could
33 be minimized through adaptive management and implementation of mitigation measures.

34
35 All of the alternatives, including Alternative A, would result in continued reductions in
36 peak hydropower production relative to unconstrained release patterns that more closely match
37 generation with electrical demand due to restrictions on maximum and minimum flow, within-
38 day fluctuation levels, and ramping rates. Steady flow alternatives (Alternatives F and G) would
39 result in the greatest adverse impacts on hydropower value. Alternative B would result in an
40 increase in hydropower energy and capacity compared to Alternative A; Alternatives D and E
41 would produce less energy and capacity than Alternative A; Alternative C would produce less
42 than Alternatives D and E, but more than Alternatives F and G. Alternative F would produce less
43 energy and capacity than any of the alternatives.

44
45 Under all of the alternatives, sediment availability in the river channel below the dam
46 would continue to be limited due to the presence of the dam. No operational alternative can

TABLE ES-3 Summary of Impacts of LTEMP Alternatives on Resources

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Water (hydrology and water quality)	No change from current condition	Compared to Alternative A, no change from current condition related to lake elevations, annual operating tiers, monthly release volumes, or mean daily flows, but higher mean daily changes in flow in all months. Hydropower improvement flows would cause even greater mean daily flow changes; negligible differences in temperature or other water quality indicators.	Compared to Alternative A, some change from current condition related to lake elevations, annual operating tiers, monthly release volumes, and mean daily flows; lower mean daily changes in flow in all months; greater summer warming and increased potential for bacteria and pathogens.	Compared to Alternative A, negligible change from current condition related to lake elevations; no change in annual operating tiers; more even monthly release volumes and mean daily flows; similar mean daily changes in flow in most months; greater summer warming and increased potential for bacteria and pathogens.	Compared to Alternative A, negligible change from current condition related to lake elevations; no change in annual operating tiers; more even monthly release volumes and mean daily flows; higher mean daily changes in flow in all but Sept. and Oct.; greater summer warming and increased potential for bacteria and pathogens.	Compared to Alternative A, some change from current condition related to lake elevations and annual operating tiers; large changes in monthly release volumes and mean daily flows; steady flows throughout the year; greater summer warming and increased potential for bacteria and pathogens.	Compared to Alternative A, negligible change from current condition related to lake elevations and annual operating tiers; even monthly release volumes and mean daily flows; steady flows throughout the year; greater summer warming and increased potential for bacteria and pathogens.
Sediment	Least HFEs of any alternative would result in highest sand mass balance, lowest potential for building sandbars.	The number of HFEs and bar-building potential would be similar to those under Alternative A, but higher fluctuations would result in lower sand mass balance.	High number of HFEs would result in high bar-building potential, but lower sand mass balance than Alternative A.	High number of HFEs would result in high bar-building potential; sand mass balance comparable to Alternative A.	Number of HFEs would result in higher bar-building potential than Alternative A but not other alternatives; lower sand mass balance than Alternative A.	Highest number of HFEs would result in highest bar-building potential, and lowest sand mass balance of all alternatives.	Second highest number of HFEs would result in second highest bar-building potential, and second lowest sand mass balance of all alternatives.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Natural processes	Existing natural processes related to flow, water temperature, water quality, and sediment resources would continue, but replenishment of sandbars would diminish after 2020, when HFEs would cease.	Compared to Alternative A, most natural processes would be unchanged, but there would be less nearshore habitat stability as a result of greater within-day fluctuations.	Compared to Alternative A, there would be more nearshore habitat stability as a result of lower within-day fluctuations, slightly higher summer and fall water temperatures due to lower flows, and more frequent sandbar building resulting from more frequent HFEs.	Similar to Alternative C.	Similar to Alternative B for flow-related processes, but more similar to C for water temperature and sediment-related processes.	Compared to Alternative A, flow-related processes, water temperature, and water quality would more closely match a natural seasonal pattern with little within seasonal variability; sediment-related processes similar to Alternative C.	Compared to other alternatives, there would be little variability in flow, water temperature, or water quality processes; Alternative G would have the highest potential of any alternative to build sandbars and retain sand in the system.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Aquatic ecology	No change from current conditions for the aquatic food base, nonnative fish, and native fish.	Slightly lower productivity of benthic aquatic food base, but short-term increases in drift associated with greater fluctuations in daily flows, compared to Alternative A. Habitat quality and stability and temperature suitability for both nonnative and native fish may be slightly reduced compared to Alternative A. Lower trout abundance and slightly higher humpback chub abundance than Alternative A.	Slightly higher productivity of benthic aquatic food base and drift, compared to Alternative A. Habitat quality and stability for nonnative and native fish may be higher than under Alternative A. Higher trout abundance even with implementation of trout management flows and mechanical removal, but no difference in humpback chub abundance compared to Alternative A.	Slightly higher productivity of benthic aquatic food base and drift, compared to Alternative A. Experimental steady weekend flows may further increase productivity and diversity. Habitat quality and stability for nonnative and native fish are expected to be slightly higher than under Alternative A. Negligible change in trout abundance with implementation of trout management flows, and mechanical removal, and slight increase in humpback chub abundance compared to Alternative A.	Slightly higher productivity of benthic aquatic food base, and similar or increased drift, compared to Alternative A. Habitat quality and stability for nonnative and native fish would be slightly lower than under Alternative A. Lower trout abundance with implementation of trout management flows and mechanical removal, and slightly higher humpback chub abundance than Alternative A.	Increased productivity of aquatic food base and drift in spring and early summer, but lower rest of year compared to Alternative A. Positive effects on nonnative and native fish and their habitats by providing a greater level of habitat stability than would occur under any of the non-steady flow alternatives. Higher trout abundance and slightly lower humpback chub abundance than Alternative A.	Productivity of aquatic food base and long-term drift relatively high compared to Alternative A. Habitat stability for nonnative and native fish would be greater than under any of the other alternatives. Higher trout abundance even with implementation of trout management flows and mechanical removal, and slightly lower humpback chub abundance than Alternative A.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Vegetation	Adverse impact relative to current condition resulting from narrowing of old high water zone; an expected decrease in new high water zone native plant community cover, decrease in native diversity, increase in native/nonnative ratio, and increase in arrowweed; decrease in wetland community cover; impacts on special status species.	Similar to Alternative A (decline under hydropower improvement flows). Some adverse impacts and some benefits resulting from narrowing of old high water zone; an expected decrease in new high water zone native plant community cover, increase in native diversity, decrease in native/nonnative ratio; decrease in arrowweed; increase in arrowweed, increase in native diversity (decrease under hydropower improvement flows), and increase in native/nonnative ratio (decrease under hydropower improvement flows); decrease in wetland community cover; impacts on special status species.	Decline from Alternative A. Adverse impact resulting from: narrowing of old high water zone; an expected decrease in new high water zone native plant community cover, decrease in native diversity, decrease in native/nonnative ratio; decrease in arrowweed; decrease in wetland community cover; impacts on special status species.	Improvement from Alternative A. Some adverse impacts and some benefits resulting from: narrowing of old high water zone; an expected decrease in new high water zone native plant community cover, decrease in native diversity, decrease in native/nonnative ratio, decrease in arrowweed and increase in native diversity; decrease in wetland community cover; impacts on special status species.	Decline from Alternative A. Adverse impact resulting from: narrowing of old high water zone; an expected decrease in new high water zone native plant community cover, decrease in native diversity, decrease in native/nonnative ratio, increase in arrowweed; decrease in wetland community cover; impacts on special status species.	Decline from Alternative A. Some adverse impacts and some benefits resulting from: narrowing of old high water zone; an expected decrease in new high water zone native plant community cover, decrease in native diversity, decrease in native/nonnative ratio; decrease in arrowweed; increase in tamarisk of any alternative); decrease in arrowweed; decrease in wetland community cover; impacts and potential benefit to special status species.	Decline from Alternative A. Adverse impact resulting from: narrowing of old high water zone; an expected decrease in new high water zone native plant community cover, decrease in native diversity, decrease in native/nonnative ratio; decrease in arrowweed; decrease in wetland community cover; impacts on special status species.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Wildlife	No change from current conditions for most wildlife species, but ongoing wetland decline could affect wetland species.	Impacts on most terrestrial wildlife species would be similar to those under Alternative A. Less nearshore habitat stability would result in decreased production of aquatic insects and would adversely impact species that eat insects or use nearshore areas, especially with the implementation of hydropower improvement flows. Less decline of wetland habitat compared to Alternative A; however, hydropower improvement flows would cause a greater decline of wetland habitat.	Impacts on most terrestrial wildlife species would be similar to those under Alternative A. Greater nearshore habitat stability would result in increased production of aquatic insects and would benefit species that eat insects or use nearshore areas. Greater decline of wetland habitat compared to Alternative A.	Impacts on most terrestrial wildlife species would be similar to those under Alternative A. Greater nearshore habitat stability would result in increased production of aquatic insects and would benefit species that eat insects or use nearshore areas. Least decline of wetland habitat of any alternative.	Impacts on most terrestrial wildlife species would be similar to those under Alternative A. Increased production of aquatic insects, but accompanying benefits may be offset by higher within-day flow fluctuations.	Impacts on most terrestrial wildlife species would be similar to those under Alternative A. Greater nearshore habitat stability would result in increased production of aquatic insects and would benefit species that eat insects or use nearshore areas. Greatest decline of wetland habitat of any alternative.	Impacts on most terrestrial wildlife species would be similar to those under Alternative A. Greater nearshore habitat stability would result in increased production of aquatic insects (highest among alternatives) and would benefit species that eat insects or use nearshore areas. Greater decline of wetland habitat compared to Alternative A.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Cultural resources	No change from current conditions, which may contribute to slumping of terraces in Glen Canyon. HFEs will deposit additional sediment, which will be available for wind transport; however, it is expected that the additional sediment will not significantly improve the stability of archaeological sites in Grand Canyon. No change from current conditions related to the stability of Spencer Steamboat and visitor time off river.	Similar to Alternative A.	Compared to Alternative A, operations could increase the potential for windblown sediment to be deposited on terraces in Grand Canyon. Negligible effect to the stability of Spencer Steamboat and time off river.	Compared to Alternative A, extended-duration HFEs could result in additional destabilization of terraces in Glen Canyon but could increase the potential for windblown sediment to be deposited on terraces in Grand Canyon. Negligible effect on the stability of Spencer Steamboat and time off river.	No change from current conditions which may contribute to slumping of terraces in Glen Canyon. HFEs will deposit additional sediment which will be available for wind transport; however, it is expected that the additional sediment will not significantly improve the stability of archaeological sites in Grand Canyon. No change from current conditions related to the stability of Spencer Steamboat and visitor time off river.	Similar to Alternative A.	Compared to Alternative A, operations could increase the potential for windblown sediment to be deposited on terraces in Grand Canyon. Negligible effect on the stability of Spencer Steamboat and time off river.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Tribal resources	<p>Operations would result in no change in the amount of sand available for wind transport to cultural resource sites; a negligible loss of riparian diversity; a small loss of wetlands and no impact on Tribal water and economic resources.</p> <p>No trout management flows, but mechanical trout removal could be triggered. After 2020, potential adverse impact on culturally important archaeological sites.</p>	<p>Compared to Alternative A, operations would result in a slight increase in the amount of sand available for wind transport to cultural resource sites except during hydropower improvement flows, when there would be a slight decrease. There would be a slight loss in riparian diversity and slightly more loss in wetlands. There would be no impact on Tribal water and economic resources. Trout management flows and mechanical trout removal could be triggered.</p>	<p>Compared to Alternative A, operations would result in an increase in the amount of sand available for wind transport to cultural resource sites; the second largest loss in wetlands and a decrease in riparian plant diversity. Tribally operated marinas could experience a negligible drop in income. Trout management flows and mechanical trout removal could be triggered.</p>	<p>Compared to Alternative A, operations would result in an increase in the amount of sand available for wind transport to cultural resource sites; the least amount of wetlands loss across alternatives; and similar riparian plant diversity. Tribally operated marinas could experience a negligible drop in income. Trout management flows and mechanical trout removal could be triggered.</p> <p>occur with or without triggers.</p>	<p>Compared to Alternative A, operations would result in an increase in the amount of sand available for wind transport to cultural resource sites but would result in an increase in the potential for river runners to explore and potentially damage places of cultural importance during May and June. The greatest loss of wetlands, largest increase in invasive species, and lowest riparian plan diversity occur under this alternative. Tribally operated marinas could experience a slight loss of income under this alternative. There would be no trout management flows or mechanical trout removal.</p>	<p>Compared to Alternative A, operations would result in the greatest potential increase in the amount of sand available for wind transport to cultural resource sites; the third-largest wetlands loss across alternatives; and a decrease in riparian plant diversity. Tribally operated marinas could experience a negligible drop in income. Trout management flows and mechanical trout removal could be triggered.</p>	

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Recreation, visitor use, and experience	<p>No change from current conditions. Fewest HFEs, moderate fluctuations, and intermediate trout catch rates, few navigability concerns, declining camping area.</p>	<p>Compared to Alternative A, comparable number of HFEs, higher fluctuations, and lowest catch rates; most navigability concerns; declining camping area similar to Alternative A.</p>	<p>Compared to Alternative A, more HFEs, lower fluctuations, similar catch rates; fewer navigation concerns, increasing camping area.</p>	<p>Similar to Alternative C, but with higher daily fluctuations.</p>	<p>Similar to Alternative C, but with higher daily fluctuations.</p>	<p>Compared to Alternative A and all other alternatives, most HFEs, steady flows, higher catch rates, but least large trout; very few navigability concerns, most lost Glen Canyon rafting trips, increasing camping area.</p>	<p>Similar to Alternative F; greatest potential increase in camping area.</p>
Wilderness	<p>No change from current conditions. Declining camping area following cessation of HFEs would reduce opportunity for solitude; intermediate effects on crowding at rapids and levels of fluctuations; lowest disturbance from experimental actions.</p>	<p>Relative to Alternative A, similar decline in camping area, somewhat more crowding at rapids, greatest level of fluctuations, greater disturbance from non-flow actions, especially under experimental hydropower improvement flows.</p>	<p>Relative to Alternative A, reversal of camping area decline, somewhat less crowding at rapids, lower level of fluctuations, greater disturbance from non-flow actions.</p>	<p>Relative to Alternative A, reversal of camping area decline, similar crowding at rapids, similar level of fluctuations, greater disturbance from non-flow actions.</p>	<p>Relative to Alternative A, reversal of camping area decline, most crowding at rapids, higher level of fluctuations, greater disturbance from non-flow actions.</p>	<p>Relative to Alternative A, reversal of camping area decline, less crowding at rapids, no fluctuations, greater disturbance from non-flow actions, but no mechanical removal of trout.</p>	<p>Relative to Alternative A, greatest reversal of camping area decline, least crowding at rapids, no fluctuations, greater disturbance from non-flow actions.</p>
Visual resources	<p>No change from current condition.</p>	<p>Negligible change from current condition.</p>	<p>Negligible change from current condition.</p>	<p>Negligible change from current condition.</p>	<p>Negligible change from current condition.</p>	<p>Negligible change from current condition.</p>	<p>Negligible change from current condition.</p>

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Hydropower	No change from current condition. Second highest marketable capacity and sixth-lowest total cost to meet electric demand over the 20-year LTEMP period. No change in average electric retail rate or average monthly residential electricity bill. No change in the value of generation at Hoover Dam.	Compared to Alternative A, 3.8% increase in marketable capacity and 0.02% decrease in total cost to meet electric demand over the 20-year LTEMP period. Small decreases in both the average electric retail rate and the average monthly residential electricity bill in the year of maximum rate impact. No change in the value of generation at Hoover Dam.	Compared to Alternative A, 17.5% decrease in marketable capacity and 0.41% increase in total cost to meet electric demand over the 20-year LTEMP period. Increase in both average retail electric rate and average monthly residential electricity bill in the year of maximum rate impact. 2.0% increase in the value of generation at Hoover Dam.	Compared to Alternative A, 6.7% decrease in marketable capacity and 0.29% increase in total cost to meet electric demand over the 20-year LTEMP period. Increase in both average retail electric rate and average monthly residential electricity bill in the year of maximum rate impact. 1.0% increase in the value of generation at Hoover Dam.	Compared to Alternative A, 12.2% decrease in marketable capacity and 0.25% increase in total cost to meet electric demand over the 20-year LTEMP period. Increase in both average retail electric rate and average monthly residential electricity bill in the year of maximum rate impact. 1.2% increase in the value of generation at Hoover Dam.	Compared to Alternative A, 42.6% decrease in marketable capacity (lowest of alternatives) and 1.2% increase (highest of alternatives) in total cost to meet electric demand over the 20-year LTEMP period. Increase in both average retail electric rate and average monthly residential electricity bill in the year of maximum rate impact. 1.4% increase in the value of generation at Hoover Dam.	Compared to Alternative A, 24.2% decrease in marketable capacity and 0.73% increase in total cost to meet electric demand over 20-year LTEMP period. Increase in both average retail electric rate and average monthly residential electricity bill in the year of maximum rate impact. 1.4% increase in the value of generation at Hoover Dam.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Socioeconomics	No change from current conditions in use values, economic activity or environmental justice with no change in lake levels or river conditions.	Compared to Alternative A, declines in use values and economic activity associated with Lake Powell recreation, and in use values associated with some forms of river recreation compared to Alternative A. Increases in use values and economic activity associated with boating and in use values and economic activity associated with Lake Mead recreation. Increased economic activity from lower residential electric bills compared to Alternative A.	Compared to Alternative A, declines in use values and economic activity associated with Lake Powell recreation, and in use values associated with some forms of river recreation. Increases in use values associated with Upper Grand Canyon private boating and in use values and economic activity associated with Lake Mead recreation. Increased economic activity from capacity expansion and reduced activity from higher residential electric bills.	Compared to Alternative A, declines in use values and economic activity associated with Lake Powell recreation, and in use values associated with some forms of river recreation. Increases in use values associated with Upper Grand Canyon private boating and in use values and economic activity associated with Lake Mead recreation. Increased economic activity from capacity expansion, and reduced activity from higher residential electric bills.	Compared to Alternative A, declines in use values and economic activity associated with Lake Powell recreation, and in use values associated with some forms of river recreation. Increases in use values associated with Upper Grand Canyon private boating and in use values and economic activity associated with Lake Mead recreation. Increased economic activity from capacity expansion, and reduced activity from higher residential electric bills.	Compared to Alternative A, declines in use values and economic activity associated with Lake Powell recreation, and in use values associated with some forms of river recreation. Increases in use values associated with Upper Grand Canyon private boating and in use values and economic activity associated with Lake Mead recreation. Increased economic activity from capacity expansion, and reduced activity from higher residential electric bills.	Compared to Alternative A, declines in use values and economic activity associated with Lake Powell recreation, and in use values associated with some forms of river recreation. Increases in use values associated with Upper Grand Canyon private boating and in use values and economic activity associated with Lake Mead recreation. Increased economic activity from capacity expansion, and reduced activity from higher residential electric bills.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Environmental justice	No change from current conditions. No disproportionately high and adverse impacts on minority or low-income populations.	Trou management flows and mechanical removal triggered in up to an average of 3.0 years and 0.4 years, respectively, of LTEMP period; financial impacts related to electricity sales similar to those under Alternative A. No disproportionately high and adverse impacts on minority or low-income populations.	Trou management flows and mechanical removal triggered in up to an average of 6.5 years and 2.8 years, respectively of LTEMP period; financial impacts related to electricity sales would be slightly higher (<\$1.00/MWh) than those on non-Tribal customers, and those under Alternative A. No disproportionately high and adverse impacts on minority or low-income populations.	Trou management flows and mechanical removal triggered in up to an average of 11.0 years and 2.9 years, respectively, of LTEMP period; financial impacts related to electricity sales would be similar to those under Alternative C. No disproportionately high and adverse impacts on minority or low-income populations.	Trou management flows and mechanical removal triggered in up to an average of 2.6 years and 1.7 years, respectively, of LTEMP period; financial impacts related to electricity sales would be slightly higher (<\$1.00/MWh) than those on non-Tribal customers, and would be greater (as much as \$3.26/MWh) than those under Alternative A. No disproportionately high and adverse impacts on minority or low-income populations.	No impact; trout management flows and mechanical removal not allowed under this alternative; financial impacts related to electricity sales would be slightly higher (<\$1.00/MWh) than those on non-Tribal customers, and would be slightly higher (as much as \$1.34/MWh) than those on non-Tribal customers, and would be greater (as much as \$2.84/MWh) than those under Alternative A. No disproportionately high and adverse impacts on minority or low-income populations.	Highest impact of all alternatives; trout management flows and mechanical removal triggered in an average of 11.0 years and 3.1 years, respectively, of LTEMP period; financial impacts related to electricity sales would be slightly higher (as much as \$1.34/MWh) than those on non-Tribal customers, and would be greater (as much as \$2.84/MWh) than those under Alternative A. No disproportionately high and adverse impacts on minority or low-income populations.

TABLE ES-3 (Cont.)

Resource	Alternative A (No Action Alternative)	Alternative B	Alternative C	Alternative D (Preferred Alternative)	Alternative E	Alternative F	Alternative G
Air quality	No change from current conditions.	Negligible increase in SO ₂ and NO _x emissions compared to Alternative A.	Negligible decrease in SO ₂ emissions and no change in NO _x emissions compared to Alternative A.	No change in SO ₂ emissions and negligible increase in NO _x emissions compared to Alternative A.	Negligible increase in SO ₂ and NO _x emissions compared to Alternative A.	Negligible decrease in SO ₂ and NO _x emissions compared to Alternative A.	Negligible decrease in SO ₂ and negligible increase in NO _x emissions compared to Alternative A.
Climate change	No change from current conditions.	Negligible increase in GHG emissions compared to Alternative A.	Negligible increase in GHG emissions compared to Alternative A.	Negligible increase in GHG emissions compared to Alternative A.	Negligible increase in GHG emissions compared to Alternative A.	Negligible increase in GHG emissions compared to Alternative A.	Negligible increase in GHG emissions compared to Alternative A.
Cumulative impacts	Contribution to cumulative impacts would be negligible compared to the effects of past, present, and reasonably foreseeable future actions.	Similar to Alternative A, but would have lower trout numbers, slightly higher humpback chub numbers, greater value of hydropower generation and capacity.	Similar to Alternative A, but would have more sandbar building, higher trout numbers, slightly lower humpback chub numbers, lower value of hydropower generation and capacity.	Similar to Alternative A, but would have more sandbar building, higher trout numbers, slightly lower humpback chub numbers, and slightly lower value of hydropower generation and capacity.	Similar to Alternative A, but would have more sandbar building, higher trout numbers, slightly lower humpback chub numbers, and lower value of hydropower generation and capacity.	Similar to Alternative A, but would have more sandbar building, higher trout numbers, slightly lower humpback chub numbers, and lower value of hydropower generation and capacity.	Similar to Alternative A, but would have more sandbar building, higher trout numbers, slightly lower humpback chub numbers, and lower value of hydropower generation and capacity.

1 reverse the reduction in sediment availability. Because of this sediment-depleted condition, all of
2 the alternatives would continue to produce a net loss of sand from the Colorado River
3 Ecosystem. Alternatives C, D, E, F, and G retain more sandbars than Alternative A or
4 Alternative B.

5
6 Implementation of mechanical removal of trout and trout management flows would
7 represent an unavoidable adverse impact on certain Tribes if these actions are needed to manage
8 the trout fishery and mitigate trout impacts on humpback chub, because these actions are not in
9 keeping with important Tribal values. The adverse impacts of mechanical removal could be
10 mitigated with the provision of beneficial use (e.g., making euthanized fish available for human
11 consumption). Any other mitigation to avoid adverse impacts would need to be identified in
12 discussion with the Tribes.

13
14 The remaining unavoidable adverse impacts on certain resources are those associated not
15 with the alternatives themselves; instead, they are consequences of existing constraints on
16 operations (i.e., requirements of the Law of the River and the 2007 Interim Guidelines;
17 Reclamation 2007a), and the presence of Glen Canyon Dam and current dam infrastructure. For
18 example, temperature and sediment impacts of all alternatives are related to the inability of
19 operations themselves to provide for warmer temperatures or restore sediment supplies.
20 Infrastructure changes, which are not within the scope of the LTEMP DEIS, could mitigate those
21 impacts; however, without that infrastructure, these adverse impacts are unavoidable.

22 23 24 **ES.11 RELATIONSHIP BETWEEN SHORT-TERM USE AND LONG-TERM** 25 **PRODUCTIVITY**

26
27 Under all alternatives, different restrictions on flow fluctuations result in trade-offs
28 between peak hydropower production and productivity of the environment, which are largely
29 related to increased nearshore habitat stability, aquatic food base productivity, and sandbar
30 building downstream from the dam. For example, alternatives that have increased flow
31 fluctuations or uneven monthly release volumes, such as Alternatives A and B, benefit peak
32 hydropower energy and capacity and other resources (such as humpback chub) but result in less
33 habitat stability and sandbar building. Alternatives with steady flows, such as Alternatives F
34 and G, have the greatest reduction in peak hydropower energy and capacity, but result in more
35 habitat stability and sandbar building downstream from the dam, and corresponding benefits for
36 other resources such as recreation, aquatic food base, and trout. As a result, each of the
37 alternatives presents a different balance between impacts on resources that appear to benefit from
38 increased fluctuations and those that benefit from reduced fluctuations. Alternatives C, D, and E
39 represent alternatives with more even monthly release volumes, and in the case of Alternatives C
40 and D, fluctuation levels that are comparable to or lower than those under Alternative A. These
41 alternatives strike a more even balance among resource impacts. However, regardless of the
42 alternative, experimental flow and non-flow actions associated with alternatives (e.g., HFES,
43 trout management flows, and mechanical trout removal) would be tested in an attempt to
44 maintain a balance that improves long-term productivity of the environment downstream of Glen
45 Canyon Dam. Similarly, experimental elements of the alternatives are designed to improve our
46 understanding of how resources respond to operations and how management actions can be best

1 used to avoid, minimize, or mitigate impacts on resources and the long-term productivity of
2 resources.

5 **ES.12 IRREVERSIBLE AND IRRETRIEVABLE COMMITMENTS OF RESOURCES**

7 Any experiment or operation that bypasses Glen Canyon Dam generators (e.g., HFEs that
8 exceed powerplant capacity through generator bypass), or flows that reduce flexibility for
9 peaking power (e.g., lower summer flows), cause an irretrievable loss of hydropower production.
10 In addition, some air quality impacts would occur under alternatives that alter the energy and
11 capacity generated by Glen Canyon Dam, because these changes would necessitate generation
12 from fossil fuel-fired powerplants to offset loss and early construction of new generating
13 capacity. No other instances of irreversible or irretrievable commitments of resources are
14 expected under any of the alternatives. Although operations, flow actions, non-flow actions, and
15 experiments could result in unexpected impacts on natural and cultural resources, a long-term
16 monitoring program implemented as part of the ongoing GCDAMP would be used to inform the
17 need for changes in operations and actions to minimize impacts and prevent further impacts on
18 important resources. Safeguards have been incorporated into alternatives, including
19 implementation considerations that would preclude taking specific actions if implementation
20 would result in unacceptable adverse impacts, and off-ramps that would be used to alter
21 operations or stop actions to prevent irreversible losses.

24 **ES.13 REFERENCES**

26 DOI (U.S. Department of the Interior), 2004, *Lower Colorado River Multi-Species Conservation*
27 *Program (LCR MSCP)—Final Programmatic Environmental Impact Statement/Environmental*
28 *Impact Report*, Dec. Available at [http://www.lcrmscp.gov/publications/voli_env_impact_st](http://www.lcrmscp.gov/publications/voli_env_impact_st_dec04.pdf)
29 [_dec04.pdf](http://www.lcrmscp.gov/publications/voli_env_impact_st_dec04.pdf). Accessed May 2013.

31 DOI, 2005, *Record of Decision for Lower Colorado River Multi-Species Conservation Plan*,
32 April. Available at http://www.lcrmscp.gov/publications/rec_of_dec_apr05.pdf. Accessed
33 May 2013.

35 FWS (U.S. Fish and Wildlife Service), 2007, memorandum from Field Supervisor, FWS, to Area
36 Manager, Reclamation, “Subject: Final Biological Opinion for the Proposed Adoption of
37 Colorado River Interim Guidelines for Lower Basin Shortages and Coordinated Operations for
38 Lake Powell and Lake Mead,” Dec. 12. Available at [http://www.fws.gov/southwest/es/arizona/](http://www.fws.gov/southwest/es/arizona/Documents/Biol_Opin/06224_final_shortage.pdf)
39 [Documents/Biol_Opin/06224_final_shortage.pdf](http://www.fws.gov/southwest/es/arizona/Documents/Biol_Opin/06224_final_shortage.pdf). Accessed July 18, 2014.

41 FWS, 2011, *Final Biological Opinion on the Operation of Glen Canyon Dam Including High*
42 *Flow Experiments and Non-Native Fish Control*, U.S. Fish and Wildlife Service, Arizona
43 Ecological Services Office, Phoenix, Ariz., Dec. Available at [http://www.fws.gov/southwest/](http://www.fws.gov/southwest/es/arizona/Documents/Biol_Opin/110112_HFE_NNR.pdf)
44 [es/arizona/Documents/Biol_Opin/110112_HFE_NNR.pdf](http://www.fws.gov/southwest/es/arizona/Documents/Biol_Opin/110112_HFE_NNR.pdf). Accessed July 18, 2014.

- 1 FWS, 2013, memorandum from Field Supervisor, FWS, to Superintendents, GCNP and
2 GCNRA, NPS, "Subject: Final Biological Opinion on the Comprehensive Fisheries Management
3 Plan, Coconino and Mohave Counties, Arizona," Aug. 20. Available at [http://www.fws.gov/
4 Southwest/es/arizona/Documents/Biol_Opin/120252_CFMP.pdf](http://www.fws.gov/Southwest/es/arizona/Documents/Biol_Opin/120252_CFMP.pdf). Accessed July 18, 2014.
5
- 6 NPS (National Park Service), 1979, *Glen Canyon National Recreation Area/Arizona-Utah:
7 Proposed General Management Plan, Wilderness Recommendation, Road Study Alternatives,
8 Final Environmental Statement*. Available at [http://www.nps.gov/glca/parkmgmt/upload/
9 General-Management-Plan.pdf](http://www.nps.gov/glca/parkmgmt/upload/General-Management-Plan.pdf). Accessed May 2013.
10
- 11 NPS, 1986, *Final Environmental Impact Statement, General Management Plan and Alternatives.
12 Lake Mead National Recreation Area/Arizona-Nevada*, FES-86-27. Available at
13 http://www.nps.gov/lake/parkmgmt/upload/GMP_vol1.pdf. Accessed Aug. 2013.
14
- 15 NPS, 1988, *Backcountry Management Plan, Grand Canyon National Park, AZ*, Sept. Available
16 at http://www.nps.gov/grca/parkmgmt/upload/1988_BCMP.pdf. Accessed May 2013.
17
- 18 NPS, 1995, *General Management Plan: Grand Canyon, Arizona*, Aug. Available at
19 http://www.nps.gov/grca/parkmgmt/upload/GRCA_General_Management_Plan.pdf. Accessed
20 Jan. 12, 2015.
21
- 22 NPS, 1997, *Grand Canyon National Park Resource Management Plan*, Jan. Available at
23 http://www.nps.gov/grca/parkmgmt/upload/1997_Resource_Mgmt_Plan.pdf. Accessed
24 May 2013.
25
- 26 NPS, 2005, *Final Environmental Impact Statement Colorado River Management Plan*,
27 U.S. Department of the Interior, National Park Service, Grand Canyon National Park, Coconino
28 County, Arizona, Nov. Available at [http://www.riversimulator.org/Resources/NPS/GCNPcrmp/
29 2005FEISVolumeOne.pdf](http://www.riversimulator.org/Resources/NPS/GCNPcrmp/2005FEISVolumeOne.pdf). Accessed Feb. 26, 2015.
30
- 31 NPS, 2006a, *Record of Decision, Colorado River Management Plan Final Environmental Impact
32 Statement*, Grand Canyon National Park, Feb. Available at [http://www.nps.gov/grca/parkmgmt/
33 upload/Appendix%20A.pdf](http://www.nps.gov/grca/parkmgmt/upload/Appendix%20A.pdf). Accessed May 2013.
34
- 35 NPS, 2006b, *Colorado River Management Plan*, Grand Canyon National Park, Department of
36 the Interior, National Park Service, Grand Canyon National Park, Office of Planning and
37 Compliance. Nov. Available at http://www.nps.gov/grca/parkmgmt/upload/CRMPIF_s.pdf.
38 Accessed May 2013.
39
- 40 NPS, 2006c, *Strategic Plan for Glen Canyon NRA and Rainbow Bridge National Monument
41 FY2007-FY2011*, Dec. Available at [http://www.nps.gov/glca/parkmgmt/upload/
42 GLCA.RABR.SP.FY07.FY11.pdf](http://www.nps.gov/glca/parkmgmt/upload/GLCA.RABR.SP.FY07.FY11.pdf). Accessed April 30, 2014.
43
- 44 NPS, 2006d, *Management Policies 2006*, U.S. Department of Interior, Washington, D.C.
45 Available at <http://www.nps.gov/policy/mp2006.pdf>. Accessed April 30, 2014.
46

- 1 NPS, 2008, *Management & Control of Tamarisk and Other Invasive Vegetation at Backcountry*
2 *Seeps, Springs and Tributaries in Grand Canyon National Park*, Oct. Available at
3 <http://www.nps.gov/grca/naturescience/upload/GRCA-AWPF-Phase-IIB-FINAL2008->
4 [TAMARISK-REPORTweb.pdf](http://www.nps.gov/grca/naturescience/upload/GRCA-AWPF-Phase-IIB-FINAL2008-TAMARISK-REPORTweb.pdf). Accessed May 2013.
5
- 6 NPS, 2009, *Environmental Assessment and Assessment of Effect, Exotic Plant Management Plan*
7 *Grand Canyon National Park, Arizona*, Feb. Available at [http://parkplanning.nps.gov/](http://parkplanning.nps.gov/documentsList.cfm?parkID=65&projectID=18978)
8 [documentsList.cfm?parkID=65&projectID=18978](http://parkplanning.nps.gov/documentsList.cfm?parkID=65&projectID=18978). Accessed May 2013.
9
- 10 NPS, 2010, *Grand Canyon National Park Foundation Statement*, April. Available at
11 <http://www.nps.gov/grca/parkmgmt/upload/grca-foundation20100414.pdf>. Accessed
12 July 17, 2014.
13
- 14 NPS, 2013, *Comprehensive Fisheries Management Plan, Environmental Assessment, Grand*
15 *Canyon National Park and Glen Canyon National Recreation Area, Coconino County, Arizona*,
16 U.S. Department of the Interior, May.
17
- 18 NPS, 2014, *Foundation Document Overview, Glen Canyon National Recreation Area and*
19 *Rainbow Bridge National Monument, Arizona and Utah*. Available at [http://www.nps.gov/](http://www.nps.gov/glca/learn/upload/GLCA-RABR_OV_SP.pdf)
20 [glca/learn/upload/GLCA-RABR_OV_SP.pdf](http://www.nps.gov/glca/learn/upload/GLCA-RABR_OV_SP.pdf). Accessed Nov. 2, 2015.
21
- 22 Reclamation (Bureau of Reclamation), 1995, *Operation of Glen Canyon Dam: Colorado River*
23 *Storage Project, Arizona, Final Environmental Impact Statement*, U.S. Department of the
24 Interior, Bureau of Reclamation, Salt lake City, Utah, March. Available at
25 <http://www.usbr.gov/uc/library/envdocs/eis/gc/gcdOpsFEIS.html>. Accessed Feb. 19, 2015.
26
- 27 Reclamation, 1996, *Record of Decision, Operation of Glen Canyon Dam Colorado River*
28 *Storage Project, Final Environmental Impact Statement*, U.S. Department of the Interior, Bureau
29 of Reclamation, Salt lake City, Utah, Oct. Available at [http://www.usbr.gov/uc/rm/amp/pdfs/](http://www.usbr.gov/uc/rm/amp/pdfs/sp_appndxG_ROD.pdf)
30 [sp_appndxG_ROD.pdf](http://www.usbr.gov/uc/rm/amp/pdfs/sp_appndxG_ROD.pdf). Accessed May 2013.
31
- 32 Reclamation, 1999, *Plan and Draft Environmental Assessment, Modifications to Control*
33 *Downstream Temperatures at Glen Canyon Dam*, U.S. Department of the Interior, Jan.
34
- 35 Reclamation, 2007a, *Environmental Impact Statement—Colorado River Interim Guidelines for*
36 *Lower Basin Shortages and Coordinated Operations for Lake Powell and Lake Mead*, Bureau of
37 Reclamation, Upper and Lower Colorado Region, Oct. Available at [http://www.usbr.gov/lc/](http://www.usbr.gov/lc/region/programs/strategies.html)
38 [region/programs/strategies.html](http://www.usbr.gov/lc/region/programs/strategies.html). Accessed May 2013.
39
- 40 Reclamation, 2007b, *Record of Decision, Colorado River Interim Guidelines for Lower Basin*
41 *Shortages and the Coordinated Operations for Lake Powell and Lake Mead*, Bureau of
42 Reclamation, Upper and Lower Colorado Region, Dec. Available at [http://www.usbr.gov/](http://www.usbr.gov/lc/region/programs/strategies.html)
43 [lc/region/programs/strategies.html](http://www.usbr.gov/lc/region/programs/strategies.html). Accessed May 2013.
44

- 1 Reclamation, 2011a, *Environmental Assessment for Non-Native Fish Control Downstream from*
2 *Glen Canyon Dam*, Upper Colorado Region, Salt Lake City, Utah. Available at
3 <http://www.usbr.gov/uc/envdocs/ea/gc/nnfc/index.html>. Accessed May 2013.
4
- 5 Reclamation, 2011b, *Environmental Assessment Development and Implementation of a Protocol*
6 *for High-flow Experimental Releases from Glen Canyon Dam, Arizona, 2011–2020*, Upper
7 Colorado Region, Salt Lake City, Utah, Dec. Available at <http://www.usbr.gov/uc/envdocs/ea/gc/HFEProtocol/index.html>. Accessed May 2013.
8
9
- 10 Reclamation, 2012a, *Finding of No Significant Impact for the Environmental Assessment for*
11 *Development and Implementation of a Protocol for High-Flow Experimental Releases from*
12 *Glen Canyon Dam, Arizona through 2020*, Upper Colorado Region, Salt Lake City, Utah, May.
13 Available at <http://www.usbr.gov/uc/envdocs/ea/gc/HFEProtocol/FINAL-FONSI.pdf>. Accessed
14 May 2013.
15
- 16 Reclamation, 2012b, *Finding of No Significant Impact for the Environmental Assessment for*
17 *Non-Native Fish Control Downstream from Glen Canyon Dam*, Bureau of Reclamation, Upper
18 Colorado Region, May 22. Available at [http://www.usbr.gov/uc/envdocs/ea/gc/nnfc/FINAL-](http://www.usbr.gov/uc/envdocs/ea/gc/nnfc/FINAL-FONSI.pdf)
19 [FONSI.pdf](http://www.usbr.gov/uc/envdocs/ea/gc/nnfc/FINAL-FONSI.pdf). Accessed May 2013.
20
- 21 Reclamation, 2014, “Colorado River Basin Salinity Control Program,” Available at
22 <http://www.usbr.gov/uc/progact/salinity/>. Accessed May 2013.
23
- 24 Reclamation and NPS (Bureau of Reclamation and the National Park Service), 2012, *Summary*
25 *of Public Scoping Comments on the Glen Canyon Dam Long-Term Experimental and*
26 *Management Plan Environmental Impact Statement*, prepared by Argonne National Laboratory
27 for Bureau of Reclamation Upper Colorado Region, Salt Lake City, Utah, and National Park
28 Service, Intermountain Region, Denver, Colorado, March. Available at [http://ltempeis.anl.gov/](http://ltempeis.anl.gov/documents/docs/sr/LTEMP_EIS_Scoping_Report_Part1.pdf)
29 [documents/docs/sr/LTEMP_EIS_Scoping_Report_Part1.pdf](http://ltempeis.anl.gov/documents/docs/sr/LTEMP_EIS_Scoping_Report_Part1.pdf). Accessed May 2013.
30
- 31 USGS (U.S. Geological Survey), 2006, *Assessment of the Estimated Effects of Four*
32 *Experimental Options on Resources below Glen Canyon Dam*, Draft Report, U.S. Geological
33 Survey, Southwest Biological Science Center, Grand Canyon Monitoring and Research Center,
34 Flagstaff, Ariz.
35
- 36 USGS, 2008, *USGS Workshop on Scientific Aspects of a Long-Term Experimental Plan for*
37 *Glen Canyon Dam, April 10–11, 2007, Flagstaff, Arizona*, U.S. Geological Survey, Open-File
38 Report 2008–1153.
39
- 40 U.S. President, 1970, “Protection and Enhancement of the Cultural Environment,” Executive
41 Order 11514, as amended by Executive Order 11991. Available at [http://energy.gov/sites/prod/](http://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/Req-EO11514envtlquality.pdf)
42 [files/nepapub/nepa_documents/RedDont/Req-EO11514envtlquality.pdf](http://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/Req-EO11514envtlquality.pdf). Accessed July 18, 2014.
43
- 44 U.S. President, 1971, “Protection and Enhancement of the Cultural Environment,” Executive
45 Order 11593, *Federal Register* 36:8921, May 13. Available at [http://www.fsa.usda.gov/Internet/](http://www.fsa.usda.gov/Internet/FSA_File/eo11593.pdf)
46 [FSA_File/eo11593.pdf](http://www.fsa.usda.gov/Internet/FSA_File/eo11593.pdf). Accessed June 2013.

- 1 U.S. President, 1977a, “Floodplain Management,” Executive Order 11988, *Federal Register*
2 42:26951. Available at <http://water.epa.gov/lawsregs/guidance/wetlands/eo11988.cfm>. Accessed
3 July 18, 2014.
4
- 5 U.S. President, 1977b, “Protection of Wetlands,” Executive Order 11990, *Federal Register*
6 42:26961. Available at <http://water.epa.gov/lawsregs/guidance/wetlands/eo11988.cfm>. Accessed
7 July 18, 2014.
8
- 9 U.S. President, 1996, “Indian Sacred Sites,” Executive Order 13007, *Federal Register* 61:26771,
10 May 24. Available at <http://www.gpo.gov/fdsys/pkg/FR-1996-05-29/pdf/96-13597.pdf>. Accessed
11 June 2013.
12
- 13 U.S. President, 1999, “Invasive Species,” Executive Order 13112, *Federal Register* 64:6183.
14 Available at <http://www.gpo.gov/fdsys/pkg/FR-1999-02-08/pdf/99-3184.pdf>. Accessed July 18,
15 2014.
16
- 17 U.S. President, 2000, “Consultation and Coordination with Indian Tribal Governments,”
18 Executive Order 13175, *Federal Register* 65:67249, Nov. 9. Available at <http://www.gpo.gov/fdsys/pkg/FR-2000-11-09/pdf/00-29003.pdf>. Accessed May 2013.
19
20
- 21 U.S. President, 2001, “Responsibilities of Federal Agencies to Protect Migratory Birds,”
22 Executive Order 13186, *Federal Register* 66:3853. Available at http://energy.gov/sites/prod/files/nepapub/nepa_documents/RedDont/Req-EO13186migratorybirds.pdf. Accessed
23 July 18, 2014.
24
25
- 26 WCWCD (Washington County Water Conservancy District), 2012, “Powell Pipeline Project
27 Technical Reports.” Available at [http://www.wcwcd.org/projects/current-projects/lpp-lake-](http://www.wcwcd.org/projects/current-projects/lpp-lake-powell-pipeline/)
28 [powell-pipeline/](http://www.wcwcd.org/projects/current-projects/lpp-lake-powell-pipeline/). Accessed May 2013.

