

List of Preparers

The Draft EIS was prepared by Reclamation with resource modeling and analysis support from the National Park Service (NPS), Northern Arizona University (NAU), United States Geological Survey (USGS), and Western Area Power Administration (WAPA). This is a list of preparers who developed significant background material and various sections or they participated, to a significant degree, in the preparation of this Draft EIS.

Bureau of Reclamation Team

Name	Project Role
Carly Jerla	Post-2026 Program - Project Lead
Genevieve Johnson	Regional Leadership (Lower Colorado Basin)
Wayne Pullan	Regional Leadership (Upper Colorado Basin)
Katrina Grantz	Regional Leadership (Upper Colorado Basin)
Dan Bunk	Regional Leadership (Lower Colorado Basin)
Jeremy Dodds	Regional Management (Lower Colorado Basin)
Alex Smith	Regional Management (Lower Colorado Basin)
Carter Brown	Solicitor's Office Lead
Kaylee Nelson	Post-2026 Program - Project Coordinator
Amy Witherall	Regional Management (Lower Colorado Basin, Binational Program)
Kathleen Callister	NEPA Team - NHPA Lead
Mike Boyles	NEPA Team - Team Lead
Carrie Ronning	Endangered Species Act (ESA) Team, Contract Management Team
Toshi Yoshida	NEPA Team
Alan Butler	Hydrology and Modeling Team - Team Co-Lead
Alex Pivarnik	Hydrology and Modeling Team
Jim Prairie	Hydrology and Modeling Team - Team Co-Lead
Rebecca Smith	Hydrology and Modeling Team
Nathan Bonham	Hydrology and Modeling Team
Sarah Baker	Hydrology and Modeling Team
Logan Callihan	Hydrology and Modeling Team
Jessica Shirey	Hydrology and Modeling Team
Mike Sixta	Hydrology and Modeling Team
Lesli Kirsch-Burke	Water Administration – Team Lead
Val Deppe	Regional Management (Upper Colorado Basin)
Rod Smith	Legal Team
Jenna VonHofe	Legal Team
Kyle Watkins	Legal Team
Morgan Figuers	Legal Team

Name	Project Role
Kerri Pedersen	ESA Team
William Stewart	ESA Team
Matthew O'Neill	ESA Team
Jim Stolberg	ESA Team (Fisheries Group Manager, LCR MSCP)
Matthew Grabau	ESA Team (Acting Program Manager, Adaptive Management, LCR MSCP)
Alexander Walker	Technical, Water Quality
Bryce Mihalevich	Water quality modeling
Clarence Fullard	Technical, Water Quality, Visual
Brian Hines	Technical, Fish
Ernie Rheume	National Historic Preservation Act (NHPA) and Tribal Consultation Team – Co-Lead
Justin DeMaio	NHPA and Tribal Consultation Team
Jessica Pope	NHPA and Tribal Consultation Team – Co-Lead
Lawrence Marquez	NHPA and Tribal Consultation Team
Zachary Nelson	NHPA and Tribal Consultation Team
Nathan Lehman	NHPA and Tribal Consultation Team
Chris Linehan	Technical, Recreation
Scott Blake	Technical, Recreation
Kathryn Lenihan	Technical, Socioeconomics
Megan Ambridge-Weghorst	Technical, Socioeconomics
Rachel Ann Lim	Technical, Socioeconomics
Peter Soeth	Communications and IT Team
Mary Carlson	Communications and IT Team
Becki Bryant	Communications and IT Team - Team Lead, Public Affairs
Michelle Helms	Communications and IT Team - Public Affairs
Mark Cook	Regional Management Team (Power, Lower Colorado Basin)
Nicholas Williams	Regional Management Team (Power, Upper Colorado Basin)
Robert Martin	Regional Management Team (Power, Upper Colorado Basin)
Leonard Schilling	Regional Management Team (Lower Colorado Basin)

Cooperating and Partner Agencies

Name	Agency	Role
Ao Yu	Argonne National Laboratory	Hydropower Modeler
Matija Pavicevic	Argonne National Laboratory	Hydropower Modeler
Quentin Ploussard	Argonne National Laboratory	Hydropower Modeler
Catherine Wilson	Bureau of Indian Affairs	Tribal Water Rights
Lisa Kim	Bureau of Indian Affairs	Tribal Water Rights
Deena Hannoun	Las Vegas Valley Water District	Water Quality Modeler
Todd Tietjen	Las Vegas Valley Water District	Water Quality Modeler
Lisa Devore	National Park Service	Air Quality

List of Preparers (Cooperating and Partner Agencies)

Name	Agency	Role
Rob Billerbeck	National Park Service	Recreation, Socioeconomics, Natural and Cultural Resources
Brandon Holton	National Park Service – Grand Canyon National Park	Threatened and Endangered Birds and Other Wildlife
Elyssa Shalla	National Park Service – Grand Canyon National Park	Recreation and Socioeconomics
Emily Omana	National Park Service – Grand Canyon National Park	Fish
Greg Holm	National Park Service – Grand Canyon National Park	Threatened and Endangered Birds and Other Wildlife
Jan Balsom	National Park Service – Grand Canyon National Park	Recreation
Jen Dierker	National Park Service – Grand Canyon National Park	Cultural Resources
Amy Schott	National Park Service – Grand Canyon National Recreation Area	Cultural Resources
Buddy Fazio	National Park Service – Grand Canyon National Recreation Area	Natural and Cultural Resources
Heidie Grigg	National Park Service – Grand Canyon National Recreation Area	Recreation and Socioeconomics
Michelle Kerns	National Park Service – Grand Canyon National Recreation Area	Recreation and Socioeconomics
Taryn Preston	National Park Service – Grand Canyon National Recreation Area	Natural and Cultural Resources
Mark Sappington	National Park Service - Lake Mead National Recreation Area	Water and Air Quality
Mike Gauthier	National Park Service - Lake Mead National Recreation Area	Recreation and Socioeconomics
Chris Nycz	National Park Service - Lake Mead National Recreation Area	Cultural Resources
Bradley Butterfield	Northern Arizona University	Riparian Vegetation Modeling
Dan Leavitt	U.S. Fish and Wildlife Service	Fish and Wildlife
Jess Newton	U.S. Fish and Wildlife Service	Fish and Wildlife
Melissa Mata	U.S. Fish and Wildlife Service	Fish and Wildlife
Bridget Deemer	USGS Grand Canyon Monitoring and Research Center	Water Quality Modeling
Charles Yackulic	USGS Grand Canyon Monitoring and Research Center	Fisheries Modeling
Drew Eppehimer	USGS Grand Canyon Monitoring and Research Center	Fisheries Modeling
Emily Palmquist	USGS Grand Canyon Monitoring and Research Center	Riparian Vegetation Modeling
Gerard Salter	USGS Grand Canyon Monitoring and Research Center	Sediment Modeling
Joel Sankey	USGS Grand Canyon Monitoring and Research Center	Cultural (Sediment) Modeling

Name	Agency	Role
Lucas Bair	USGS Grand Canyon Monitoring and Research Center	Recreation Impact Modeling
Adrian Cortez	United States Section of the International Boundary and Water Commission	International Considerations
Jennifer Peña	United States Section of the International Boundary and Water Commission	International Considerations
Sally Spener	United States Section of the International Boundary and Water Commission	International Considerations
Corrie Gonzalez	University of New Mexico	Resource Modeler
Tom Giermakowski	University of New Mexico	Resource Modeler
Jerry Wilhite	Western Area Power Administration	Upper Basin Hydroelectric Generation and Economic Modeling
John Paulsen	Western Area Power Administration	Lower Basin Economic Modeling
Xavier Gonzalez	Western Area Power Administration	Lower Basin Hydroelectric Generation Modeling

Contractor Technical Team and Support Staff

Name	Education	Experience (years)	Project Role
Prime Contractor – AECOM			
Allison Piazzoni	ME, Sustainability in the Outdoor Industry	6	Paleontological Resources
Amy Cordle	BS, Civil Engineering	26	Air Quality
Amy Lewis	MS, Environmental Science	26	NEPA Quality Assurance
Andy Spellmeyer	MS, Biology	8	508 Compliance
Bronson Pace	Ph.D., Water Resources: Law, Management, and Policy	8	Technical Quality Assurance
Camila Reischwig	MS, Agriculture and Applied Economics	10	Agricultural and Energy Economics
Chelsea Ontiveros	MS, Geographic Information Systems Technology	2	GIS and Mapping
David Batts	MS, Natural Resource Management	33	Program Manager
David Merritt, PE	AM, Geology	40	Infrastructure/Electrical Power Resources
David Rice	MS, Agriculture and Resource Economics	7	Recreation Economics/Land Use/ Special Designations
David Scott	MS, Watershed Science	10	Project Management Team

List of Preparers (Contractor Technical Team and Support Staff)

Name	Education	Experience (years)	Project Role
Eduardo Sanchez Jr.	MNRS, Ecological Restoration	3	Technical Review
Katie Patterson	JD, Environmental Law	16	Project Manager
Kevin Doyle	BA, Sociology	37	Paleontological Resources
Kirsten Davis	BS, Environmental Science	4	Geomorphology and Sediment
Lily Schneider	BS, Chemical Engineering	3	Electrical Power Resources
Liza Schill	BS, Forestry: Forest Management	4	Technical Review
Marcia Rickey, GISP	MS, Biology	21	GIS Lead
Megan Stone	BA, Environmental Studies	5	Socioeconomics
Melissa Estep	MS, Civil Engineering	12	Project Management Team
Noelle Crowley	MENV, Sustainability Planning and Management	4	Recreation
Shine Roshan	MS, Physics	4	Socioeconomics
Stephanie Murray, PE	MS, Civil Engineering	10	Infrastructure
Valerie Stanson	MPH, Environmental Health	3	Water Quality
Zoe Ghali	MS, Integrative Physiology	14	Socioeconomics Lead
Subcontractor - SWCA			
Adrian Hogel	MS, Ecology	17	Vegetation
Adrienne Tremblay	Ph.D., Anthropology	17	Cultural Resources
Amanda Nicodemus	MS, Biology	20	Technical Team Lead
Annie Lutes	MS, Geography MA, Middle East Studies	15	Cultural Resources
Brad Sohm	BS, Chemical Engineering	22	Air Quality
Erica Fraley	BS, Biology	12	Vegetation/Wildlife
Erin Wielenga	BS, Botany	12	Air Quality
Heath Byrd	MS, Agricultural Economics: Natural Resource and Environmental Economics	25	Indian Trust Assets
Jill Grams	MLA, Landscape Architecture	25	NEPA Advisor
Katelyn Cary	BS, Marine and Freshwater Biology	12	Fisheries
Kelly Beck	Ph.D., Anthropology	21	Section 106/Tribal Coordination Lead
Kevin Rauhe	BLA, Landscape Architecture	10	Visual Resources
Mary Anne McLeod	MS, Wildlife Conservation	30	Section 7/Avian Species
Matt Westover	MS, Wildlife and Wildlands Conservation	10	Biologist Lead
Rich Valdez, CFS	Ph.D., Fisheries Ecology	52	Section 7/Fisheries
Ron Keggeries	MS, Aquatic Biology/Limnology	25	Section 7/Fisheries
Stephanie Graham	MS, Wildlife Biology	17	Section 7/Biological Assessment Lead
Stephanie Trapp	MS, Wildlife Science	7	Wildlife/Special Status Species

List of Preparers (Contractor Technical Team and Support Staff)

Name	Education	Experience (years)	Project Role
Suzanne Griset	Ph.D., Anthropology	44	Section 106 Tribal Coordination Support
Timothy Jordan	BS, Evolutionary Biology	22	Wildlife and T&E Species
Subcontractor – Hazen and Sawyer			
Amy Ewing	MWR, Water Resources	24	Hydrologic Resources/Water Deliveries
Angela Bacigalupa, PE, ENV SP	BS, Environmental Engineering	10	Hydrologic Resources/Water Deliveries Lead
Beth Rossman	BS, Environmental Engineering	1	Hydrologic Resources/Water Deliveries
Devon Becker, PE	MS, Civil Engineering	10	Hydrologic Resources/Water Deliveries
Diane Roher, PE	MS, Environmental Engineering	8	Hydrologic Resources/Water Deliveries Lead
Eric Rosenberg, PhD, PE	PhD, Civil and Environmental Engineering	26	Geomorphology and Sediment
Greg Gates, PE	MS, Environmental Health Engineering	30	Expert Scientist/Engineer
Hester Aw	BS, Environmental Resources Engineering	3	Hydrologic Resources/Water Deliveries
Jaycee Nez	BSE, Environmental Engineering	3	Hydrologic Resources/Water Deliveries
Jenna Phillips	BE, Chemical Engineering	2	Hydrologic Resources/Water Deliveries
Katie Hoek, PE	MS, Civil and Environmental Engineering	20	NEPA Specialist/Water Resources
Kinsey Hoffman, PE	MS, Biological Systems Engineering	20	Geomorphology and Sediment
Nicholas Phelps	MS, Mechanical Engineering	1	Hydrologic Resources/Water Deliveries Support
Simon Draijer, PE, CFM	MS, Civil Engineering	23	Geomorphology and Sediment
Independent Subcontractors			
Kevin Wheeler, PE	Ph.D., Transboundary Water Management	22	Hydrologist
Jimmy Knowles	M.F.R.C. Agroforestry	20	ESA Support

References

- Ahrens, Z. 2022. Monitoring of Humpback Chub in Cataract Canyon. Annual Report to Upper Colorado River Recovery Program, Utah Division of Wildlife Resources, Moab, UT.
- Anderson, P. B., G. C. Willis, T. C. Chidsey Jr., and D. A. Sprinkel. 2010. Geology of Glen Canyon National Recreation Area, Utah-Arizona. Geology of Utah's Parks and Monuments. Internet website: <http://www.riversimulator.org/Resources/Geology/GeologyOfGlenCanyonNRA2010Anderson.pdf>.
- Arens, S. 2023. Rapid spontaneous restoration of Glen Canyon ecosystems as Lake Powell dries. Internet website: <https://www.riversedgewest.org/documents/rapid-spontaneous-restoration-glen-canyon-ecosystems-lake-powell-dries>.
- Argonne National Laboratory. 2024. Impact of Lost Generation at the Glen Canyon Powerplant due to the Environmental Requirements for the Years 2024 to 2027. Prepared by Veselka, T.D., J. Jorgenson, M Pavičević, Q. Ploussard, and T. De Silva. Energy Systems and Infrastructure Analysis Division, National Renewable Energy Laboratory. Internet website: <https://publications.anl.gov/anlpubs/2024/06/189417.pdf>.
- Arizona Extension. 2024. Potential Regional Economic Impacts of Water Cutbacks to Irrigated Agriculture. University of Arizona Cooperative Extension. Internet website: https://extension.arizona.edu/sites/default/files/2024-12/Summary_Statewide-Drought-Impacts.pdf.
- Baker, B. 2022. Glen Canyon's side canyons spring back to life: A Q&A with an ecologist on how Glen Canyon is returning as Lake Powell recedes. Salt Lake City Tribune. Internet website: <https://www.sltrib.com/news/environment/2022/08/28/glen-canyons-side-canyons-spring/>.
- Berkes, F. 2018. *Sacred Ecology, 4th Edition*. Routledge, New York, New York.
- Bestgen, K. R., T. E. Dowling, B. Albrecht, and K. A. Zelasko. 2020. Large-river fish conservation in the Colorado River Basin: progress and challenges with Razorback Sucker. Pages 317–333 in D.L. Propst, J.E. Williams, K.R. Bestgen, and C.W. Hoagstrom, editors. *Standing between Life and Extinction: ethics and ecology of conserving aquatic species in the American Southwest*. The University of Chicago Press, Chicago, Illinois.
- Bishop, R. C., K. J. Boyle, M. O. Welsh, R. M. Baumgartner, and P. R. Rathbun. 1987. *GCD Releases and Downstream Recreation: An Analysis of User Preferences and Economic Values*, Glen Canyon Environmental Studies, Flagstaff, Arizona.

- Bloome, D. W., E. De Guzman, and S. Jaeckel. 2016. Transferring Lessons From Australia's Millennium Drought To California: Accelerating Adaptation To Drought, Flood & Heat. Tree People.
- Bonde, A. and M. Slaughter. 2020. Paleontological Resources Inventory of the Lower Colorado Region. Bureau of Reclamation Lower Colorado Region. Internal Document.
- Brockdorff, S. 2022. Bonytail larvae in Lake Powell. E-mail to Upper Colorado River Recovery Program, from Utah Division of Wildlife Resources, Salt Lake City, UT. Sent to S. Graham and R. Kegerries, October 14, 2025.
- Bureau of Economic Analysis (BEA). 2024. CAEMP25N Total Full-time and part-time employment by NAICS industry. Internet website:
https://apps.bea.gov/iTable/?reqid=70&step=1&acrdn=6&_gl=1*1rtqwsx*_ga*MTQ3NjA2MDc1NS4xNzAxMTEyNzc2*_ga_J4698JNNFT*MTcwMTQxMjQxOS4zLjEuMTcwMTQxMjQ4MS4wLjAuMA.
- Bureau of Land Management (BLM). 2017. Bureau of Land Management, Arizona – Bureau Sensitive Species List (February 2017). Department of Interior. Phoenix and Colorado River District Office.
- _____. 2018. Utah Bureau of Land Management Sensitive Wildlife Species List. Department of Interior. Grand, Wayne, Garfield, Kane, and San Juan counties.
- _____. 2019. Special Status Animals in California, Including BLM Designated Sensitive Species. Department of Interior. El Centro Field Office.
- _____. 2023. Nevada Special Status Species List. September 2023. Southern Nevada District. U. S. Department of Interior.
- Bureau of Land Management (BLM) Geographic Information Systems (GIS). 2025. BLM National PFYC Potential Fossil Yield Classification Geologic Formation. From internet website:
<https://gbp-blm-egis.hub.arcgis.com/pages/national>.
- Bureau of Reclamation (Reclamation). 1970. Criteria For Coordinated Long-Range Operation of Colorado River Reservoirs Pursuant to the Colorado River Basin Project Act of September 30, 1968. Upper Colorado Region, Salt Lake City, Utah, and Lower Colorado Region, Boulder City, Nevada. Internet website:
<https://www.usbr.gov/lc/region/pao/pdfiles/opcriter.pdf>.
- _____. 1993. "Indian Trust Policy." Internet website:
https://www.usbr.gov/native/policies/pdf_trustresponsibility/BOR_IndianTrustAssetPolicyMemo_07-02-1993.pdf.

-
- _____. 1994. "Indian Trust Asset Policy and NEPA Implementing Procedures: Questions and Answers about the Policy and Procedures." Internet website:
https://www.usbr.gov/native/policies/pdf_trustresponsibility/BOR_NEPAImplementingProcedures_QandAaboutITAPolicy_08-31-1994.pdf.
- _____. 1996. Operation of Glen Canyon Dam: Colorado River Storage Project, Arizona, Record of Decision, Upper Colorado Region, Salt Lake City, Utah.
- _____. 2002. Implementation Agreement, Inadvertent Overrun and Payback Policy, and Related Federal Action Final Environmental Impact Statement. Internet website:
https://www.waterboards.ca.gov/waterrights/water_issues/programs/hearings/iid_sdcwa/sdcwa/exhibits/sdc41a.pdf.
- _____. 2003. Record Of Decision Colorado River Water Delivery Agreement Implementation Agreement, Inadvertent Overrun and Payback Policy, And Related Federal Actions Final Environmental Impact Statement Internet website:
https://www.usbr.gov/lc/region/g4000/crwda/crwda_rod.pdf.
- _____. 2004. Lower Colorado River Multi-Species Conservation Program (LCR MSCP) - Final Programmatic Environmental Impact Statement/Environmental Impact Report. Internet website: <http://www.riversimulator.org/Resources/USBR/MSCP/VolumeI.pdf>.
- _____. 2005. Record of Decision Lower Colorado River Multi-Species Conservation Plan. Internet website: <http://www.onthecolorado.com/Resources/USBR/MSCP/RODApril05.pdf>.
- _____. 2006a. Record of Decision for the Operation of Flaming Gorge Dam Final Environmental Impact Statement. Upper Colorado Region, Salt Lake City, Utah.
- _____. 2006b. Record of Decision for the Navajo Reservoir Operations, Navajo Unit–San Juan River New Mexico, Colorado, Utah, Final Environmental Impact Statement.
- _____. 2007a. Record of Decision: Colorado River Interim Guidelines for Lower Basin Shortages and Coordinated Operations for Lake Powell and Lake Mead Washington, D.C. Internet website: <https://www.usbr.gov/lc/region/programs/strategies/RecordofDecision.pdf>.
- _____. 2007b. Final Environmental Impact Statement: Colorado River Interim Guidelines for Lower Basin Shortages and Coordinated Operations for Lake Powell and Lake Mead, Washington, D.C. Internet website:
<https://www.usbr.gov/lc/region/programs/strategies/FEIS/index.html>.
- _____. 2012. Record of Decision for the Aspinall Unit Operations, Final Environmental Impact Statement.

-
- _____. 2016. Glen Canyon Dam Long-Term Experimental and Management Plan Final Environmental Impact Statement. Upper Colorado Region, Salt Lake City, Utah, and National Park Service, Intermountain Region, Lakewood, Colorado. Internet website: <https://ltempeis.anl.gov/documents/final-eis/>.
- _____. 2019. Colorado River Drought Contingency Plans. May 2019. Internet website: <https://www.usbr.gov/ColoradoRiverBasin/dcp/finaldocs.html>
- _____. 2020. Review of the Colorado River Interim Guidelines for Lower Basin Shortages and Coordinated Operations for Lake Powell and Lake Mead.
- _____. 2021. Long Term Experimental and Management Plan Riparian Vegetation Project Plan: For the Implementation of the Vegetation Environmental Commitments from the LTEMP ROD in Glen Canyon National Recreation Area and Grand Canyon National Park below Glen Canyon Dam. February 19, 2021. Internet website: <https://www.usbr.gov/uc/progact/amp/twg/2021-04-14-twg-meeting/20210414-DraftRiparianVegetationProjectPlan-508-UCRO.pdf>.
- _____. 2022. Colorado River Basin Salinity Control Program. Internet website: <https://www.usbr.gov/uc/progact/salinity/>.
- _____. 2023a. Summary of Pre-Scoping Comments for Development of Post-2026 Colorado River Reservoir Operations. Internet website: https://www.usbr.gov/ColoradoRiverBasin/post2026/documents/Post-2026_Pre-Scoping%20Comment%20Summary%20Final_Updated1.30.2023_508.pdf.
- _____. 2023b. Scoping Report for Post-2026 Colorado River Reservoir Operations. Internet website: https://www.usbr.gov/ColoradoRiverBasin/documents/post2026/scoping/Post2026Operations_ScopingReport_October2023_508.pdf.
- _____. 2023c. Annual Operating Plan for Colorado River Reservoirs 2023. Internet website: <https://www.usbr.gov/uc/water/rsvrs/ops/aop/AOP23.pdf>.
- _____. 2024a. Near-term Colorado River Operations, Final Supplemental Environmental Impact Statement, March 2024, Upper and Lower Colorado Basins Interior Regions 7 and 8. Internet website: <https://www.usbr.gov/ColoradoRiverBasin/documents/NearTermColoradoRiverOperations/20240300-Near-termColoradoRiverOperations-FinalSEIS-508.pdf>.
- _____. 2024b. Glen Canyon Dam Long-term Experimental and Management Plan–Final Supplemental Environmental Impact Statement. U.S. Department of the Interior, Bureau of Reclamation, Upper Colorado River Basins, Salt Lake City, Utah. Internet website: <http://www.riversimulator.org/2025Guidelines/USBR/Bass/Final/GCDltempSEISFinal2024USBR.pdf>.

- _____. 2025a. Alternatives Report Post-2026 Operational Guidelines and Strategies for Lake Powell and Lake Mead. Upper Colorado Basin Region, Salt Lake City, Utah and Lower Colorado Basin Region, Boulder City, Nevada. U.S. Bureau of Reclamation. 2025. Lake Mead Annual High and Low Elevations (1935-2024). Internet website: https://www.usbr.gov/lc/region/g4000/lakemead_line.pdf
- _____. 2025b. Colorado River Basin Natural Flow Data. Internet website: <https://www.usbr.gov/lc/region/g4000/NaturalFlow/provisional.html>.
- _____. 2025c. Lees Ferry Annual Natural Flow Data from November 2025.
- Butterfield, B. and E. Palmquist. 2026. Modeled riparian plant community habitat suitability along the Colorado River in Grand Canyon in support of resource impact analysis for Post-2026 reservoir operational alternatives: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P1QHMJRK>.
- California Natural Resources Agency. 2024. Salton Sea Long-Range Plan (Rev 1.01). Salton Sea Management Program. April 2024.
- Caster, J., J. B. Sankey, and H. Fairley. 2026. Modeled preservation risk to paleontological and cultural resources within Lake Powell and Lake Mead in support of resource impact analysis for Post-2026 reservoir operational alternatives: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P13UBJSP>.
- Cathcart, C. N., Pennock, C. A., Cheek, C. A., McKinstry, M. C., MacKinnon, P. D., Conner, M. M., and Gido, K. B. 2018. “Waterfall formation at a desert river–reservoir delta isolates endangered fishes.” *River Research and Applications* 34(8):948-956.
- Colorado River Basin Salinity Control Forum. 2023. 2023 Review, Water Quality Standards for Salinity, Colorado River System. October 2023. Internet website: [https://www.coloradoriversalinity.org/docs/2023%20Review%20\(final%20with%20appendices%20to%20print\).pdf](https://www.coloradoriversalinity.org/docs/2023%20Review%20(final%20with%20appendices%20to%20print).pdf).
- Coulam, N. 2011. Hualapai Traditional Cultural Properties along the Colorado River, Coconino and Mohave Counties, Arizona, Registration Form, National Register of Historic Places.
- Council on Environmental Quality (CEQ). 2010. Draft NEPA guidance on consideration of the effects of climate change and greenhouse gas emissions. Internet website: <https://ceq.doe.gov/docs/ceq-regulations-and-guidance/20100218-nepa-consideration-effects-ghg-draft-guidance.pdf>.
- _____. 2025. CEQ Guidance. Internet website: <https://ceq.doe.gov/guidance/guidance.html>.
- Curtis, K., M. Kim, and T. Drugova. 2023. 4D: Drought and Water Access Heavily Impact Tribal Economies. Internet website: <https://www.usu.edu/ilwa/reports/2023/colorado-river/4d-drought-water-access-tribal-economies>.

- Deemer, B. R., C. M. Andrews, R. H. Reibold, B. A. Mihalevich, T. A. Sabol, J. Drewel, and C. B. Yackulic. 2025. Low water levels interact with reservoir aging to increase the severity of summertime metalimnion dissolved oxygen minima in Lake Powell, desert Southwest, USA.
- Deemer, B. R., C. M. Andrews, K. E. Strock, N. Voichick, J. Hensleigh, J. R. Beaver, and R. Radtke. 2023. “Over half a century record of limnology data from Lake Powell, desert southwest United States: From reservoir filling to present day (1964–2021).” *Limnology and Oceanography Letters* 8(4):580–94. Internet website: <https://doi.org/10.1002/lol2.10310>.
- Deemer, B. R., E. G. Stets, and C. B. Yackulic. 2020. Calcite precipitation in Lake Powell reduces alkalinity and total salt loading to the Lower Colorado River Basin. Internet website: <https://aslopubs.onlinelibrary.wiley.com/doi/full/10.1002/lno.11399>.
- Dieter, C. A., K. S. Linsey, R. R. Caldwell, M. A. Harris, T. I. Ivahnenko, J. K. Lovelace, M. A. Maupin, and N. L. Barber. 2018. Estimated Use of Water in the United States County-Level Data for 2015 (ver. 2.0, June 2018): U.S. Geological Survey data release. Internet Website: <https://doi.org/10.5066/F7TB15V5>.
- Dongoske, K. 2011. Chimik’yana’kya dey’a (Place of Emergence), K’yawan’ A: honanne (Colorado River), and Ku’nin A’l’akkew’a (Grand Canyon), a Zuni Traditional Cultural Property. Nomination Form. National Register of Historic Places.
- Durning, L. E., J. B. Sankey, C. B. Yackulic, P. E. Grams, B. J. Butterfield, and T. T. Sankey. 2021. “Hydrologic and geomorphic effects on riparian plant species occurrence and encroachment: Remote sensing of 360 km of the Colorado River in Grand Canyon.” *Ecohydrology* 14:2344–2365.
- Eddy, J. J., D. Herrick, A. Kirby, R. Lisboa, T. Mark, G. Root, and J. Stott. 2024. Class I Cultural Resources Records Search for the Post-2026 Colorado River Reservoir Operation Strategies for Lake Powell and Lake Mead Environmental Impact Statement, Volume III: California. SWCA Cultural Resource Report No. 24-29. Flagstaff: SWCA Environmental Consultants.
- Engel, E. C., S. R. Abella, and K. L. Chittick. 2014. “Plant colonization and soil properties on newly exposed shoreline during drawdown of Lake Mead, Mojave Desert.” *Lake and Reservoir Management* 30(2):105–114.
- Eppehimer, D. E., C. B. Yackulic, L. A. Bruckerhoff, J. Wang, K. L. Young, K. R. Bestgen, B. A. Mihalevich, and J. C. Schmidt. 2025. “Declining reservoir elevations following a two-decade drought increase water temperatures and non-native fish passage facilitating a downstream invasion.” *Canadian Journal of Fisheries and Aquatic Sciences* 82:1–19.
- Eskenazi, S. 2024. Class I Cultural Resources Records Search for the Post-2026 Colorado River Reservoir Operation Strategies for Lake Powell and Lake Mead Environmental Impact Statement, Volume V: Utah. SWCA Cultural Resource Report No. 24-31. Flagstaff: SWCA Environmental Consultants.

- Fenneman, N. M. 1931. *Physiography of the Western United States*. McGraw-Hill Book Company Inc., New York.
- Ferrari, R. L. 2001. 2001 Lake Mead Sedimentation Survey. Report by the Sedimentation and River Hydraulics Group, Water Resources Services Division, Technical Service Center, Bureau of Reclamation, U.S. Department of the Interior, Denver, Colorado. Internet website: <https://www.usbr.gov/lc/region/g2000/LakeMeadSedimentationSurvey2001.pdf>.
- Fischella, M., J. B. Sankey, J. Caster, D. Mallia, and M. Kelley. 2026. Modeled subaerial shoreline area and potential dust emissions within Lake Mead and Lake Powell in support of resource impact analysis for Post-2026 reservoir operational alternatives: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P14DCDCX>.
- Flyr, M. and L. Koontz. 2024. 2023 National Park Visitor Spending Effects: Economic Contributions to Local Communities, States, and the Nation. Science Report NPS/SR—2024/174. National Park Service, Fort Collins, Colorado. Internet website: https://www.nps.gov/nature/customcf/NPS_Data_Visualization/docs/NPS_2023_Visitor_Spending_Effects.pdf.
- Friedman, J. M., A. M. Eurich, G. T. Auble, M. L. Scott, P. B. Shafroth, and P. P. Gibson. 2022. “Response of riparian vegetation to short-and long-term hydrologic variation.” *Ecological Applications* 32:2689-2705.
- Gaston, D. J., E. C. English, and M. J. Harpman. 2015. Estimating the Economic Value of Glen Canyon Dam Releases for Recreation Use on the Colorado River in Grand Canyon: A Stated Preference Approach. Bureau of Reclamation, Upper Colorado Region, Salt Lake City, UT.
- Graham, J. P. 2016. Glen Canyon National Recreation Area: Geological Resources Inventory Report. Natural Resources Report NPS/NRSS/GRD/NRR – 2016/1264. National Park Service, Fort Collins, Colorado. August 2016.
- Grams, P. E., J. C. Schmidt, and D. J. Topping. 2007. “The rate and pattern of bed incision and bank adjustment on the Colorado River in Glen Canyon downstream from Glen Canyon Dam, 1956–2000.” *Geological Society of America Bulletin* 119(5-6):556–575.
- Grams, P. E., D. J. Topping, G. Salter, K. A. Chapman, R. B. Tusso, and E. R. Mueller. 2025. “Implementation of controlled floods for sediment management on the Colorado River in Grand Canyon under aridification.” *River Research and Applications* 41:334–348.
- Grand Canyon Monitoring and Research Center (GCMRC). 2025. Discharge, Sediment and Water Quality, Grand Canyon Stations, Colorado River at Lees Ferry, AZ. Internet website: https://www.gcmrc.gov/discharge_qw_sediment/station/GCDAMP/09380000#.
- Hall, T. and B. Shelby. 2000. 1998 Colorado River Boater Study, Grand Canyon National Park, prepared for Grand Canyon Association and Grand Canyon National Park, June 15.

- Hannoun, D. and T. Tietjen. 2022. “Lake Management under severe drought: Lake Mead, Nevada/Arizona.” *Journal of the American Water Resources Association* 59(2):416–28. Internet website: <https://doi.org/10.1111/1752-1688.13090>.
- Hannoun, D., T. Tietjen, and K. Brooks. 2022. The Influence and Implications of Climate Change on Water Quality in a Large Water Reservoir in the Southwest, USA. *American Journal of Climate Change* 2022(11):197-229. Internet website: scirp.org/pdf/ajcc_2022092714554566.pdf.
- Hazel Jr., J. E., M. A. Kaplinski, D. Hamill, D. Buscombe, E. R. Mueller, R. P. Ross, K. Kohl, et al. 2022. Multi-decadal sandbar response to flow management downstream from a large dam. In The Glen Canyon Dam on the Colorado River in Marble and Grand Canyons, Arizona. U.S. Geological Survey Professional Paper 1873, U.S. Geological Survey, Reston, Virginia.
- Heidari, H., M. Arabi, T. Warziniack, and S. Sharvelle. 2021. “Effects of Urban Development Patterns on Municipal” *Water Shortage Frontiers in Water* 3:694817. Internet website: <https://doi.org/10.3389/frwa.2021.694817>.
- Hirschberg, D. M. and G. S. Pitts. 2000. Digital geologic map of Arizona: a digital database derived from the 1983 printing of the Wilson, Moore, and Cooper 1:500,000-scale map. Open-File Report 2000-409. U.S. Geological Survey. Internet website: <https://doi.org/10.3133/ofr00409>.
- Hoffman, K. K., B. R. Deemer, M. E. Lofton, N. D. Gibney, and C. C. Carey. 2025. Assessing risk for enhanced cyanobacteria, phytoplankton, and pathogens with changes in water level regime with potential application to Lake Powell and Lake Mead: A mixed methods literature review. Science Report NPS/SR —2025/226. National Park Service, Fort Collins, Colorado. Internet website: <https://doi.org/10.36967/2307521>.
- Hopi Cultural Preservation Office (CPO). 2001. Öngtupqa (Grand Canyon), Palavayu (Little Colorado River), and Pizizvayu (Colorado River), A Hopi Traditional Cultural Property, Registration Form, National Register of Historic Places.
- Hueftle, S. J. and L. E. Stevens. 2001. “Experimental flood effects on the limnology of Lake Powell reservoir, Southwestern USA.” *Ecological Applications* 11:13.
- International Boundary and Water Commission (IBWC). 1944. Utilization of Waters of the Colorado and Tijuana Rivers and of the Rio Grande and Treaty Between the United States of America and Mexico. Internet website <https://www.ibwc.gov/wp-content/uploads/2022/11/1944Treaty.pdf>.
- Intergovernmental Panel on Climate Change (IPCC). 2021. IPCC Fourth Assessment Report: Climate Change 2007 (AR4): The Physical Science Basis. Contribution of Working Group I to the Fourth Assessment Report of the Intergovernmental Panel on Climate Change, Table 2.14. Internet website: <https://www.ipcc.ch/site/assets/uploads/2018/02/ar4-wg1-chapter2-1.pdf>.

- Johnson, R. L., C. Nehr, and S. Stewart. 2016. Lake Powell: Water level fluctuations and their impact on recreation visitation and regional economic impact. In S. Cline & C. Crowley (Eds.), *Economic contributions of outdoor recreation on federal lands (2016)* (pp. 12–15). U.S. Department of the Interior, Office of Policy Analysis. Internet website: https://www.doi.gov/sites/doi.gov/files/uploads/recn_econ_brochure_fy_2016_2018-04-04.pdf.
- Jones, D. K. and J. C. Root. 2021. Modified topobathymetric elevation data for Lake Powell: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P9H60YCF>.
- _____. 2022. Elevation-area-capacity tables for Lake Powell, 2018: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P9O3IPG3>.
- Kelley, M., A. Kasprak, J. B. Sankey, J. Caster, and H. Fairley. 2026. Modeled subaerially exposed river sand available for aeolian transport along the Colorado River in Grand Canyon in support of resource impact analysis for Post-2026 reservoir operational alternatives: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P14HBBFX>.
- Kesner, B. R., J. S. Fencil, G. Ley, and P. C. Marsh. 2012. Imperial ponds native fish monitoring October 2008 – August 2011 Final Report. Submitted to the Lower Colorado River Multi-Species Conservation Program, Boulder City, Nevada, by Marsh & Associates, LLC, Tempe, AZ.
- Kolbert, E. 2021. “The lost canyon under Lake Powell.” *New Yorker*, August 9, 2023.
- Lee, G. E., K. Rollins, and L. Singletary. 2020. Water sustainability and climate in the Truckee-Carson River System, Western United States: 10 key takeaways from the Water for the Seasons collaborative research program (Special Publication 20-02). University of Nevada, Reno Extension. Internet website: <https://naes.agnt.unr.edu/PMS/Pubs/2020-3508.pdf>.
- Liu, H., R. Xing, E. G. R. Davies. 2025. “Forecasting municipal water demands: Evaluating the impacts of population growth, climate change, and conservation policies on water end-use.” *Sustainable Cities and Society* 130(2025):106581. Internet website: <https://doi.org/10.1016/j.scs.2025.106581>.
- Lower Colorado River (LCR) Multi-Species Conservation Program (MSCP). 2020. Lower Colorado River Multi-Species Conservation Program, Volume VII – Northern Mexican Gartersnake Amendment. Bureau of Reclamation, Boulder City, Nevada.
- _____. 2022. Final Implementation Report, Fiscal Year 2023 Work Plan and Budget, Fiscal Year 2021 Accomplishment Report. Internet website: https://lcrmscp.gov/lcrm-prod/lcrm-prod/pdfs/imp_2023.pdf.
- _____. 2024. Final Implementation Report, Fiscal Year 2025 Work Plan and Budget, Fiscal Year 2023 Accomplishment Report. Bureau of Reclamation, Boulder City, Nevada.

- _____. 2025. Lower Colorado River Multi-Species Conservation Program. Final Implementation Report, Fiscal Year 2025 Work Plan and Budget, Fiscal Year 2023 Accomplishment Report. Internet website: https://lcrmscp.gov/lcrm-prod/lcrm-prod/pdfs/imp_2025.pdf.
- Lukas, J. and E. Payton. 2020. Colorado River Basin Climate and Hydrology: State of the Science. Western Water Assessment. April 2020. Internet website: <https://doi.org/10.25810/3hcv-w477>.
- Mahoney, S. M., M. J. Johnson, J. A. Holmes, T. L. Dudley, M. J. Kuehn, and T. C. Theimer. 2022. “Tamarisk biocontrol alters bird community composition in the absence of cottonwood and willow vegetation.” *Ornithological Applications* 124(2):12.
- Maldonado, R. P. 2011. Navajo Traditional Cultural Properties along the Colorado and Little Colorado Rivers in Coconino and Mohave Counties, Arizona, Registration Form, National Register of Historic Places.
- Mallia, D., A. Kochanski, D. Wu, C. Pennell, W. Oswald, and J. C. Lin. 2017. Wind-blown dust modeling using a backward-Lagrangian particle dispersion model. Internet website: <https://journals.ametsoc.org/view/journals/apme/56/10/jamc-d-16-0351.1.xml>.
- McLeod, M. A. and A. R. Pellegrini. 2021. Lower Colorado River Multi-Species Conservation Program: Southwestern Willow Flycatcher Surveys and Monitoring Along the Lower Colorado River and Tributaries (2020 Annual Report).
- Meko, D., C. A. Woodhouse, C. A. Baisan, T. Knight, J. J. Lukas, M. K. Hughes, and M. W. Salzer. 2007. “Medieval drought in the upper Colorado River Basin” *Geophysical Research Letters* 34(10):L10705. Internet website: <https://agupubs.onlinelibrary.wiley.com/doi/epdf/10.1029/2007GL029988>.
- Mihalevich, B. A., B. T. Neilson, C. A. Buahin, C. B. Yackulic, and J. C. Schmidt. 2020. “Water temperature controls for regulated canyon-bound rivers.” *Water Resources Research* 56(12). Internet website: <https://agupubs.onlinelibrary.wiley.com/doi/full/10.1029/2020WR027566>.
- Miller, R. R. 1955. “Fish remains from archaeological sites in the lower Colorado River basin, Arizona.” *Papers of the Michigan Academy of Science, Arts, and Letters* 40:125–136.
- _____. 1958. “Origin and affinities of the fresh-water fish fauna of western North America.” *Zoogeography. American Association for the Advancement of Science* 51(1958) 187–222, Washington, D.C.
- Minckley, W. L., P. C. Marsh, J. E. Deacon, T. E. Dowling, P. W. Hedrick, W. J. Matthews, and G. Mueller. 2003. “A conservation plan for native fishes of the lower Colorado River.” *BioScience* 53:219–234.

- Mueller, E. R., P. E. Grams, J. E. Hazel Jr., and J. C. Schmidt. 2018. “Variability in eddy sandbar dynamics during two decades of controlled flooding of the Colorado River in the Grand Canyon.” *Sedimentary Geology* 363:181–199.
- Mueller, E. R. and P. E. Grams. 2021. “A morphodynamic model to evaluate long-term sandbar rebuilding using controlled floods in the Grand Canyon.” *Geophysical Research Letters* 48(9):1–10.
- National Oceanic and Atmospheric Administration (NOAA). 2022. State Climate Summaries 2022. Internet website: <https://statesummaries.ncics.org/#about>.
- National Park Service (NPS). 2006. Colorado River Management Plan. Grand Canyon National Park. Grand Canyon, Arizona.
- _____. 2015. New Zealand mudsnail. Internet website: <https://www.nps.gov/grca/learn/nature/nzmudsnail.htm>.
- _____. 2016. Protect Feet and Paws from Sharp Quagga Mussel Shells on Lake Powell Shorelines. Internet website: <https://www.desertusa.com/dusablog/protect-feet-and-paws-from-sharp-quagga-mussel-shells-on-lake-powell-shorelines/?srsId=AfmBOooC08t5C4QFoQoS7a21c9gBoRtsr3z3SXDxKqgVW7T9WfYbIGEw>.
- _____. 2021a. Expanded non-native aquatic species management plan EA. Update 2021, Appendix F: Risk levels of non-native aquatic species in Glen Canyon National Recreation Area and Grand Canyon National Park. Grand Canyon National Park, Flagstaff, AZ.
- _____. 2021b. “Immediate Access to Rainbow Bridge National Monument Impacted by Storm Debris and Low Lake Level.” News release, October 20, 2021. Internet website: <https://www.nps.gov/glca/learn/news/20211020.htm>.
- _____. 2022. “Naegleria Fowleri Fatality.” News release, October 19, 2022. Internet website: <https://www.southernnevadahealthdistrict.org/news-release/health-district-reports-death-from-naegleria-fowleri-infection/>.
- _____. 2023a. Class I Areas. Internet website: <https://www.nps.gov/subjects/air/class1.htm>.
- _____. 2023b. Grand Canyon’s Native Fish. Internet website: <https://www.nps.gov/grca/learn/nature/fish-native.htm>.
- _____. 2024a. National Park Service Air Quality Analysis Methods. Internet website: <https://www.nps.gov/articles/air-analysis-methods-latest.htm>.
- _____. 2024b. National Register Bulletin: Identifying, Evaluating, and Documenting Traditional Cultural Places. U.S. Department of the Interior, National Park Service. Washington, D.C.

-
- _____. 2025a. Water Advisory for Lake Powell. News release data: July 2, 2025. Internet website: <https://www.nps.gov/glca/learn/news/20250702.htm>.
- _____. 2025b. History of Total Annual Visits for Glen Canyon NRA. Internet website: [https://irma.nps.gov/Stats/SSRSReports/Park%20Specific%20Reports/Annual%20Park%20Recreation%20Visitation%20\(1904%20-%20Last%20Calendar%20Year\)?Park=GLCA](https://irma.nps.gov/Stats/SSRSReports/Park%20Specific%20Reports/Annual%20Park%20Recreation%20Visitation%20(1904%20-%20Last%20Calendar%20Year)?Park=GLCA).
- _____. 2025c. Boating – Glen Canyon National Recreation Area. U.S. Department of the Interior. Internet website. Internet website: <https://www.nps.gov/glca/planyourvisit/boating.htm>.
- _____. 2025d. Changing Lake Levels – Glen Canyon National Recreation Area. U.S. Department of the Interior. Internet website. Internet website: <https://www.nps.gov/glca/learn/changing-lake-levels.htm>.
- _____. 2025e. Annual Grand Canyon National Park Recreation Visitation (1904 – Last Calendar Year). Integrated Resource Management Applications (IRMA) portal. Internet website: [https://irma.nps.gov/Stats/SSRSReports/Park%20Specific%20Reports/Annual%20Park%20Recreation%20Visitation%20\(1904%20-%20Last%20Calendar%20Year\)?Park=GRCA](https://irma.nps.gov/Stats/SSRSReports/Park%20Specific%20Reports/Annual%20Park%20Recreation%20Visitation%20(1904%20-%20Last%20Calendar%20Year)?Park=GRCA).
- _____. 2025f. Annual Lake Mead National Recreation Area Recreation Visitation (1904 – Last Calendar Year). Integrated Resource Management Applications (IRMA) portal. Internet website: [https://irma.nps.gov/Stats/SSRSReports/Park%20Specific%20Reports/Annual%20Park%20Recreation%20Visitation%20\(1904%20-%20Last%20Calendar%20Year\)?Park=LAKE](https://irma.nps.gov/Stats/SSRSReports/Park%20Specific%20Reports/Annual%20Park%20Recreation%20Visitation%20(1904%20-%20Last%20Calendar%20Year)?Park=LAKE).
- National Renewable Energy Laboratory (NREL). 2021. Life Cycle Greenhouse Gas Emissions from Electricity Generation: Update. Internet website: <https://docs.nrel.gov/docs/fy21osti/80580.pdf>.
- Nevada Department of Environmental Protection (NDEP). Nevada Statewide Greenhouse Gas Emissions Inventory and Projections, 1990-2044. Internet website: https://ndep.nv.gov/uploads/air-pollutants-docs/2024_GHG_Inventory_Report.pdf.
- Neher, C., J. Duffield, L. Bair, D. Patterson, and K. Neher. 2017. “Testing the limits of temporal stability: willingness to pay values among Grand Canyon whitewater boaters across decades.” *Water Resources Research* 53(12):10108-10120.
- Palmquist, E. C., B. J. Butterfield, and B. E. Ralston. 2022. Riparian vegetation data downstream of Glen Canyon Dam in Glen Canyon National Recreation Area and Grand Canyon National Park, AZ from 2014 to 2019: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P9KEHY2S>.
- _____. 2023. Assessment of riparian vegetation patterns and change downstream from Glen Canyon Dam from 2014 to 2019: U.S. Geological Survey Open-File Report 2023–1026, 55 p., 10.3133/ofr20231026.

- Palmquist, E. C., B. E. Ralston, D. A. Sarr, and T. C. Johnson. 2018a. Monitoring riparian-vegetation composition and cover along the Colorado River downstream of Glen Canyon Dam, Arizona: U.S. Geological Survey Techniques and Methods. Book 2, Chapter A14. Internet website: <https://doi.org/10.3133/tm2A14>.
- Palmquist, E. C., B. E. Ralston, D. M. Merritt, and P. B. Shafroth. 2018b. "Landscape-scale processes influence riparian plant composition along a regulated river." *Journal of Arid Environments* 148:54-64.
- Ploussard, Q., M. Pavicevic, A. Yu, J. Wilhite, and W. Henriquez. 2025. CRiSPPy: An advanced hydropower scheduling tool for the Colorado River Storage Project. U.S. Department of Energy. Office of Scientific and Technical Information (OSTI). Technical Report. OSTI ID:2568482. Internet website: <https://www.osti.gov/biblio/2568482>.
- Prakash, D. 2023. Impact of drought and institutional interventions on adoption of irrigation technologies and agricultural land use in California [Capstone report]. School of Public Policy, University of California, Riverside. Internet website: <https://spp.ucr.edu/sites/default/files/2024-09/impact-of-drought-agriculture-capstone-2023.pdf>.
- Presson, L. and S. Eden. 2023. Arroyo 2023: Arizona's agricultural outlook – Water, climate, and sustainability. Water Resources Research Center, University of Arizona. Internet website: <https://wrrc.arizona.edu/sites/wrrc.arizona.edu/files/2023-06/Arroyo-2023-agricultural-water-outlook.pdf>.
- Reap, P. C., G. P. Percy, B. R. Kesner, C. A. Pacey, and P. C. Marsh. 2023. Demographics and Monitoring of Repatriated Razorback sucker in Lake Mohave. 2023 Annual report. Submitted to the Lower Colorado River Multi-Species Conservation Program, Bureau of Reclamation, Boulder City, Nevada, by Marsh and Associates, LLC, Tempe, Arizona.
- Richards, R. J. 2025. Salinity Loads at 20-stations in the Colorado River Basin: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P14N44JU>.
- RiversEdge West. 2025. Tamarisk Beetle Data. Internet website: <https://www.riversedgewest.org/restoration-resources/applied-science>. Accessed October 2025
- RiverRestoration.org. 2025. Lower Colorado River Backwater Mapping: Change Analysis.
- Rogers, R. J., B. Albrecht, J. Handtke, M. J. Chavez, J. D. O'Connor, S. P. Platania, K. Pedersen, M. McKinstry, J. Stolberg, and E. Omana Smith. 2023. Razorback Sucker *Xyrauchen texanus* research and monitoring in the Colorado River inflow area of Lake Mead and the lower Grand Canyon, Arizona and Nevada. Report prepared by BIO-WEST, Inc., for the U.S. Bureau of Reclamation, Upper Colorado Region, Salt Lake City, UT.

- Root, J. C., S. A. Hynek, D. N. DiViesti, and T. M. Gushue. 2019. Digital Elevation Model of Glen Canyon Prior to the Flooding of Lake Powell from Historic Topographic Surveys, Utah and Arizona: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P9368XHU>.
- Root, J. C. and D. K. Jones. 2022. Elevation-area-capacity relationships of Lake Powell in 2018 and estimated loss of storage capacity since 1963: U.S. Geological Survey Scientific Investigations Report 2022–5017. Internet website: <https://doi.org/10.3133/sir20225017>.
- Rosenzweig, M. L. 1995. *Species Diversity in Space and Time*. Cambridge University Press, Cambridge, Great Britain. 436p.
- Rubin, D. M., D. J. Topping, J. C. Schmidt, J. Hazel, M. Kaplinski, and T. S. Melis. 2002. “Recent sediment studies refute GCD hypothesis.” *EOS, Transactions of the American Geophysical Union* 83(25):273, 277–278.
- Saari, G. N., Z. Wang, and B. W. Brooks. 2018. Revisiting inland hypoxia: diverse exceedances of dissolved oxygen thresholds for freshwater aquatic life. Internet website: <http://link.springer.com/10.1007/s11356-017-8908-6>.
- Salter, G. and P. Grams. 2026. Modeled sand transport, sandbar volumes, and reservoir operations for the Colorado River in Grand Canyon in support of resource impact analysis for Post-2026 reservoir operational alternatives: U.S. Geological Survey data release. Internet website: <https://doi.org/10.5066/P1QOIQRD>.
- Salter, G., D. J. Topping, J. Wang, J. C. Schmidt, C. B. Yackulic, L. S. Bair, et al. 2025. “Reservoir Operational Strategies for Sustainable Sand Management in the Colorado River.” *Water Resources Research* 61:e2024WR038315.
- Sankey, J. B., D. V. Mallia, M. Fischella, J. Caster, E. Byerley, T. Gushue, D. Conlin, et al. 2024. Preliminary Investigations of Relationships Between Reservoir Water Storage and Potential Dust Emissions at Lake Powell and Lake Mead, USA. In AGU Fall Meeting Abstracts (Vol. 2024, No. 1405, pp. EP51E-1405).
- Sankey, J. B., B. E. Ralston, P. E. Grams, J. C. Schmidt, and L. E. Cagney. 2015. “Riparian vegetation, Colorado River, and climate: Five decades of spatiotemporal dynamics in the Grand Canyon with river regulation.” *Journal of Geophysical Research: Biogeosciences* 120:1532–1547.
- Santucci, V. L., J. P. Kenworthy, and A. L. Mims. 2009. Monitoring in situ paleontological resources. in Young, R., and Norby, L., *Geological Monitoring: Boulder, Colorado*, Geological Society of America, p. 198-204, doi: 10.1130/2009.monitoring(08).
- Shafroth, P. B., J. C. Stromberg, and D. T. Patten. 2002. “Riparian vegetation response to altered disturbance and stress regimes.” *Ecological applications* 12:107-123.

- Shelby, B., T. C. Brown, and T. Baumgartner. 1992. "Effects of Streamflows on River Trips on the Colorado River in Grand Canyon, Arizona." *Rivers* 3(3):191-201.
- Shollenberger, K., E. Omana-Smith, S. Favrot, M. Randell, and J. Crabill. 2025. Glen Canyon National Recreation Area & Grand Canyon National Park: Smallmouth bass monitoring, surveillance, and removal activities (2024). Report to U.S. Bureau of Reclamation Upper Colorado Region, Agreement Number: R23PG00090.
- Smith, J. 2022. Upper Colorado River Endangered Fish Recovery Program 2022 Annual Report. Utah Division of Wildlife Resources, Salt Lake City, UT.
- Southern Nevada Water Authority (SNWA). 2023. EIS data for Lake Mead and Lake Mohave.
- Stewart, W., K. Larking, B. Orland, D. Anderson, R. Manning, D. Cole, and J. Taylor et al. 2000. Preferences of Recreation User Groups of the Colorado River in Grand Canyon. Prepared for the US Geological Survey, Grand Canyon Monitoring and Research Center, Flagstaff, Arizona. April.
- Stromberg J. C., K. J. Bagstad, J. M. Leenhouts, S. J. Lite, and E. Makings. 2005. "Effects of stream flow intermittency on riparian vegetation of a semiarid region river (San Pedro River, Arizona)." *River Research and Applications* 21:925–938.
- Stromberg, J. C., V. B. Beauchamp, M. D. Dixon, S. J. Lite, C. Paradzick. 2007. "Importance of low-flow and high-flow characteristics to restoration of riparian vegetation along rivers in arid southwestern United States." *Freshwater Biology* 52:651–79.
- Stromberg, J. C., K. E. McCluney, M. D. Dixon, and T. Meixner. 2013. "Dryland riparian ecosystems in the American Southwest: sensitivity and resilience to climatic extremes." *Ecosystems* 16:411-415.
- Topping, D. J., D. M. Rubin, and L. E. Vierra Jr. 2000. "Colorado River sediment transport: Part 1: Natural sediment supply limitations and the influence of the GCD." *Water Resources Research* 36:515–542.
- Topping, D. J., P. E. Grams, R. E. Griffiths, D. J. Dean, S. A. Wright, and J. A. Unema. 2021. "Self-limitation of sand storage in a bedrock-canyon river arising from the interaction of flow and grain size." *Journal of Geophysical Research: Earth Surface* 126:e2020JF005565.
- Tremblay, A. M., S. Griset, and P. Rawson. 2024a. Class I Cultural Resources Records Search for the Post-2026 Colorado River Reservoir Operation Strategies for Lake Powell and Lake Mead Environmental Impact Statement, Volume I: Project Background and Ethnographic Information. SWCA Cultural Resource Report No. 24-27. Flagstaff: SWCA Environmental Consultants.

- Tremblay, A. M., X. Lemoine, A. J. Lutes, S. Griset, L. C. Demerais, T. Mark, M. Standart, and T. G. O'Neill. 2024b. Class I Cultural Resources Records Search for the Post-2026 Colorado River Reservoir Operation Strategies for Lake Powell and Lake Mead Environmental Impact Statement, Volume II: Arizona. SWCA Cultural Resource Report No. 24-28. Flagstaff: SWCA Environmental Consultants.
- Twichell, D. C., V. A. Cross, and S. D. Belew. 2003. Mapping the floor of Lake Mead (Nevada and Arizona): Preliminary discussion and GIS data release: USGS Open-File Report 03-320. Internet website: <https://pubs.usgs.gov/of/2003/of03-320/>.
- Twichell, D. C. and V. A. Cross. 2009. Surficial Geology of the Floor of Lake Mead (Arizona and Nevada) as Defined by Sidescan-Sonar Imagery, Lake-Floor Topography, and Post-Impoundment Sediment Thickness. Internet website: <https://pubs.usgs.gov/of//2009/1150/>.
- United States Army Corps of Engineers. 2024. Final Environmental Assessment for State of California's Salton Sea Management Program Phase I: 10-Year Plan, Clean Water Act Section 404 Letter of Permission Procedures, Riverside and Imperial Counties, California.
- United States Department of Agriculture (USDA). 2024. National Agricultural Statistics Service Quick Stats. Internet website: <https://quickstats.nass.usda.gov/>.
- United States Department of Agriculture (USDA), National Agricultural Statistics Service (NASS). 2024. 2022 Census of Agriculture: State and county-level data [Data set]. National Agricultural Statistics Service. Internet website: <https://www.nass.usda.gov>.
- United States Department of Agriculture (USDA), Economic Research Service (ERS). 2021. Trends in U.S. irrigated agriculture: Increasing resilience under water supply scarcity (EIB-229). Internet website: <https://ers.usda.gov/sites/default/files/laserfiche/publications/102928/EIB-229.pdf>.
- United States Department of the Interior (Department). 2025. Native American Ownership and Governance of Natural Resources. Internet website: <https://revenuedata.doi.gov/how-revenue-works/native-american-ownership-governance/>.
- United States Energy Information Administration (EIA). 2023. Annual Energy Outlook 2023. Internet website: https://theenergycouncil.org/wp-content/uploads/2023/07/3-James-Preciado_EIA_2023-Energy-Outlook.pdf.
- United States Environmental Protection Agency (EPA). 1986. Ambient water quality criteria for dissolved oxygen. Office of Research and Development, Environmental Research Laboratories, Duluth, Minnesota. Internet website: <https://www.epa.gov/sites/default/files/2019-03/documents/ambient-wqc-dissolved-oxygen-1986.pdf>.

-
- _____. 2023. 2020 National Emissions Inventory. Internet website: <https://www.epa.gov/air-emissions-inventories/2020-nei-supporting-data-and-summaries>.
- _____. 2024. Inventory of U.S. Greenhouse Gas Emissions and Sinks: 1990-2022. U.S. Environmental Protection Agency, EPA 430-R-24-004. Internet website: <https://www.epa.gov/ghgemissions/inventory-us-greenhouse-gas-emissions-and-sinks-1990-2022>.
- _____. 2025a. NAAQS Table. Internet website: <https://www.epa.gov/criteria-air-pollutants/naaqs-table>.
- _____. 2025b. Current Nonattainment Counties for All Criteria Pollutants. Internet website: https://www3.epa.gov/airquality/greenbook/anayo_ut.html.
- _____. 2025c. 2024 Design Values. Available at: Air Quality Design Values. Internet website: <https://www.epa.gov/air-trends/air-quality-design-values#report>.
- _____. 2025d. eGrid Summary Tables. Internet website: https://www.epa.gov/system/files/documents/2025-06/summary_tables_rev2.pdf.
- _____. 2025e. GHG Equivalency Calculator. Internet website: <https://www.epa.gov/energy/greenhouse-gas-equivalencies-calculator>.
- United States Fish and Wildlife Service (FWS). 2002. Colorado Pikeminnow (*Ptychocheilus lucius*) Recovery Goals: Amendment and Supplement to the Colorado Squawfish Recovery Plan. U.S. Fish and Wildlife Service, Mountain-Prairie Region (6), Denver, CO.
- _____. 2005. Biological and Conference Opinion on the Lower Colorado River Multi-Species Conservation Program, Arizona, California, and Nevada. Phoenix, Arizona.
- _____. 2007. Final biological opinion for the proposed adoption of Colorado River interim guidelines for lower basin shortages and coordinated operations for Lake Powell and Lake Mead. Phoenix, Arizona.
- _____. 2016. Biological Opinion for the Glen Canyon Dam Long-Term Experimental and Management Plan. Coconino County, Arizona.
- _____. 2018. Final Intra-Service Biological Opinion for the Lower Colorado River Multi-Species Conservation Program - Addition of Northern Mexican Gartersnake (*Thamnophis eques* mega/ops) as a Covered Species.
- _____. 2022. Biological Opinion for Enhanced Habitat Protection and Reduction in Colorado River Flows Between Hoover Dam and Parker Dam in Excess of Flow-Related Covered Actions and Activities Provided Under the Lower Colorado Multi-Species Conservation Program (LCR MSCP).

- _____. 2024. Biological Opinion for the Short-Term Additional Reduction in Colorado River Flows Between Hoover Dam and the Southerly International Boundary and Activities Provided Under the Lower Colorado River Multi-Species Conservation Program.
- _____. 2025. Information for Planning and Consultation. Project-specific Official Specific List. Internet website: <https://ipac.ecosphere.fws.gov/>.
- United States Geological Survey (USGS). 2011. Effects of Three High-flow Experiments on the Colorado River Ecosystem Downstream from GCD, Arizona, U.S. Geological Survey Circular 1366. Internet website: <https://pubs.usgs.gov/circ/1366/>.
- _____. 2012. A Synthesis of Aquatic Science for Management of Lakes Mead and Mohave. Internet website: <https://pubs.usgs.gov/circ/1381/pdf/circ1381.pdf#page=62>.
- _____. 2019a. Nutrients and Eutrophication. Water Resources Mission Area. Internet website: <https://www.usgs.gov/mission-areas/water-resources/science/nutrients-and-eutrophication>.
- _____. 2019b. Aquifer depletion and potential impacts on long-term irrigated agricultural productivity. U.S. Geological Survey. Internet website: <https://www.usgs.gov/publications/aquifer-depletion-and-potential-impacts-long-term-irrigated-agricultural-productivity>.
- _____. 2024. Nonindigenous Aquatic Species Database. *Corbicula fluminea*. Internet website: <https://nas.er.usgs.gov/queries/CollectionInfo.aspx?SpeciesID=92&State=UT>.
- _____. 2025a. USGS Water Data for the Nation: Gage Data for Paria River at Lees Ferry, AZ USGS Gage 09382000. Internet website: <https://waterdata.usgs.gov/monitoring-location/USGS-09382000>.
- _____. 2025b. USGS Water Data for the Nation: Gage Data for Bill Williams River Near Parker, AZ. USGS Gage 09426620. Internet website: <https://waterdata.usgs.gov/monitoring-location/USGS-09426620>.
- _____. 2025c. Nonindigenous Aquatic Species Database. *Melanoides tuberculata*. Internet website: <https://nas.er.usgs.gov/queries/factsheet.aspx?SpeciesID=1037>.
- Utah Department of Transportation (UDOT). 2025. Lake Powell Ferry Crossing. Internet website: <https://connect.udot.utah.gov/current-conditions/lake-powell-ferry-crossing/>.
- Utah Department of Wildlife Resources (UDWR). 2023. Fish Utah Version 1.7.1 online data platform and stocking reports for Lake Powell. Internet website: [https://dwrapps.utah.gov/fishing/?NA=Lake%20Powell%20\(Blue%20Ribbon\)](https://dwrapps.utah.gov/fishing/?NA=Lake%20Powell%20(Blue%20Ribbon)).

- Yu, A., Q. Ploussard, M. Pavicevic, and J. Wilhite. 2025. Post-2026 Environmental Impact Statement Rate Analysis for the Colorado River Storage Project. Argonne National Laboratory and Western Area Power Administration for Western Area Power Administration. Lemont, Illinois.
- Valdez, R. A. and R. J. Ryel. 1995. Life history and ecology of the humpback chub in the Colorado River in Grand Canyon, Arizona. Final Report to Bureau of Reclamation, Glen Canyon Environmental Studies, by Bio/West, Inc., Logan, UT. Internet website: <https://repositories.lib.utexas.edu/items/92e6838f-a76e-4873-9821-c0e30f61411b>.
- Valdez, R. A. and R. T. Muth. 2005. "Ecology and Conservation of Native Fish in the Upper Colorado River Basin." *American Fisheries Society Symposium* 45:157–204.
- Valdez, R. A., and S. W. Carothers. 1998. The aquatic ecosystem of the Colorado River in Grand Canyon. Report to Bureau of Reclamation, Salt Lake City, Utah, SWCA Environmental Consultants, Flagstaff, AZ.
- Vernieu, W. S. 2010. Effects of the 2008 High-Flow Experiment on Water Quality in Lake Powell and Glen Canyon Dam Releases, Utah-Arizona. Internet website: <https://pubs.usgs.gov/of/2010/1159/>.
- Warziniack, T. and T. C. Brown. 2019. The importance of municipal and agricultural demands in future water shortages in the United States. *Environmental Research Letters*. 14(8): 084036. Internet website: <https://research.fs.usda.gov/treearch/66952#>.
- Wilson, E. D., R. T. Moore, and J. R. Cooper. 1969. Geologic Map of Arizona, 1 sheet, scale: 1:500,000. US Geological Survey Map G810436).
- Winslow, D., M. A. Vicari, S. McMurry, A. J. Lutes, M. Standart, and V. Villagran. 2024. Class I Cultural Resources Records Search for the Post-2026 Colorado River Reservoir Operation Strategies for Lake Powell and Lake Mead Environmental Impact Statement, Volume IV: Nevada SWCA Wright, S. A., D. J. Topping, D. M. Rubin, and T. S. Melis. 2010. "An approach for modeling sediment budgets in supply-limited rivers." *Water Resources Research* 46(10):1–18.
- Wright, S. A., D. J. Topping, D. M. Rubin, and T. S. Melis. 2010. "An approach for modeling sediment budgets in supply-limited rivers." *Water Resources Research* 46(10):1–18.
- Zohary, T. and I. Ostrovsky. 2011. Ecological impacts of excessive water level fluctuations in stratified freshwater lakes. Internet website: <https://www.tandfonline.com/doi/abs/10.5268/IW-1.1.406>.

This page intentionally left blank.

Glossary

acre-foot (af)—Volume of water (43,560 cubic feet) that would cover 1 acre to a depth of 1 foot.

adaptive management—A method for examining alternative strategies for meeting goals and objectives, and then, if necessary, adjusting future management actions according to what is learned.

affected environment—Existing biological, physical, social, and economic conditions of an area that are subject to change, both directly and indirectly, as the result of a proposed human action.

algae—Simple plants containing chlorophyll; most live submerged in water.

allocation, allotment—Refers to a distribution of water through which specific persons or legal entities are assigned individual rights to consume pro rata shares of a specific quantity of water under legal entitlements. For example, a specific quantity of Colorado River water is distributed for use within each Lower Division State through an apportionment. Water available for consumptive use in that state is further distributed among water users in that state through the allocation. An allocation does not establish an entitlement; the entitlement is normally established by a written contract with the United States government. *Refer to* Lower Basin/Lower Division States.

alluvium—Sedimentary material transported and deposited by the action of flowing water.

ambient—Surrounding natural conditions (or environment) in a given place and time.

amphibian—A vertebrate animal that has a life stage in water and a life stage on land. (Examples include salamanders, frogs, and toads.)

annual flow-weighted average concentration—A weighted average of monthly total dissolved solids (TDS) concentrations for a year, where the weight for each month is based on the relative flow for each month.

Annual Operating Plan for Colorado River Reservoirs (AOP)—A document describing how Reclamation will manage Colorado River resources over a 12-month period, consistent with the Long-Range Operating Criteria and the Supreme Court Decree in *Arizona v. California* 1964 . The AOP is prepared annually by Reclamation in cooperation with the Basin States, Mexico, appropriate federal agencies, Indian Tribes, state and local agencies, and the general public, including governmental interests, as required by federal law. As part of the AOP process, the Secretary of the Department of the Interior (Secretary) makes annual determinations regarding the availability of Colorado River water for deliveries to the Lower Division States of the Colorado River Basin. *Refer to* Lower Basin/Lower Division States.

apportionment—Refers to the distribution of water available to each Lower Division State in normal, surplus or shortage condition years, as set forth, respectively, in Articles II(B)(1), II(B)(2),

and II(B)(3) of the 1964 Supreme Court Decree in the case of *Arizona v. California*. *Refer to* normal, surplus, and shortage.

appropriative rights—The right to divert a specified quantity of water at a specified point of diversion for reasonable and beneficial uses at a specified place of use for a specified manner of use. Appropriative rights are generally “first-in-time, first-in-right” (that is, one appropriative right has priority over appropriative rights established later).

backwater—A relatively small, generally shallow area of a river with little or no current.

banked groundwater—Water that has been stored temporarily in a groundwater aquifer. Banked groundwater can be recovered for use at a later time.

base load—Minimum load in a power system over a given period of time.

Basin States—In accordance with the Colorado River Compact of 1922, the Colorado River Basin within the United States consists of those parts of Arizona, California, Colorado, Nevada, New Mexico, Utah, and Wyoming within and from which waters drain naturally into the Colorado River. These seven states are referred to as the Basin States. *Refer to* Colorado River Compact of 1922.

Binational Intentionally Created Surplus (ICS)—An ICS is a mechanism to encourage and account for augmentation and conservation of water supplies that would minimize the likelihood and severity of potential future shortages. Binational types of ICS are created through the binational agreements of Minutes 319 and 323 to the 1944 Mexican Water Treaty and provide for the development and implementation of water conservation programs located in Mexico with compensation funding provided by partnering organizations in the United States.

biological assessment (BA)—A document identifying the likely effects of a proposed federal action on threatened and endangered species. To facilitate compliance with Section 7(a)(2) of the Endangered Species Act (ESA), federal agencies must prepare a BA pursuant to Section 7(c)(1) of the ESA. *Refer to* Endangered Species Act.

biological opinion (BO)—A document stating the opinion of the United States Fish and Wildlife Service (Service) and/or the National Marine Fisheries Service as to whether a federal action is likely to jeopardize the continued existence of an Endangered Species Act listed threatened or endangered species or result in the destruction or adverse modification of critical habitat.

bypass flows—Saline agricultural return flows from the Wellton-Mohawk Irrigation and Drainage District that are routed to the Cienega de Santa Clara in Mexico to ensure compliance with the salinity provisions of Minute 242 of the 1944 Water Treaty.

bypass tubes—Another term for river outlet works. *Refer to* outlet works.

candidate species—A plant or animal species that is not yet officially listed as threatened or endangered under the Endangered Species Act but is undergoing status review by the Service.

capacity—The maximum amount of energy that can be instantaneously produced.

catch—At a recreational fishery, refers to the number of fish captured, whether they are kept or released.

channel (watercourse)—An open conduit either naturally or artificially created that periodically or continuously contains moving water, or that forms a connecting link between two bodies of water. Some terms used to describe natural channels are river, creek, run, branch, and tributary. Natural channels may be single or braided. Two terms used to describe artificial channels are canal and floodway.

Cladophora—Filamentous green alga important to the food chain in the Colorado River downstream of Glen Canyon Dam.

Colorado River Basin (Basin)—The drainage area of the Colorado River system. The Basin occupies an area of approximately 250,000 square miles in the southwestern United States and 3,500 square miles in northwestern Mexico. The Colorado River Compact of 1922 divided the Colorado River system into two subbasins: the Upper Basin and the Lower Basin. It also divided the seven states within the Basin into the Upper Division and the Lower Division. Upper Division States include Colorado, New Mexico, Utah, and Wyoming; Lower Division States include Arizona, California, and Nevada. Additionally, 30 federally recognized Tribes are in the Basin.

Colorado River Basin Project Act of 1968 (CRBPA)—An act authorizing construction of a number of water development projects, including the Central Arizona Project (CAP), and requiring the Secretary to develop the Criteria for Coordinated Long-Range Operation of Colorado River Reservoirs, or Long-Range Operating Criteria (LROC).

Colorado River Basin Salinity Control Forum—The organization dedicated to controlling Colorado River salinity; it consists of representatives of the seven Basin States. *Refer to* Basin States.

Colorado River Compact of 1922—The agreement concerning the apportionment of the use of the waters of the Colorado River Basin, dated November 24, 1922, and executed by commissioners for Arizona, California, Colorado, Nevada, New Mexico, Utah, and Wyoming. It was approved and proclaimed effective by Herbert Hoover, the president of the United States, and representative of the United States for purposes of the Compact, on June 25, 1929.

Colorado River Simulation System (CRSS)—A core Colorado River system operations tool that provides monthly outputs of key variables including reservoir elevations, releases, river flows, and salinity.

Colorado River system—The portion of the Colorado River and its tributaries within the United States as defined in the Colorado River Compact of 1922. *Refer to* Colorado River Compact of 1922.

compact—The Colorado River Compact of 1922. *Refer to* Colorado River Compact of 1922.

compact point—The reference point designated by the Colorado River Compact of 1922 as dividing the Colorado River Basin into two subbasins, the Upper Basin and the Lower Basin. The

compact point is Lee Ferry, Arizona. *See also* Colorado River Compact of 1922 and Lee Ferry Compact Point.

conductivity—A measure of water’s ability to pass an electrical current.

Consolidated Decree—A decree entered by the United States Supreme Court on March 27, 2006, in the case of *Arizona v. California*, 547 US 150 (2006), incorporating all applicable provisions of the earlier-issued decisions and decrees in the matter. The Supreme Court reached a decision in the case of *Arizona v. California* in 1963 and implemented this decision in a 1964 decree, which was supplemented over time after its adoption.

consumptive use—Diversions of water from mainstream Colorado River, including water withdrawn from the mainstream through underground pumping, minus any measured and unmeasured return flows. A use which lessens the amount of water available for another use. Water uses normally associated with man's activities, primarily municipal, industrial, and [irrigation](#) uses that deplete water supplies. Water removed from available supplies without direct return to a water resource system, for uses such as manufacturing, agriculture, and food preparation.

contractors—Those who hold entitlements to Colorado River water. Contractors consist of the federal government, states, Indian Tribes, and various public and private entities that are recognized under the Consolidated Decree, hold a Section 5 Contract with the Secretary, or have a Secretarial Reservation of water. *Refer to* Consolidated Decree.

conveyance loss—Water that is lost in transit from a pipe, canal, conduit, or ditch by leakage or evaporation. If the water is lost due to leakage, it may be considered return flow if it percolates to an aquifer and is available for reuse. If the water evaporates, it is considered consumptive use. *Refer to* consumptive use.

cooperating agency—As described in the National Environmental Policy Act of 1969, as amended, an Federal, State, Tribal, or local agency that has jurisdiction by law or special expertise with respect to any environmental impact involved in a proposal (42 U.S.C. 4321 et seq.)

covered species—Those species addressed in the Lower Colorado River Multi-Species Conservation Program (LCR MSCP) for which conservation measures would be implemented and for which authorization for “take” is being requested under Section 10 of the Endangered Species Act. *See also* take.

criteria—Standards used for making a determination.

critical habitat—As defined by the Endangered Species Act, areas within the geographical area occupied by the species, at the time it is listed in accordance with the provisions of section 4 of this Act, on which are found those physical or biological features (I) essential to the conservation of the species and (II) which may require special management considerations or protection; and specific areas outside the geographical area occupied by the species at the time it is listed in accordance with the provisions of section 4 of this Act, upon a determination by the Secretary that such areas are essential for the conservation of the species. (16 U.S.C. 1532.Definitions).

cubic foot per second (cfs)—A measure of water flow equal to 1 cubic foot of water passing a point on the stream in 1 second of time.

cultural resource—A building, site, district, structure, or object significant in history, architecture, archaeology, culture, or science.

dead pool—Elevation at which water cannot be regularly released from a reservoir, which would effectively preclude Colorado River diversions to downstream users.

dead storage—Reservoir space from which stored water cannot be evacuated by gravity.

delta sediment—Deposit formed at the mouth of the Colorado River and other rivers where they enter Lake Powell, Lake Mead, or the Gulf of California.

depletion—Loss of water from a stream, river, or basin resulting from consumptive use. *Refer to* consumptive use.

deposition—Settlement of material out of the water column and on to the streambed. Occurs when the energy of flowing water is unable to support the load of suspended sediment.

discharge (flow)—Volume of water that passes a given point within a given period of time; expressed in cubic feet per second (cfs). *Refer to* cubic foot per second.

dissolved oxygen (DO)—Amount of free oxygen found in water; perhaps the most commonly employed measurement of water quality. Low DO levels adversely affect fish and other aquatic life. The ideal dissolved oxygen for fish life is between 7 milligrams per liter (mg/L) and 9 mg/L; most fish cannot survive when DO falls below 3 mg/L.

diversion(s)—Colorado River water withdrawn from the mainstream, including water diverted from reservoirs or drawn from the mainstream by underground pumping.

domestic use—Refers to the use of water for household, stock, municipal, mining, milling, industrial, and other like purposes; excludes the generation of electrical power.

draw down—Lowering of a reservoir's elevation; process of depleting a reservoir or groundwater storage.

ecosystem—As defined by the United States Geological Survey (USGS), an ecosystem is made up of all of the living and non-living things in a geographic area. Plants, animals, soil, climate, and other features of the environment interact with each other to form an ecosystem.

electric power system—Physically connected facilities for electricity generation, transmission, and distribution that are operated as a unit under one control.

electrical demand—Energy requirement placed upon a utility's generation at a given instant or averaged over any designated period of time.

endangered species—Any species which is in danger of extinction throughout all or a significant portion of its range, as defined by the Endangered Species Act (ESA) of 1973 (16 USC 1532.Definitions). *Refer to* threatened.

Endangered Species Act (ESA)—The Endangered Species Act (ESA) of 1973 (16 USC 1531–1544), establishes protections for fish, wildlife, and plants that are listed as threatened or endangered; provides for adding species to and removing them from the list of threatened and endangered species, and for preparing and implementing plans for their recovery; provides for interagency cooperation to avoid take of listed species and for issuing permits for otherwise prohibited activities; provides for cooperation with States, including authorization of financial assistance; and implements the provisions of the [Convention on International Trade in Endangered Species of Wild Flora and Fauna \(CITES\)](#).

energy—What is produced by power plants; measured in kilowatt hours.

entitlement—Refers to an authorization to beneficially consume Colorado River water pursuant to a decreed right; a contract with the United States through the Secretary of the Interior or a Secretarial Reservation of water.

epilimnion—Thermal layering of water in lakes and streams. *See also* stratification.

equalization line—the Equalization Tier from the 2007 Colorado River Interim Guidelines for Lower Basin Shortages and the Coordinated Operations for Lake Powell and Lake Mead defined by an elevation schedule that would be used in determining when equalization releases would be made from Lake Powell.

Extraordinary Conservation Intentionally Created Surplus (ICS)—An ICS is a mechanism to encourage and account for augmentation and conservation of water supplies that would minimize the likelihood and severity of potential future shortages. Extraordinary Conservation types of ICS are created through such conservation measures as fallowing, canal lining programs, and desalination programs.

firm energy or power—Non-interruptible energy or power guaranteed by the supplier to be available at all times except for reasons of uncontrollable forces or “continuity of service” contract provisions.

flood—An overflow or inundation that comes from a river or other body of water and causes or threatens damage. Any relatively high streamflow overtopping the natural or artificial banks in any reach of a river or stream. A relatively high flow as measured by either gage height or discharge quantity.

flood control pool—Reservoir volume above the active conservation and joint-use pool that is reserved for flood runoff and then evacuated as soon as possible to keep that space ready for the next flood.

flood control release—The release of water from Lake Mead and the operation of Hoover Dam for flood control purposes pursuant to the reservoir operating criteria specified in the February 8, 1984, Field Working Agreement between the United States Army Corps of Engineers (USACE) and the Bureau of Reclamation (Reclamation), and the USACE regulations contained in 33 Code of *Federal Regulations* (CFR) 208.11.

flow—Volume of water passing a given point per unit of time expressed in cubic foot per second. *See also* cubic foot per second.

forage fish—Generally, small fish that reproduce prolifically and are consumed by predators.

fore bay—Impoundment immediately above a dam or hydroelectric plant intake structure. The term is applicable to all types of hydroelectric developments (storage, run-of-river, and pumped storage).

fry—Life stage of fish between the egg and fingerling stages.

full pool—Volume of water in a reservoir at maximum design elevation.

gaging station—Specific location on a stream where systematic observations of hydrologic data are obtained through mechanical or electrical means.

gigawatt-hour (GWh)—One billion watt-hours of electrical energy.

headwater—The source and upper part of a stream.

High Flow Experiments (HFEs)—Scheduled releases of water from a dam above powerplant capacity to benefit key resources by simulating pre-dam floods.

historic property—Any district, site, building, structure, or object listed on or eligible for listing on the National Register of Historic Places (36 CFR 800.16(l)(1)).

hydropower—The use of water to produce electricity.

hypolimnetic zone—The deep portion of a lake or reservoir volume generally classified as below the level of the thermocline. *Refer to* thermocline.

hypolimnion—Thermal layering of water in lakes and streams; the lower stratum of the water column of a reservoir. This layer is generally undisturbed, and respiration and decomposition predominate. *Refer to* stratification.

important farmlands—Prime farmland, unique farmland, farmland of statewide importance, and farmland of local importance, as defined by the United States Department of Agriculture Natural Resources Conservation Service (formerly the Soil Conservation Service). The categorization of farmland is based on a soil classification system that accounts for the physical and chemical characteristics of the land and the suitability of the land for producing crops. Important farmlands are afforded special protection due to their importance to agricultural production.

Imported Intentionally Created Surplus (ICS)—An ICS is a mechanism to encourage and account for augmentation and conservation of water supplies that would minimize the likelihood and severity of potential future shortages. Imported types of ICS are created by introducing non-Colorado River System water in that entitlement holder’s state into the mainstream.

impoundment—Body of water created by a dam.

in situ—In archaeology, and as used in this EIS, an artifact that has not been moved from its original place of deposit.

Indian trust assets (ITAs)—An Indian Trust Asset is something the Federal government holds in trust for the benefit of a Native American individual or Tribe. In the case of trust lands, this means that an individual or Tribe earns money when companies lease rights to that land and earn income.

inflow—Water flowing into a lake or reservoir from a river and/or its tributaries, or water entering a river from tributaries.

irrigated area—The gross farm area upon which water is artificially applied for the production of crops, with no reduction for access roads, canals, or farm buildings.

irrigation—The controlled application of water to arable lands to supply water requirements not satisfied by rainfall.

juvenile—Young fish older than 1 year but not having reached reproductive age.

kilowatt-hour (kWh)—One thousand watt-hours of electrical energy.

land cover type—A classification system to describe vegetation and other habitat types (such as cottonwood willow, honey mesquite, and marsh).

landscape character—Overall visual appearance of a given landscape based on the form, line, color, and texture associated with the landscape’s vegetation, landforms/water, and human-made modifications. These factors give the area a distinctive quality that distinguishes it from its immediate surroundings.

Las Vegas Valley—The topographic basin containing the city of Las Vegas, the city of North Las Vegas, the city of Henderson, and certain unincorporated townships of Clark County in the State of Nevada.

Las Vegas Wash—The natural drainage channel for the entire Las Vegas Valley. It is dominated by wastewater flows from the city of Las Vegas, Clark County Sanitation District, and city of Henderson wastewater treatment plants. It terminates in the Las Vegas Bay of Lake Mead in the State of Nevada.

Law of the River—As applied to the Colorado River, a body of documents the Secretary of the Interior (Secretary) uses to carry out the responsibility to manage the mainstream waters of the Lower Basin pursuant to applicable federal law. The Secretary is vested with this responsibility. This

collective set of documents is comprised of numerous operating criteria, regulations, and administrative decisions from federal and state statutes, interstate compacts, court decisions and decrees, an international treaty, and contracts. The Secretary apportions the Colorado River waters and regulates the use and management of the Colorado River among the seven Basin States and Mexico. *Refer to* Colorado River Compact of 1922 and Basin States.

lead agency—An agency initiating and overseeing the preparation of an EIS. For this EIS, Reclamation is the lead agency for compliance with NEPA.

Lee Ferry Compact Point—Identified reference point that marks the division between the two subbasins—the Upper Basin and the Lower Basin—created by the division of the Colorado River Basin in the Colorado River Compact of 1922. This reference point is in the mainstream Colorado River in Arizona, one mile below the confluence of the Colorado River with the Paria River. *Refer to* Colorado River Compact of 1922.

Lees Ferry Gaging Station—The site of the United States Geological Survey (USGS) stream gage (Lees Ferry Gaging Station) in Arizona on the Colorado River upstream of its confluence with the Paria River, downstream of Glen Canyon Dam. Also, the location of Colorado River ferry crossings (1873 to 1928).

limnology—Scientific study of physical characteristics and the biology of lakes, ponds, and streams.

load—Amount of electrical power or energy delivered or required at a given point.

Lower Basin (States)—Those parts of the states of Arizona, California, Nevada, New Mexico, and Utah within and from which waters drain naturally into the Colorado River below the Lee Ferry Compact Point in Arizona. The Colorado River Compact of 1922 divided the Colorado River system into two subbasins: the Upper Basin and the Lower Basin. *See also* Lee Ferry Compact Point.

Lower Division (States)—Arizona, Nevada, and California. The Colorado River Compact of 1922 divided the seven Colorado River Basin states into two groups: Upper Division States and Lower Division States. The Lower Division States are Arizona, Nevada, and California. *See also* Basin States.

magnitude—A number characteristic of a quantity and forming a basis for comparison with similar quantities, such as flows. *Refer to* flows.

mean monthly flow—Average flow for the month, usually expressed in cubic feet per second.

mean sea level (msl)—The average height of the surface of the oceans and seas measured throughout all stages of the tidal cycle, determined from hourly readings of tidal height, and computed over a long (usually 19-year) period. It is used as a datum plane (that is, it serves as the reference surface from which elevations and depths are measured).

median—Middle value in a distribution, above and below which lie an equal number of values.

megawatt (MW)—One million watts of electrical power (capacity).

megawatt-hour (MWh)—One million watt-hours of electrical energy.

Mesozoic era—The second-to-last era of earth's geological history, lasting from about 252 to 66 million years ago, comprising the Triassic, Jurassic, and Cretaceous periods.

metalimnion—Thermal layering of water in lakes and streams. *Refer to* stratification.

milligram per liter (mg/L)—As defined by the United States Geological Survey (USGS), a unit of the concentration of a constituent in water or [wastewater](#). It represents 0.001 gram of a constituent in 1 liter of water. It is approximately equal to one part per million (PPM).

minimum power pool—The reservoir elevation below which water can no longer produce power because the water does not reach the intakes for hydropower generation.

National Critical Infrastructure—those assets, systems, and networks, whether physical or virtual, are considered so vital to the United States that their incapacitation or destruction would have a debilitating effect on security, national economic security, national public health or safety, or any combination thereof. Presidential Policy Directive 21 (PPD-21): Critical Infrastructure Security and Resilience advances a national policy to strengthen and maintain secure, functioning, and resilient critical infrastructure.

National Environmental Policy Act of 1969, as amended (NEPA) (43 U.S.C. 4321 et seq.)—As described on the Department of Energy's NEPAnet web site, NEPA requires Federal agencies to assess the environmental effects of proposed major Federal actions prior to making decisions. Section 101 of NEPA sets forth a national policy "to use all practicable means and measures, including financial and technical assistance, in a manner calculated to foster and promote the general welfare, to create and maintain conditions under which man and nature can exist in productive harmony, and fulfill the social, economic, and other requirements of present and future generations of Americans." [42 U.S.C. 4331\(a\)](#). Section 102 of NEPA establishes procedural requirements, applying that national policy to proposals for major Federal actions significantly affecting the quality of the human environment by requiring Federal agencies to prepare a detailed statement on: (1) the environmental impact of the proposed action; (2) any adverse effects that cannot be avoided; (3) alternatives to the proposed action; (4) the relationship between local short-term uses of man's environment and the maintenance and enhancement of long-term productivity; and (5) any irreversible and irretrievable commitments of resources that would be involved in the proposed action. ([42 U.S.C. 4332\(2\)\(C\)](#)).

National Register of Historic Places (NRHP)—The Nation's official list of historic places worthy of preservation. Authorized under the National Historic Preservation Act of 1966, the NRHP is part of a national program to coordinate and support public and private efforts to identify, evaluate, and protect our historic and archaeological resources. Properties listed on the NRHP include districts, sites, buildings, structures, and objects that are significant in American history, architecture, archaeology, engineering, and culture.

natural flow—The flow of any stream un-depleted by human activities.

non-system water—Waters originating from outside the Colorado River system.

normal condition—When the Secretary has determined that there is available for annual release 7.5 million acre-feet (maf) to satisfy consumptive use in the Lower Division States pursuant to Article II(B)(1) of the Consolidated Decree. *Refer to Lower Division States and Consolidated Decree.*

oligotrophic—A body of water characterized by low dissolved plant nutrient and organic matter, and rich in oxygen at all depths.

outlet works—A combination of structures and equipment required for the safe operation and control of water released from a [reservoir](#) to serve various purposes, i.e., regulate stream flow and quality; release floodwater; and provide [irrigation](#), municipal, and/or industrial water. Included in the outlet works are the intake structure, [conduit](#), [control house](#)-gates, [regulating gate](#) or valve, gate chamber, and stilling basin. A series of components located in a [dam](#) through which normal releases from the reservoir are made. A device to provide controlled releases from a reservoir. A pipe that lets water out of a reservoir, mainly to supply downstream demands.

Paleontological resources—Any fossilized remains, traces, or imprints of organisms preserved in or on the earth's crust.

Paleozoic era (541–252 million years ago)—Means ancient life. The oldest animals on earth appeared just before the start of this era.

Pangea—A supercontinent that existed from about 300 to 200 million years ago and included most of the continental crust of the earth.

peak flow—Maximum instantaneous flow in a specified period of time.

peak load—Maximum electrical demand in a stated period of time.

penstock—Conduit pipe used to convey water from the reservoir through the dam under pressure to the turbines of a hydroelectric plant.

percentile—A statistical term. A descriptive measure that splits ranked data into 100 parts, or hundredths. For example, the 10th percentile is the value that splits the data in such a way that 10 percent of the values are less than or equal to the 10th percentile.

piscivorous—Habitually feeding on fish.

PM₁₀ (PM10)—Particulate matter (PM) (dust particles) standard that includes particles with a diameter of 10 micrometers or less.

PM_{2.5} (PM2.5)—Particulate matter (PM) (dust particles) standard that includes particles with a diameter of 2.5 micrometers or less.

power—Electrical capacity generated, transferred, or used.

Present Perfected Right (PPR)—Many Colorado River water rights that originated as “perfected rights” specified in the 1964 United States Supreme Court Decree in the case of *Arizona v. California*. PPRs are the highest-priority Colorado River water rights that the 1964 Decree defines as those perfected rights existing on June 25, 1929 (the effective date of the Boulder Canyon Project Act of 1928). *Refer to* Consolidated Decree.

priority—A ranking with respect to diversions of water relative to other water users.

pro rata shortage distribution—distribution of policy shortages on a proportional basis (i.e., at the same percentage reduction from each user’s entitlement) across all Lower Basin water users, including Mexico

probability—The relative frequency with which a range of modeled values occurs.

public involvement—Process of obtaining citizen input into each stage of development of planning documents. For EISs, NEPA requires Federal agencies, “...*request public comment on alternatives or impacts and on relevant information, studies, or analyses with respect to the proposed agency action.*” (43 U.S.C. 4321 et seq).

Quaternary period—A geologic time period that encompasses the most recent 2.6 million years, including the present day.

ramp rate—The rate of change in instantaneous output from a powerplant. The ramp rate is established to prevent undesirable effects due to rapid changes in loading or, in the case of hydroelectric plants, discharge.

rated head—Water depth for which a hydroelectric generator and turbines were designed.

reach—A specified segment of a river, stream, channel, or other water conveyance.

recruitment—Survival of young plants and animals from birth to a life stage less vulnerable to environmental change.

reregulating reservoir—A reservoir for reducing diurnal fluctuations resulting from the operation of an upstream reservoir for power production.

resampling—The digital process of changing the sample rate or dimensions of sampled data (for example, digital imagery or audio) by temporarily or areally analyzing and sampling the original data.

reserved water—In the case of Indian reservations, rights based on the doctrine of Indian reserved rights; in the case of federal establishments other than Indian reservations, a federal reservation of water for use on property under federal jurisdiction.

reservoir—A pond, lake, or basin, either natural or artificial, for the storage, regulation, and control of water.

return flow—The portion of water previously diverted from a river or stream and subsequently returned to that river or stream and is available for consumptive use by others. *Refer to* consumptive use.

return flow credit—In the accounting of consumptive use in the Lower Basin, Colorado River water that is returned to the river and is available for consumptive use by others in the year in which it was diverted and is credited against a water user's total diversions. *Refer to* consumptive use.

riffle—A stretch of choppy water caused by an underlying rock shoal or sandbar.

riparian—Of, on, or pertaining to the bank of a river, pond, or lake.

river mile (RM)—A unit of measurement (in miles) used on rivers. For the purposes of this EIS, river miles are numbered along the Colorado River from south to north starting with RM 0.0 at the Southerly International Boundary (SIB) with Mexico. Dam locations are noted at their respective river miles.

river outlet works—Dam structures that conduct water from the reservoir to the river without passing through a powerplant; also referred to as jet tubes, bypass tubes, or outlet works. *Refer to* bypass tubes and outlet works.

river stage—Water surface elevation of a river above a datum. As described by the United States Geological Survey, river stage is an important concept when analyzing how much water is moving in a stream at any given moment. Stage is the water level above some arbitrary point, usually with the zero height being near the river bed, in the river and is commonly measured in feet.

RiverWare™—A commercial river system simulation computer program that was configured to simulate operation of the Colorado River.

runoff—That part of the precipitation that appears in surface streams. It is the same as streamflow unaffected by artificial diversions, storage, or other works of humans in or on the stream channels.

sacred site—A specific location identified by a Native American Tribe as sacred for its religious significance to, or ceremonial use by, a Native American religion.

salinity—Saltiness. The relative concentration of dissolved salts, usually sodium chloride, in a given water supply. A measure of the concentration of dissolved mineral substances in water.

sandbar—A long, narrow deposition of sediment within a river.

Secretary—The Secretary of the Department of the Interior.

sediment—Any finely divided organic and/or mineral matter deposited by air or water in nonturbulent areas. Unconsolidated solid material that comes from weathering of [rock](#) and is carried by, suspended in, or deposited by water or wind.

sediment load—Mass of sediment passing through a stream section in a specified period of time, expressed in millions of tons (mt). Amount of sediment carried by running water. The sediment that is being moved by a stream.

seepage—The slow movement or [percolation](#) of water through [soil](#) or [rock](#). Movement of water through soil without formation of definite channels. The movement of water into and through the soil from unlined canals, [ditches](#), and water storage facilities. The slow movement or percolation of water through small cracks, pores, [interstices](#), etc., from an embankment, abutment, or foundation.

shortage condition—When the Secretary of the Interior has determined that there is available for annual release less than 7.5 maf to satisfy consumptive use in the Lower Division States pursuant to Article II(B)(3) of the Consolidated Decree. *Refer to Lower Division States and Consolidated Decree.*

spawn—To lay eggs, especially fish.

spills—Water releases from a dam in excess of powerplant capacity.

spillway—A structure that passes normal and/or flood [flows](#) in a manner that protects the structural integrity of the [dam](#). Overflow [channel](#) of a dam or impoundment structure. A structure over or through which flow is discharged from a reservoir. If the rate of flow is controlled by mechanical means such as gates, it is considered a controlled spillway. If the geometry of the spillway is the only control, it is considered an uncontrolled spillway. Any passageway, channel, or structure designed to discharge surplus water from a reservoir.

spinning reserves—Available capacity of generating facilities synchronized to the interconnected electric system so that it can be called upon for immediate use in response to system problems or sudden load changes.

stage—Same as elevation or depth of water. The height of a water surface above an established datum.

standards—A means established by authority as a rule for the measure of quality, such as cosmetic effects (such as skin or tooth discoloration) or aesthetic effects (such as taste, odor, or color) in drinking water.

storage—Water artificially impounded in surface or underground reservoirs for future use. Water naturally detained in a drainage basin, such as groundwater, channel storage, and depression storage. The term “drainage basin storage” or simply “basin storage” is sometimes used to refer collectively to the amount of water in natural storage in a drainage basin. *See also* conservation storage and dead storage.

stormwater—Consists of water that originates from precipitation, such as heavy rain or snow.

stratification—Thermal layering of water in lakes and streams. Lakes usually have three zones of varying temperature: (1) epilimnion—top layer with essentially uniform warmer temperature, (2)

metalimnion—middle layer of rapid temperature decrease with depth, and (3) hypolimnion—bottom layer with essentially uniform colder temperatures.

streamflow—The discharge that occurs in a natural channel. Although the term “discharge” can be applied to the flow of a canal, the word streamflow uniquely describes the discharge in a surface stream course. The term “streamflow” is more general than runoff, as streamflow may be applied to discharge whether it is affected by diversion or regulation.

suspended load—Sediment that is supported by the upward components of turbulence in a stream and that stays in suspension for an appreciable length of time.

surplus condition—When the Secretary of the Interior has determined that there is available for annual release more than 7.5 maf to satisfy consumptive use in the Lower Division States pursuant to Article II(B)(2) of the Consolidated Decree. *Refer to Lower Basin/Lower Division States and Consolidated Decree.*

system conservation—A voluntary reduction of consumptive use of Colorado River water that can be estimated or measured. *Refer to consumptive use.*

System Efficiency Intentionally Created Surplus (ICS)—An ICS is a mechanism to encourage and account for augmentation and conservation of water supplies that would minimize the likelihood and severity of potential future shortages. System Efficiency types of ICS are created when an entitlement holder makes a capital contribution to the Secretary of the Interior for use in funding projects designed to realize system efficiencies that save water that would otherwise be lost from the mainstream of the United States.

system storage—The total volume of water available in the Colorado River Basin at a specific point in time.

system water—Waters originating from the Colorado River system. *Refer to Colorado River system.*

tail water—Water immediately downstream of the outlet from a dam or hydroelectric powerplant where the water is more similar to that in the reservoir than farther downstream.

take—To harass, harm, pursue, hunt, shoot, wound, kill, trap, capture, or collect, or to attempt to engage in any such conduct as defined by the Endangered Species Act (ESA) of 1973 (16 U.S.C. 1532.Definitions).

thermocline—The zone of maximum change in temperature in a waterbody, separating upper (epilimnetic) from lower (hypolimnetic) zones.

threatened species—A species or subspecies that is likely to become endangered in the foreseeable future throughout all or a significant portion of its range as defined by the Endangered Species Act (ESA) of 1973 (16 USC 1532.Definitions). *Refer to endangered.*

total dissolved solids (TDS)—Dissolved materials in the water, including ions such as potassium, sodium, chloride, carbonate, sulfate, calcium, and magnesium. In many instances, the term “TDS” is used to reflect salinity, since these ions are typically in the form of salts.

traces—Multiple time series of forecasted streamflow used in hydrological modeling. Multiple traces are sometimes referred to as an ensemble.

traditional cultural place—A type of historic property that is rooted in a community’s history and important to that community’s cultural identity.

tributary—River or stream flowing into a larger river or stream.

turbidity—Cloudiness of water, measured by how deeply light can penetrate into the water column from the surface.

turbine—A rotary mechanical device that uses water flow to turn and convert it into energy.

Upper Basin (States)—Those parts of the states of Arizona, Colorado, New Mexico, Utah, and Wyoming within and from which waters drain naturally into the Colorado River above the Lee Ferry Compact Point in Arizona. The Colorado River Compact of 1922 divided the Colorado River system into two subbasins: the Upper Basin and the Lower Basin. *Refer to Lee Ferry Compact Point.*

Upper Colorado River Commission—Commission established by the Upper Colorado River Compact of appointed members from the Upper Division States whose purpose is to secure the storage of water for beneficial consumptive use in the Upper Basin.

Upper Division (States)—Colorado, New Mexico, Utah, and Wyoming. The Colorado River Compact of 1922 divided the seven Colorado River Basin states into two groups: Upper Division States and Lower Division States. The Upper Division States are Colorado, New Mexico, Utah, and Wyoming. *Refer to Basin States and Lower Division (States).*

Visual resources—Physical features that make up the visible landscape (features such as land, water, vegetation, topography, and human-made features such as buildings, roads, utilities, and structures) as well as the response of viewers to those features.

Water Year (WY)—Period of 12 months ending September 30 of each year.

watershed—The drainage area upstream of a specified point on a stream.

Index

- Ak-Chin Indian Community, 2-1
Annual Operating Plan (AOP), 1-4, 1-5, 1-25, 1-26, 1-27, 1-31, 2-6, 2-38
Bill Williams River, 1-12, 1-20, 3-27, 3-108, 3-152
Black Canyon, 3-27, 3-42, 3-162
bluehead sucker, 3-89, 3-90
boating, 2-36, 3-151, 3-152, 3-153, 3-154, 3-155, 3-156, 3-157, 3-158, 3-159, 3-160, 3-175, 3-177, 3-180, 3-181, 3-182, 3-183
bonytail, 3-89, 3-90, 3-95
Boulder Canyon, 1-10, 1-14, 1-15
Boulder Canyon Project (BCP), 1-10, 1-14, 1-15
Cathedral in the Desert, 3-202, 3-203, 3-204, 3-209
Central Arizona Project (CAP), 1-14, 1-20, 1-27, 2-12, 2-23, 3-2, 3-27, 3-145, 3-171, 3-172, 3-187, 3-190, 3-195, 3-197, 3-198, 3-199
Chemehuevi Indian Tribe, 2-1
Cibola Gage, 3-3, 3-27, 3-28, 3-95, 3-131
Clark County, 1-29, 3-75, 3-78, 3-83, 3-171, 3-173, 3-176, 3-187
Colorado pikeminnow, 3-89, 3-91, 3-92, 3-96, 3-149, 3-150
Colorado River Indian Tribes (CRIT), 2-1, 3-28
Dangling Rope Marina, 3-151
Davis Dam, 1-15, 1-20, 1-21, 1-25, 3-3, 3-27, 3-40, 3-78, 3-84, 3-88, 3-95, 3-98, 3-99, 3-120, 3-130, 3-131, 3-133, 3-147, 3-150, 3-152, 3-160, 3-162, 3-163, 3-164, 3-166, 3-167, 3-169, 3-170, 3-171
Diamond Creek, 3-61, 3-153
dissolved oxygen, 2-36, 3-9, 3-66, 3-67, 3-68, 3-70, 3-71, 3-72, 3-73, 3-74, 3-93, 3-96
Drought Contingency Plans (DCPs), 1-1, 1-2, 1-15, 1-28, 1-31, 1-32, 4-4
Drought Response Operations Agreement (DROA), 1-30, 3-25
Echo Bay, 3-94, 3-123, 3-127
Endangered Species Act (ESA), 1-14, 1-29, 3-89, 3-93, 3-95, 3-108, 3-111, 3-113, 3-114, 3-115, 3-116, 4-3, 4-4
fishing, 3-92, 3-149, 3-151, 3-152, 3-154, 3-155, 3-156, 3-157, 3-159, 3-160, 3-194, 3-195
flannelmouth sucker, 3-89, 3-90, 3-94, 3-95, 3-149
Fort McDowell Yavapai Nation, 2-1
Fort Mojave Indian Tribe, 2-1
Gila River, 1-11, 2-1, 2-2, 3-28
Gila River Indian Community, 2-1, 2-2
Glen Canyon Dam, 1-1, 1-2, 1-4, 1-5, 1-6, 1-7, 1-11, 1-13, 1-15, 1-20, 1-22, 1-23, 1-25, 1-28, 1-31, 2-10, 2-11, 2-15, 2-16, 2-19, 2-20, 2-23, 2-28, 2-30, 2-33, 2-35, 2-36, 2-37, 2-38, 2-39, 2-42, 3-3, 3-6, 3-10, 3-23, 3-24, 3-25, 3-26, 3-27, 3-33, 3-37, 3-38, 3-39, 3-40, 3-43, 3-59, 3-60, 3-61, 3-63, 3-65, 3-66, 3-67, 3-68, 3-70, 3-71, 3-78, 3-84, 3-88, 3-89, 3-90, 3-91, 3-92, 3-93, 3-96, 3-97, 3-98, 3-100, 3-102, 3-103, 3-104, 3-105, 3-107, 3-111, 3-112, 3-118, 3-119, 3-121, 3-123, 3-124, 3-129, 3-133, 3-135, 3-143, 3-147, 3-148, 3-150, 3-152, 3-154, 3-158, 3-159, 3-160, 3-161, 3-164, 3-165, 3-166, 3-167, 3-168, 3-169, 3-170, 3-186, 3-201, 3-202, 3-203, 3-204, 3-205, 3-207, 4-3, 4-4
Glen Canyon National Recreation Area (Glen Canyon NRA), 3-9, 3-151
Glen Canyon Powerplant, 3-76, 3-86
Grand Canyon National Park, 1-14, 3-3, 3-40, 3-120, 3-152, 3-153, 3-173, 3-176, 3-179, 3-186, 3-201, 3-203, 3-208
Headgate Rock Dam, 1-20, 3-28

- Hoover Dam, 1-1, 1-2, 1-3, 1-4, 1-7, 1-13, 1-16, 1-20, 1-21, 1-23, 1-24, 1-25, 2-20, 2-37, 3-3, 3-23, 3-27, 3-28, 3-33, 3-39, 3-40, 3-41, 3-48, 3-61, 3-65, 3-66, 3-68, 3-69, 3-73, 3-78, 3-84, 3-88, 3-91, 3-95, 3-96, 3-98, 3-99, 3-100, 3-106, 3-107, 3-108, 3-113, 3-114, 3-115, 3-116, 3-117, 3-118, 3-120, 3-121, 3-122, 3-123, 3-125, 3-130, 3-131, 3-133, 3-136, 3-137, 3-143, 3-145, 3-147, 3-148, 3-150, 3-152, 3-154, 3-160, 3-162, 3-164, 3-165, 3-166, 3-167, 3-169, 3-170, 3-188, 3-202, 3-203, 3-204, 3-205, 3-207, 3-208
- Hopi Tribe, 2-1, 3-143
- humpback chub, 2-36, 3-9, 3-89, 3-90, 3-91, 3-92, 3-93, 3-94, 3-149
- Imperial County, 3-172
- Imperial Dam, 1-11, 1-20, 3-3, 3-22, 3-23, 3-27, 3-28, 3-41, 3-65, 3-68, 3-69, 3-89, 3-90, 3-95, 3-131
- Indian Trust Assets (ITA), 3-8, 3-59, 3-143, 3-194, 3-195, 3-196, 3-197, 3-198, 3-200, 3-201, 4-3
- Jicarilla Apache Nation, 2-1
- Kaibab Band of Paiute Indians, 2-1
- Kane County, 3-173
- Lake Havasu State Park, 3-152
- Lake Mead National Recreation Area (Lake Mead NRA), 3-109, 3-120, 3-123, 3-135, 3-136, 3-152, 3-173, 3-176, 3-179, 3-186, 3-201
- Las Vegas Bay, 3-66, 3-67, 3-94
- Las Vegas Wash, 3-67
- Little Colorado River, 1-12, 3-27, 3-40, 3-60, 3-61, 3-62, 3-63, 3-90, 3-94, 3-131
- Lower Colorado River Multi-Species Conservation Program (LCR MSCP), 1-28, 1-29, 2-29, 3-89, 3-90, 3-91, 3-95, 3-96, 3-98, 3-100, 3-108, 3-113, 3-114, 3-115, 3-116, 4-4
- LTEMP, 1-15, 1-28, 1-31, 2-20, 3-24, 3-62, 3-100, 3-137, 3-175, 4-4
- Marble Canyon, 3-61, 3-63, 3-65, 3-100, 3-102, 3-104, 3-131
- Maricopa County, 3-172
- Martinez Lake, 3-152
- metals, 3-67
- Metropolitan Water District of Southern California (MWD), 1-20, 1-29, 3-2, 3-27
- Moapa Band of Paiute Indians, 2-1
- Navajo Nation, 2-1, 3-143, 3-152
- Navajo Sandstone, 3-201
- nutrients, 3-66, 3-67, 3-71
- Orange County, 3-172
- Ouray Reservation, 2-1
- Overton Beach, 3-207
- Overton Wildlife Management Area, 3-152
- Palo Verde Diversion Dam, 1-15, 1-20, 3-28
- Paria River, 3-27, 3-39, 3-40, 3-63, 3-152
- Parker Dam, 1-15, 1-20, 1-25, 3-3, 3-27, 3-28, 3-40, 3-65, 3-68, 3-69, 3-78, 3-85, 3-88, 3-95, 3-99, 3-121, 3-131, 3-161, 3-162, 3-163, 3-164, 3-166, 3-167, 3-169, 3-170, 3-171
- Pearce Ferry, 2-36, 3-70, 3-89, 3-90, 3-91, 3-92, 3-94, 3-153, 3-207
- perchlorate, 3-67, 3-72
- Pima County, 3-172
- Rainbow Bridge, 3-151
- Rainbow Bridge National Monument, 3-151
- razorback sucker, 3-89, 3-90, 3-91, 3-92, 3-94, 3-95, 3-96, 3-149, 3-150
- salinity, 1-14, 3-8, 3-65, 3-68, 3-69, 3-72, 3-73, 3-74, 3-91
- Salt River Pima-Maricopa Indian Community, 2-1
- Salton Sea, 2-36, 3-22, 3-23, 3-24
- San Carlos Apache Tribe, 2-1
- San Diego County, 1-29
- San Juan River, 1-11, 3-90, 3-91, 3-92, 3-149
- sediment, 2-20, 2-36, 3-9, 3-59, 3-60, 3-61, 3-62, 3-63, 3-64, 3-65, 3-70, 3-76, 3-79, 3-93, 3-121, 3-122, 3-131, 3-135, 3-139, 3-143, 3-152, 3-153, 3-186, 3-201, 3-202, 3-203, 3-204, 3-205, 3-206, 3-209
- sediment deltas, 3-201, 3-202, 3-203, 3-204, 3-205, 3-206, 3-209
- Separation Canyon, 3-3, 3-61
- Southern Ute Indian Tribe, 2-1
- southwestern willow flycatcher, 3-111, 3-113, 3-116
- sport fishing, 3-151, 3-154, 3-155, 3-156, 3-157, 3-160
- temperature, 1-30, 3-9, 3-15, 3-21, 3-66, 3-68, 3-69, 3-70, 3-74, 3-77, 3-85, 3-90, 3-91,

- 3-92, 3-93, 3-94, 3-95, 3-96, 3-112, 3-134,
3-154, 3-156, 3-158, 3-159, 3-160
- Tonto Apache Tribe, 2-1
- United Mexican States (Mexico), 1-1, 1-8,
1-11, 1-13, 1-14, 1-15, 1-15, 1-16, 1-18,
1-19, 1-20, 1-25, 1-30, 2-1, 2-3, 2-4, 2-8,
2-12, 2-13, 2-17, 2-18, 2-22, 2-26, 2-29,
2-31, 2-32, 2-34, 2-35, 2-38, 2-39, 2-40,
2-41, 2-42, 3-1, 3-3, 3-6, 3-7, 3-24, 3-25,
3-28, 3-41, 3-45, 3-46, 3-48, 3-49, 3-50,
3-51, 3-52, 3-53, 3-55, 3-58, 3-59, 3-136,
3-164, 3-186, 4-1, 4-3, 4-4, 4-5
- United States Fish and Wildlife Service (FWS)
(Service), 1-7, 1-29, 2-16, 3-89, 3-108,
3-114, 3-133, 3-186, 4-2, 4-3, 4-4
- United States National Park Service (NPS),
1-7, 1-29, 2-16, 3-66, 3-67, 3-76, 3-89, 3-90,
3-119, 3-120, 3-121, 3-133, 3-136, 3-143,
3-151, 3-152, 3-153, 3-155, 3-156, 3-173,
3-175, 3-176, 3-177, 3-186, 4-2, 4-3
- United States Section of the International
Boundary and Water Commission
(USIBWC), 1-1, 1-7, 1-11, 4-2, 4-3, 4-5
- Upper Colorado River Basin Fund (Basin
Fund), 3-163
- Ute Indian Tribe of the Uintah, 2-1
- Virgin River, 1-12, 3-94
- Western Area Power Administration (WAPA),
1-7, 1-25, 1-29, 2-16, 3-9, 3-161, 3-163,
3-164, 3-168, 4-2, 4-3
- Western Electricity Coordinating Council
(WECC), 3-78, 3-86
- White Mountain Apache Tribe, 2-1
- whitewater boating, 2-36, 3-151, 3-154, 3-155,
3-156, 3-160, 3-182
- Yavapai-Apache Nation, 2-1
- Yuma County, 3-75, 3-172

This page intentionally left blank.